Baty J (*see* Steinmetz et al). 2004;39:306-13
Baxter BT. Presidential address: Commitment—looking for someone willing to go to the trouble. 2004;39:925-30
Becquemin JP, Kelley L, Zubilewicz T, Desgranges P, Lapeyre M, Kobeiter H. Outcomes of secondary interventions after abdominal aortic aneurysm endovascular repair. 2004;39:298-305
Becquemin JP, Sapoval M, Beregi JP, Favre JP, Rousseau H, Watelet J. Regarding "Use of abdominal aortic endovascular prostheses in France from 1999 to 2001." 2004;39:1358-9 (Letter)
Beebe HG (*see* Carpenter et al). 2004;39:34-43
Belcaro G (*see* Kakkos et al). 2004;39:696-7 (Letter reply)
Belkin M (*see* Abbruzzese et al). 2004;39:1178-85
Belkin M (*see* Jacot et al). 2004;39:547-55
Belkin M (*see* Menard et al). 2004;39:1163-70
Bell J (*see* Bradbury et al). 2004;39:1026-32
Bell PRF (*see* Lloyd et al). 2004;39:788-91
Bell PRF (*see* Naylor et al). 2004;39:985-93
Benbunan M (*see* Senet et al). 2004;39:1147 (Letter reply)
Bendick PJ (*see* Brown et al). 2004;39:366-71
Bennett MB (*see* Chue et al). 2004;39:859-67
Bérard A (*see* Kahn et al). 2004;39:823-8
Berceli SA, Jiang Z, Klingman NV, Pfahnl CL, Abouhamze ZS, Frase CD, Schultz GS, Ozaki CK. Differential expression and activity of matrix metalloproteinases during flow-modulated vein graft remodeling. 2004;39:1084-90
Beregi JP (*see* Becquemin et al). 2004;39:1358-9 (Letter)
Beresford T. Regarding "Performance characteristics of the venous clinical severity score" and "Validation of the new venous severity scoring system in varicose vein surgery." 2004;39:696-7 (Letter)
Bergan JJ (*see* Takase et al). 2004;39:1329-34
Bernardini GL (*see* Paty et al). 2004;39:148-54
Bernheim JW, Hansen J, Faries P, Kilaru S, Winchester P, Mousa A, Trost D, Kent KC. Acute lower extremity ischemia in a 7-year-old boy: an unusual case of popliteal entrapment syndrome. 2004;39:1340-3 (Case rep.)
Berry CL (*see* Chue et al). 2004;39:859-67
Bianchi C (*see* Ballard JL et al). 2004;39:797-803
Bjarnegård N (*see* Debasso et al). 2004;39:836-42
Blackburn S (*see* Henke et al). 2004;39:357-65
Blackhurst DW (*see* Cull et al). 2004;39:381-6
Blackhurst DW (*see* Kalbaugh et al). 2004;39:1268-76
Blankensteijn JD (*see* Rotmans et al). 2004;39:432-9
Blissmer B (*see* Menard et al). 2004;39:1186-92
Bloch DA (*see* Zarins et al). 2004;39:109-17
Blumer R (*see* Nanobashvili et al). 2004;39:868-77
Bodner J (*see* Greiner et al). 2004;39:1284-7
Bonvini S (*see* Grego et al). 2004;39:691
Borzini P, Mazzucco L, Panizza R, Rivara G. Regarding "Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers." 2004;39:1146-7 (Letter)
Bourns BD (*see* Englesbe et al). 2004;39:1091-6
Bourriez A (*see* Coggia et al). 2004;39:471-3 (Tech. note)
Bove PG (*see* Brown et al). 2004;39:366-71
Bower TC (*see* Elkouri et al). 2004;39:497-505
Bower TC (*see* Mozes et al). 2004;39:958-66
Bower TC (*see* Oderich et al). 2004;39:931-6
Bown MJ (*see* Lloyd et al). 2004;39:788-91
Bradbury A, Wilmink T, Lee AJ, Bell J, Prescott R, Gillespie I, Stansby G, Fowkes FGR. Bypass versus angioplasty to treat severe limb ischemia: factors that affect treatment preferences of UK surgeons and interventional radiologists. 2004;39:1026-32
Bradbury AW (*see* Wilmink et al). 2004;39:513-16
Bratzler DW (*see* Kresowik et al). 2004;39:372-80
Braun CM (*see* Menard et al). 2004;39:1186-92
Breuckmann F (*see* Stücker et al). 2004;39:816-22
Brewster DC (*see* Carpenter et al). 2004;39:34-43
Brewster DC (*see* Marone et al). 2004;39:322-9
Brittenden J (*see* Cassar et al). 2004;39:560-4
Brown KR (*see* Kresowik et al). 2004;39:372-80
Brown OW, Bendick PJ, Bove PG, Long GW, Cornelius P, Zelenock GB, Shanley CJ. Reliability of extracranial carotid artery duplex ultrasound scanning: value of vascular laboratory accreditation. 2004;39:366-71
Bryant A (*see* McCready et al). 2004;39:1348-50 (Case rep.)
Burklein D (*see* Ruppert et al). 2004;39:758-62
Burmeister W (*see* van Aalst et al). 2004;39:229-37
Burns PJ (*see* Wilmink et al). 2004;39:513-16
Burton T (*see* Greenberg et al). 2004;39:95-101
Bush RL (*see* Chai et al). 2004;39:1112-14 (Case rep.)
Bush RL (*see* Lin et al). 2004;39:266, 1322-8
Butcher W (*see* Aremu et al). 2004;39:88-94
Buth J (*see* Peppelenbosch et al). 2004;39:288-97

C

Caggiati A. Regarding "Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus." 2004;39:1144 (Letter reply)
Cahill LM, Murdoch BE, McGahan T, Gibbs H, Lethean J, MacKenzie K. Perceptual and instrumental evaluation of voice and tongue function after carotid endarterectomy. 2004;39:742-8
Calligaro KD, Chang J, Dougherty MJ. Regarding "Factors that predict prolonged length of stay after aortic surgery." 2004;39:488-9 (Letter reply)
Calligaro KD. Regarding "Acute arterial complications associated with total hip and knee arthroplasty." 2004;39:1148 (Letter reply)
Calligaro KD (*see* Ryan et al). 2004;39:73-8
Calvo F (*see* Senet et al). 2004;39:1147 (Letter reply)
Cambria RP (*see* Marone et al). 2004;39:322-9
Camilli S (*see* Marrocco-Trischitta et al). 2004;39:1295-304
Campbell DR (*see* Aulivola et al). 2004;39:1171-7
Campbell GR (*see* Chue et al). 2004;39:859-67
Campbell JH (*see* Chue et al). 2004;39:859-67
Cannella XF (*see* Stambo et al). 2004;39:1122-4 (Case rep.)
Cao P, Parlani G, Verzini F, De Rango P. Regarding "Predictive factors and clinical consequences of proximal aortic neck dilatation in 230 patients undergoing abdominal aorta aneurysm repair with self-expandable stent-grafts." 2004;39:487 (Letter reply)
Caplice N (*see* Chue et al). 2004;39:859-67
Caramelli B (*see* Durazzo et al). 2004;39:967-76
Carlson GA, Hoballah JJ, Sharp WJ, Martinasevic M, Yelden KM, Corson JD, Kresowik TF. Balloon angioplasty as a treatment of failing infrainguinal autologous vein bypass grafts. 2004;39:421-6
Carpenter JP, Anderson WN, Brewster DC, Kwolek C, Makaroun M, Martin J, McCann R, McKinsey J, Beebe HG. Multicenter pivotal trial results of the Lifepath System for endovascular aortic aneurysm repair. 2004;39:34-43
Carpenter JP (*see* Woo et al). 2004;39:470

Carr JA (*see* Cho et al). 2004;39:155-61
Carroccio A (*see* Ellozy et al). 2004;39:1146 (Letter reply)
Carroccio A (*see* Minor et al). 2004;39:893-6 (Case rep.)
Carsten CG III (*see* Cull et al). 2004;39:381-6
Carsten CG III (*see* Kalbaugh et al). 2004;39:1268-76
Carter JW (*see* Lee et al). 2004;39:491-6
Cassar K, Bachoo P, Ford I, McGee M, Greaves M, Brittenden J. *Helicobacter pylori* seropositivity is associated with enhanced platelet activation in patients with intermittent claudication. 2004;39:560-4
Cayne NS, Veith FJ, Lipsitz EC, Ohki T, Mehta M, Gargiulo N, Suggs WD, Rozenblit A, Ricci Z, Timaran CH. Variability of maximal aortic aneurysm diameter measurements on CT scan: significance and methods to minimize. 2004;39:811-15
Cayne NS (*see* Mehta et al). 2004;39:118-23
Celic L (*see* McDermott et al). 2004;39:523-30
Cerceau P (*see* Coggia et al). 2004;39:471-3 (Tech. note)
Chai CY, Lin PH, Bush RL, Lumsden AB. Aortic endograft thrombosis after colorectal surgery in lithotomy position. 2004;39:1112-14 (Case rep.)
Chakhtoura EY (*see* Lal et al). 2004;39:58-66
Chalmers RTA (*see* Tambyraja et al). 2004;39:400-3
Champagne BJ, Darling RC III, Daneshmand M, Kreienberg PB, Lee EC, Mehta M, Roddy SP, Chang BB, Paty PSK, Ozsvath KJ, Shah DM. Outcome of aggressive surveillance colonoscopy in ruptured abdominal aortic aneurysm. 2004;39:792-6
Chan B (*see* Karamlou et al). 2004;39:763-70
Chan C (*see* McDermott et al). 2004;39:523-30
Chan RK (*see* Menard et al). 2004;39:1163-70
Chandler JG. Histomorphologic classification of recurrent saphenofemoral reflux. 2004;39:816-22 (Invited commentary)
Chandler JG (*see* Pichot et al). 2004;39:189-95
Chang BB (*see* Champagne et al). 2004;39:792-6
Chang BB (*see* Paty et al). 2004;39:148-54
Chang DW, Schubart PJ, Veith FJ, Zarins CK. A new approach to carotid angioplasty and stenting with transcervical occlusion and protective shunting: why it may be a better carotid artery intervention. 2004;39:994-1002
Chang J (*see* Calligaro et al). 2004;39:488-9 (Letter reply)
Chang JB, Stein TA. Regarding "Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning." 2004;39:487-8 (Letter)
Chaudhury SR (*see* Shankar et al). 2004;39:1033-42
Chen C (*see* Lin et al). 2004;39:1322-8
Cheng SWK, Ting ACW, Ho P, Wu LLH. Accelerated progression of carotid stenosis in patients with previous external neck irradiation. 2004;39:409-15
Cherry K (*see* Elkouri et al). 2004;39:497-505
Cherry KJ Jr (*see* Mozes et al). 2004;39:958-66
Cherry KJ Jr (*see* Oderich et al). 2004;39:931-6
Cherry RA (*see* Vinces et al). 2004;39:462-4 (Case rep.)
Cheung TH (*see* Lam et al). 2004;39:465-9 (Case rep.)
Chevalier J (*see* Ducasse et al). 2004;39:906-11 (Case rep.)
Chew DKW (*see* Menard et al). 2004;39:1163-70
Chiche L (*see* Kieffer et al). 2004;39:1009-17
Chiesa R (*see* Melissano et al). 2004;39:124-30
Chiou AC. Regarding "Floppy aortic graft reconstruction for germ cell tumor invasion of the infrarenal aorta." 2004;39:922 (Letter reply)
Cho JS, Dillavou ED, Rhee RY, Makaroun MS. Late abdominal aortic aneurysm enlargement after endovascular repair with the Excluder device. 2004;39:1236-42
Cho JS, Pandurangi K, Conrad MF, Shepard AS, Carr JA, Nypaver TJ, Reddy DJ. Safety and durability of redo carotid operation: an 11-year experience. 2004;39:155-61
Choi D (*see* Paty et al). 2004;39:148-54
Choi ET (*see* Flye et al). 2004;39:454-8 (Case rep.)
Choi ET (*see* Steinmetz et al). 2004;39:306-13
Chu J (*see* Sho et al). 2004;39:1312-21
Chue WL, Campbell GR, Caplice N, Muhammed A, Berry CL, Thomas AC, Bennett MB, Campbell JH. Dog peritoneal and pleural cavities as bioreactors to grow autologous vascular grafts. 2004;39:859-67
Chuter TAM (*see* Greenberg et al). 2004;39:1209-18
Chuter TAM (*see* Sternbergh et al). 2004;39:20-6
Cinà C. Regarding "Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature." 2004;39:1360-1. (Letter reply)
Cinà CS, Althani H, Pasenau J, Abouzahr L. Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature. 2004;39:131-9
Civilini E (*see* Melissano et al). 2004;39:124-30
Clagett GP (*see* Modrall et al). 2004;39:387-94
Clagett GP (*see* Valentine et al). 2004;39:351-6
Clair D (*see* Anderson et al). 2004;39:10-19
Clouse WD (*see* Marone et al). 2004;39:322-9
Clowes AW (*see* Englesbe et al). 2004;39:440-6, 1091-6
Coffi SB, Ubbink DT, Zwiers I, van Gurp JAM, Hanson D, Legemate DA. Contrast-enhanced duplex scanning of crural arteries by means of continuous infusion of Levovist. 2004;39:517-22
Coggia M, Bourriez A, Cerceau P, Di Centa I, Leschi JP, Goëau-Brissonnière O. Videoscopic approach to femoral bifurcation. 2004;39:471-3 (Tech. note)
Coggia M (*see* Javerliat et al). 2004;39:1115-17 (Case rep.)
Cohen J (*see* Valentine et al). 2004;39:351-6
Colgan MP (*see* Aremu et al). 2004;39:88-94
Colonna JO (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Conrad MF (*see* Cho et al). 2004;39:155-61
Conte MS (*see* Abbruzzese et al). 2004;39:1178-85
Conte MS (*see* Jacot et al). 2004;39:547-55
Conte MS (*see* Menard et al). 2004;39:1163-70
Conti E (*see* Yagubyan et al). 2004;39:897-900 (Case rep.)
Contreras MA (*see* Kalish et al). 2004;39:645-54
Cornelius P (*see* Brown et al). 2004;39:366-71
Corriveau MM, Johnston KW. Interobserver variability of carotid Doppler peak velocity measurements among technologists in an ICAVL-accredited vascular laboratory. 2004;39:735-41
Corrocher R (*see* Pizzolo et al). 2004;39:140-7
Corsini A (*see* Ricco et al). 2004;39:1359 (Letter reply)
Corson JD (*see* Carlson et al). 2004;39:421-6
Costanza MJ, Queral LA, Lilly MP, Finn WR. Hemodynamic outcome of endovascular therapy for TransAtlantic InterSociety Consensus type B femoropopliteal arterial occlusive lesions. 2004;39:343-50
Crabtree T (*see* Zarins et al). 2004;39:109-17
Creager MA (*see* Hirsch et al). 2004;39:474-81
Creton D (*see* Pichot et al). 2004;39:189-95
Criado E, Gasparis A. Transluminal thrombin injection and exclusion of a paramesenteric abdominal aortic aneurysm. 2004;39:1118-21 (Case rep.)
Criado E, Wall P, Lucas P, Gasparis A, Proffit T, Ricotta J. Transesophageal echo-guided endovascular exclusion of thoracic aortic mobile thrombi. 2004;39:238-42 (Case rep.)
Crigger NA (*see* Jones et al). 2004;39:482-3

Criqui MH (*see* McDermott et al). 2004;39:523-30
Cronenwett JL. Changes in board certification could improve vascular surgery training. 2004;39:913-15 (Editorial)
Cronenwett JL. Presidential address: SVS and AAVS united. 2004; 39:1-8
Cronenwett JL, Seeger MM. New policy for publication of Sponsoring Society manuscripts. 2004;39:701
Cronenwett JL (*see* Fillinger et al). 2004;39:1243-52
Cronenwett JL (*see* Kent et al). 2004;39:267-9
Cronenwett JL (*see* Powell et al). 2004;39:1193-9
Culakova E (*see* Sivamurthy et al). 2004;39:565-74
Cull DL (*see* Cull et al). 2004;39:381-6
Cull DL (*see* Kalbaugh et al). 2004;39:1268-76
Cull JD, Cull DL, Taylor SM, Carsten CG III, Snyder BA, Youkey JR, Langan EM III, Blackhurst DW. Prosthetic thigh arteriovenous access: outcome with SVS/AAVS reporting standards. 2004;39:381-6
Curci JA (*see* Flye et al). 2004;39:454-8 (Case rep.)
Curi MA (*see* Baldwin et al). 2004;39:951-7
Cutler BS (*see* Li et al). 2004;39:1074-83
Czerny M (*see* Hofmann et al). 2004;39:169-75

D

Da Giau G (*see* Ballotta et al). 2004;39:539-46, 1003-8
Daley J (*see* Axelrod et al). 2004;39:67-72
Daley J (*see* O'Hare et al). 2004;39:709-16
Dalman RL (*see* Sho et al). 2004;39:1312-21
Dalsing MC. Surgical disobliteration of postthrombotic deep veins—endophlebectomy—is feasible. 2004;39:1047-51 (Invited commentary)
Daneshmand M (*see* Champagne et al). 2004;39:792-6
Daniels K (*see* Walker and Daniels). 2004;39:697-8 (Letter)
Darling RC III (*see* Champagne et al). 2004;39:792-6
Darling RC III (*see* Paty et al). 2004;39:148-54
Daum G (*see* Englesbe et al). 2004;39:440-6, 1091-6
Davies MG (*see* Sivamurthy et al). 2004;39:565-74
Davies MG (*see* Surowiec et al). 2004;39:804-10
Davies MG (*see* Tanski et al). 2004;39:214-22, 639-44
Day NE (*see* Wilmink et al). 2004;39:513-16
De Bernoche C (*see* Durazzo et al). 2004;39:967-76
De Caridi G (*see* Alimi et al). 2004;39:777-83
de Donato G, Neri E, Baldi I, Setacci C. Rupture of internal iliac artery aneurysm presenting as rectus sheath hematoma: case report. 2004;39:250-3 (Case rep.)
de Kleijn DPV (*see* Rotmans et al). 2004;39:432-9
De Rango P (*see* Cao et al). 2004;39:487 (Letter reply)
de Vries JPPM, van Den Heuvel DAF, Vos JA, van Den Berg JC, Moll FL. Freedom from secondary interventions to treat stenotic disease after percutaneous transluminal angioplasty of infrarenal aorta: long-term results. 2004;39:427-31
Deaton D (*see* Greenberg et al). 2004;39:95-101
Deb R (*see* Lloyd et al). 2004;39:788-91
Debasso R, Åstrand H, Bjarnegård N, Ahlgren ÅR, Sandgren T, Länne T. The popliteal artery, an unusual muscular artery with wall properties similar to the aorta: implications for susceptibility to aneurysm formation?. 2004;39:836-42
Dellinger MB (*see* Kalbaugh et al). 2004;39:1268-76
Demasi RJ (*see* Sprouse et al). 2004;39:578-82. Correction 2004; 39:867
Demonner S (*see* Axelrod et al). 2004;39:67-72
Deou J (*see* Englesbe et al). 2004;39:1091-6
Deriu GP (*see* Grego et al). 2004;39:691
DeRose G (*see* Forbes et al). 2004;39:102-8
Desai TR (*see* Baldwin et al). 2004;39:951-7
Desgranges P (*see* Becquemin et al). 2004;39:298-305
Deutsch ER (*see* Kalish et al). 2004;39:645-54
Di Centa I (*see* Coggia et al). 2004;39:471-3 (Tech. note)
Di Centa I (*see* Javerliat et al). 2004;39:1115-17 (Case rep.)
Dias NV, Ivancev K, Malina M, Resch T, Lindblad B, Sonesson B. Intra-aneurysm sac pressure measurements after endovascular aneurysm repair; differences between shrinking, unchanged, and expanding aneurysms with and without endoleaks. 2004; 39:1229-35
Dillavou ED (*see* Cho et al). 2004;39:1236-42
Divelbiss JL (*see* McCready et al). 2004;39:1348-50 (Case rep.)
Dobrucki LW (*see* Nanobashvili et al). 2004;39:868-77
Donaldson MC (*see* Abbruzzese et al). 2004;39:1178-85
Donaldson MC (*see* Jacot et al). 2004;39:547-55
Donaldson MC (*see* Menard et al). 2004;39:1163-70
Donatelli F (*see* Pocar et al). 2004;39:1360 (Letter)
Dorer DJ (*see* Marone et al). 2004;39:322-9
Dorigo W, Pulli R, Innocenti AA, Anichini C, Azas L, Barbanti E, Pratesi G, Gori F, Pratesi C. Isolated inflammatory aneurysm of superior mesenteric artery: unexpected pathologic diagnosis. 2004;39:903-5 (Case rep.)
Dosquet C (*see* Senet et al). 2004;39:1147 (Letter reply)
Dougherty MJ (*see* Calligaro et al). 2004;39:488-9 (Letter reply)
Dougherty MJ (*see* Ryan et al). 2004;39:73-8
Drooz A (*see* Hirsch et al). 2004;39:474-81
Ducasse E, Roy F, Chevalier J, Massouille D, Smith M, Speziale F, Fiorani P, Puppinck P. Aneurysm of the pancreaticoduodenal arteries with a celiac trunk lesion: current management. 2004; 39:906-11 (Case rep.)
Dueck AD, Johnston KW, Alter D, Laupacis A, Kucey DS. Predictors of repair and effect of gender on treatment of ruptured abdominal aortic aneurysm. 2004;39:784-7
Dueck AD, Kucey DS, Johnston KW, Alter D, Laupacis A. Long-term survival and temporal trends in patient and surgeon factors after elective and ruptured abdominal aortic aneurysm surgery. 2004;39:1261-7
Dueck AD, Kucey DS, Johnston KW, Alter D, Laupacis A. Survival after ruptured abdominal aortic aneurysm: effect of patient, surgeon, and hospital factors. 2004;39:1253-60
Dumanian GA (*see* Morasch et al). 2004;39:1277-83
Durán WN (*see* Lal et al). 2004;39:58-66
Durazzo AES, Machado FS, Ikeoka DT, De Bernoche C, Monachini MC, Puech-Leão P, Caramelli B. Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial. 2004;39:967-76

E

Eagle KA (*see* Henke et al). 2004;39:357-65
Eagleton MJ (*see* Greenberg et al). 2004;39:279-87
Earnshaw JJ, Whitman B, Foy C. National Audit of Thrombolysis for Acute Leg Ischemia (NATALI): clinical factors associated with early outcome. 2004;39:1018-25
Ebaugh JI (*see* Morasch et al). 2004;39:697-8 (Letter reply)
Edwards JM (*see* Lam et al). 2004;39:336-42
Edwards MS (*see* English et al). 2004;39:254-9 (Case rep.)
Edwards MS (*see* Pearce et al). 2004;39:223-8
Ehringer H (*see* Willfort-Ehringer et al). 2004;39:728-34
Ekim H (*see* Kutay et al). 2004;39:901-2 (Case rep.)
Eklof B (*see* Puggioni et al). 2004;39:1048-52
Elkouri S, Gloviczki P, McKusick MA, Panneton JM, Andrews J, Bower TC, Noel AA, Harmsen WS, Hoskin TL, Cherry K. Perioperative complications and early outcome after endovas-

cular and open surgical repair of abdominal aortic aneurysms. 2004;39:497-505
Ellinger J (*see* Laredo et al). 2004;39:1059-65
Ellozy S, Carroccio A, Marin ML. Regarding "Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned." 2004;39:1146 (Letter reply)
Ellozy S (*see* Minor et al). 2004;39:893-6 (Case rep.)
Englesbe MJ, Deou J, Bourns BD, Clowes AW, Daum G. Interleukin-1β inhibits PDGF-BB–induced migration by cooperating with PDGF-BB to induce cyclooxygenase-2 expression in baboon aortic smooth muscle cells. 2004;39:1091-6
Englesbe MJ, Hawkins SM, Hsieh PCH, Daum G, Kenagy RD, Clowes AW. Concomitant blockade of platelet-derived growth factor receptors α and β induces intimal atrophy in baboon PTFE grafts. 2004;39:440-6
English WP, Edwards MS, Pearce JD, Mondi MM, Hundley JC, Hansen KJ. Multiple aneurysms in childhood. 2004;39:254-9 (Case rep.)
English WP (*see* Pearce et al). 2004;39:223-8
Eskandari M (*see* Kibbe et al). 2004;39:937-43
Eskandari MK (*see* Morasch et al). 2004;39:697-8 (Letter reply)
Estes JM (*see* Lin et al). 2004;39:1053-8
Estrera AL (*see* Hassoun et al). 2004;39:506-12
Eton D, Yu H, Wang Y, Raines J, Striker G, Livingstone A. Endograft technology: a delivery vehicle for intravascular gene therapy. 2004;39:1066-73

F

Fahy L (*see* Menard et al). 2004;39:1163-70
Fairman RM (*see* Karmacharya et al). 2004;39:1128
Faries P (*see* Bernheim et al). 2004;39:1340-3 (Case rep.)
Faries PL (*see* Anderson et al). 2004;39:10-19, 1200-8
Favre JP (*see* Becquemin et al). 2004;39:1358-9 (Letter)
Fearnot NE (*see* Greenberg et al). 2004;39:1209-18
Fegley AJ (*see* Surowiec et al). 2004;39:804-10
Fegley AJ (*see* Tanski et al). 2004;39:214-22
Fehrenbacher JW (*see* McCready et al). 2004;39:1348-50 (Case rep.)
Feinglass J (*see* O'Hare et al). 2004;39:709-16
Fender P (*see* Ricco et al). 2004;39:1359 (Letter reply)
Fernandes B (*see* Sho et al). 2004;39:1312-21
Feustel PJ (*see* Mehta et al). 2004;39:118-23
Feustel PJ (*see* Paty et al). 2004;39:148-54
Filho MDMG (*see* Wolosker et al). 2004;39:459-61 (Case rep.)
Filis KA, Arko FR. Regarding "Predictive factors and clinical consequences of proximal aortic neck dilatation in 230 patients undergoing abdominal aorta aneurysm repair with self-expandable stent-grafts." 2004;39:487 (Letter)
Filis KA, Bastounis EA. Regarding "Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review." 2004;39:486 (Letter)
Fillinger M (*see* Powell et al). 2004;39:1193-9
Fillinger MF, Racusin J, Baker RK, Cronenwett JL, Teutelink A, Schermerhorn ML, Zwolak RM, Powell RJ, Walsh DB, Rzucidlo EM. Anatomic characteristics of ruptured abdominal aortic aneurysm on conventional CT scans: implications for rupture risk. 2004;39:1243-52
Finn WR (*see* Costanza et al). 2004;39:343-50
Fiorani P (*see* Ducasse et al). 2004;39:906-11 (Case rep.)
Fishwick G (*see* Lloyd et al). 2004;39:788-91
Fléron MH (*see* Kieffer et al). 2004;39:1009-17
Flye MW, Choi ET, Sanchez LA, Curci JA, Thompson RW, Rubin BG, Geraghty PJ, Sicard GA. Retrograde visceral vessel revascularization followed by endovascular aneurysm exclusion as an alternative to open surgical repair of thoracoabdominal aortic aneurysm. 2004;39:454-8 (Case rep.)
Flye MW (*see* Steinmetz et al). 2004;39:306-13
Fogarty TJ (*see* Arko et al). 2004;39:404-8
Fogarty TJ (*see* Zarins et al). 2004;39:109-17
Fogle MA (*see* Sprouse et al). 2004;39:578-82. Correction 2004; 39:867
Forbes TL, DeRose G, Kribs SW, Harris KA. Cumulative sum failure analysis of the learning curve with endovascular abdominal aortic aneurysm repair. 2004;39:102-8
Ford I (*see* Cassar et al). 2004;39:560-4
Forstner R (*see* Hofmann et al). 2004;39:169-75
Fowkes FGR (*see* Bradbury et al). 2004;39:1026-32
Fox CJ, Rasmussen TE, O'Donnell SD. Cystic adventitial disease of the popliteal artery. 2004;39:1351
Fox PL (*see* van Aalst et al). 2004;39:229-37
Foy C (*see* Earnshaw et al). 2004;39:1018-25
Fraedrich G (*see* Greiner et al). 2004;39:1284-7
Fransen G (*see* Peppelenbosch et al). 2004;39:288-97
Frase CD (*see* Berceli et al). 2004;39:1084-90
Fuegl A (*see* Nanobashvili et al). 2004;39:868-77
Fukumoto Y (*see* Takagi et al). 2004;39:1125-7 (Case rep.)
Fungaloi P (*see* Nigri et al). 2004;39:843-9

G

Gaccione P (*see* Jacot et al). 2004;39:547-55
Gagne PJ (*see* Rockman et al). 2004;39:44-51
Ganesan P (*see* Sho et al). 2004;39:1312-21
Garcia S (*see* Hartung et al). 2004;39:889-92 (Case rep.)
Gardner AW, Killewich LA, Montgomery PS, Katzel LI. Response to exercise rehabilitation in smoking and nonsmoking patients with intermittent claudication. 2004;39:531-8
Gargiulo N (*see* Cayne et al). 2004;39:811-15
Gargiulo NJ III (*see* Reed et al). 2004;39:395-9
Gargiulo NJ III (*see* Timaran et al). 2004;39:1157-62
Gasparis A (*see* Criado and Gasparis). 2004;39:1118-21 (Case rep.)
Gasparis A (*see* Criado et al). 2004;39:238-42 (Case rep.)
Gaunt ME (*see* Al-Rawi et al). 2004;39:1288-94
Gayle RG (*see* Sprouse et al). 2004;39:578-82. Correction 2004; 39:867
Geary RL (*see* Pearce et al). 2004;39:223-8
Gelijns A (*see* Anderson et al). 2004;39:10-19, 1200-8
Georgiev M. Regarding "Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus." 2004;39: 1144 (Letter)
Geppert SN (*see* Ruppert et al). 2004;39:758-62
Geraghty PJ (*see* Flye et al). 2004;39:454-8 (Case rep.)
Geraghty PJ (*see* Steinmetz et al). 2004;39:306-13
Gerhard-Herman M (*see* Jacot et al). 2004;39:547-55
Germain BF (*see* Stambo et al). 2004;39:1122-4 (Case rep.)
Germain L (*see* Rémy-Zolghadri et al). 2004;39:613-20
Geroulakos G (*see* Kakkos et al). 2004;39:696-7 (Letter reply)
Gewertz BL (*see* Baldwin et al). 2004;39:951-7
Gibbs H (*see* Cahill et al). 2004;39:742-8
Gillespie I (*see* Bradbury et al). 2004;39:1026-32
Giorgi R (*see* Alimi et al). 2004;39:777-83
Girelli D (*see* Pizzolo et al). 2004;39:140-7
Glickman MH (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Gloviczki P (*see* Elkouri et al). 2004;39:497-505

Gloviczki P (*see* Hirsch et al). 2004;39:474-81
Gloviczki P (*see* Mozes et al). 2004;39:958-66
Gloviczki P (*see* Oderich et al). 2004;39:931-6
Goëau-Brissonnière O (*see* Coggia et al). 2004;39:471-3 (Tech. note)
Goëau-Brissonnière O (*see* Javerliat et al). 2004;39:1115-17 (Case rep.)
Goëau-Brissonnière O (*see* Ricco et al). 2004;39:1359 (Letter reply)
Goldman J (*see* Lookstein et al). 2004;39:27-33
Goldstein J (*see* Lal et al). 2004;39:58-66
Gomes D (*see* Kieffer et al). 2004;39:1009-17
Goodwin AL (*see* Kibbe et al). 2004;39:937-43
Gori F (*see* Dorigo et al). 2004;39:903-5 (Case rep.)
Goshima KR, Mills JL, Hughes JD. A new look at outcomes after infrainguinal bypass surgery: traditional reporting standards systematically underestimate the expenditure of effort required to attain limb salvage. 2004;39:330-5
Graham LM (*see* van Aalst et al). 2004;39:229-37
Grambow SC (*see* Horner et al). 2004;39:162-8
Gray BH (*see* Kalbaugh et al). 2004;39:1268-76
Greaves M (*see* Cassar et al). 2004;39:560-4
Green RM (*see* Ouriel et al). 2004;39:916-17 (Editorial)
Green RM (*see* Sivamurthy et al). 2004;39:565-74
Green RM (*see* Surowiec et al). 2004;39:804-10
Greenberg RK, Chuter TAM, Lawrence-Brown M, Haulon S, Nolte L. Analysis of renal function after aneurysm repair with a device using suprarenal fixation (Zenith AAA Endovascular Graft) in contrast to open surgical repair. 2004;39:1219-28
Greenberg RK, Chuter TAM, Sternbergh WC III, Fearnot NE. Zenith AAA Endovascular Graft: intermediate-term results of the US multicenter trial. 2004;39:1209-18
Greenberg RK, Deaton D, Sullivan T, Walker E, Lyden SP, Srivastava SD, Ouriel K, Ivanc T, Burton T, Mayo J. Variable sac behavior after endovascular repair of abdominal aortic aneurysm: analysis of core laboratory data. 2004;39:95-101
Greenberg RK, Haulon S, Lyden SP, Srivastava SD, Turc A, Eagleton MJ, Sarac TP, Ouriel K. Endovascular management of juxtarenal aneurysms with fenestrated endovascular grafting. 2004;39:279-87
Greenberg RK (*see* Sternbergh et al). 2004;39:20-6
Greenland P (*see* McDermott et al). 2004;39:523-30
Grego F, Stramanà R, Lepidi S, Antonello M, Bonvini S, Zaramella M, Deriu GP. Primitive proatlantal intersegmental artery and carotid endarterectomy. 2004;39:691
Greiner A, Rantner B, Greiner K, Kronenberg F, Schocke M, Neuhauser B, Bodner J, Fraedrich G, Schlager A. Neuropathic pain after femoropopliteal bypass surgery. 2004;39:1284-7
Greiner K (*see* Greiner et al). 2004;39:1284-7
Greisler HP (*see* Laredo et al). 2004;39:1059-65
Greisler HP (*see* Sheehan et al). 2004;39:575-7
Grober ED (*see* Sidhu et al). 2004;39:1305-11
Gruber D (*see* Willfort-Ehringer et al). 2004;39:728-34
Grund SL (*see* Kresowik et al). 2004;39:372-80
Gschwandtner ME (*see* Willfort-Ehringer et al). 2004;39:728-34
Guerra R (*see* Valentine et al). 2004;39:351-6
Guerrini P (*see* Marrocco-Trischitta et al). 2004;39:1295-304
Guiney MJ (*see* Stambo et al). 2004;39:1122-4 (Case rep.)
Gupta L (*see* Anderson et al). 2004;39:1200-8
Guralnik JM (*see* McDermott et al). 2004;39:523-30

## H

Haas FM (*see* Hubmer et al). 2004;39:263-5 (Case rep.)
Hagiwara N (*see* Nagashima et al). 2004;39:447-53
Hale JE (*see* Li et al). 2004;39:1074-83
Hamada H (*see* Ishii et al). 2004;39:629-38
Hamdan AD (*see* Aulivola et al). 2004;39:1171-7
Hamilton G (*see* Rashid et al). 2004;39:488-9 (Letter)
Hamstra SJ (*see* Sidhu et al). 2004;39:1305-11
Handa A (*see* Shankar et al). 2004;39:1033-42
Hands LJ (*see* Shankar et al). 2004;39:1033-42
Hansen J (*see* Bernheim et al). 2004;39:1340-3 (Case rep.)
Hansen KJ (*see* English et al). 2004;39:254-9 (Case rep.)
Hanson D (*see* Coffi et al). 2004;39:517-22
Hanson SR (*see* Lin et al). 2004;39:1322-8
Harkin DW, Romaschin A, Taylor SM, Rubin BB, Lindsay TF. Complement C5a receptor antagonist attenuates multiple organ injury in a model of ruptured abdominal aortic aneurysm. 2004;39:196-206
Harmsen WS (*see* Elkouri et al). 2004;39:497-505
Harris KA (*see* Forbes et al). 2004;39:102-8
Harris PL (*see* Peppelenbosch et al). 2004;39:288-97
Hartung O, Alimi YS, Juhan C. Tinnitus resulting from tandem lesions of the internal carotid artery: combined extracranial endarterectomy and intrapetrous primary stenting. 2004;39:679-81 (Case rep.)
Hartung O, Garcia S, Alimi YS, Juhan C. Extensive arterial aneurysm developing after surgical closure of long-standing posttraumatic popliteal arteriovenous fistula. 2004;39:889-92 (Case rep.)
Hartung O (*see* Alimi et al). 2004;39:777-83
Hassoun HT, Miller CC III, Huynh TTT, Estrera AL, Smith JJ, Safi HJ. Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair. 2004;39:506-12
Haulon S (*see* Greenberg et al). 2004;39:279-87
Haumer A (*see* Willfort-Ehringer et al). 2004;39:728-34
Haumer M (*see* Willfort-Ehringer et al). 2004;39:728-34
Havens J (*see* Abbruzzese et al). 2004;39:1178-85
Hawkins SM (*see* Englesbe et al). 2004;39:440-6
Hayakawa K (*see* Kawamura et al). 2004;39:668-71 (Case rep.)
Hayes PD (*see* Naylor et al). 2004;39:985-93
Heckenkamp J, Nigri GR, Waterman PR, Overhaus M, Kossodo SC, LaMuraglia GM. γ-Irradiation modulates vascular smooth muscle cell and extracellular matrix function: implications for neointimal development. 2004;39:1097-103
Hemady EA (*see* Tanski et al). 2004;39:639-44
Hendel ME (*see* Kresowik et al). 2004;39:372-80
Henderson W (*see* Axelrod et al). 2004;39:67-72
Henderson WG (*see* O'Hare et al). 2004;39:709-16
Hendricks G (*see* Li et al). 2004;39:1074-83
Henke PK, Blackburn S, Proctor MC, Stevens J, Mukherjee D, Rajagopalin S, Upchurch GR Jr, Stanley JC, Eagle KA. Patients undergoing infrainguinal bypass to treat atherosclerotic vascular disease are underprescribed cardioprotective medications: effect on graft patency, limb salvage, and mortality. 2004;39:357-65
Henke PK (*see* Axelrod et al). 2004;39:67-72
Hijjawi J (*see* Morasch et al). 2004;39:1277-83
Hile CN (*see* Aulivola et al). 2004;39:1171-7
Hill BB (*see* Arko et al). 2004;39:404-8
Hilleman D (*see* Sarac et al). 2004;39:556-9
Hingorani A, Ascher E, Markevich N, Kallakuri S, Hou A, Schutzer R, Yorkovich W. Magnetic resonance angiography versus duplex arteriography in patients undergoing lower ex-

tremity revascularization: which is the best replacement for contrast arteriography?. 2004;39:717-22
Hingorani AP (*see* Ascher et al). 2004;39:416-20
Hino Y (*see* Murakami et al). 2004;39:243-5 (Case rep.)
Hirose H (*see* Shimabukuro et al). 2004;39:1361 (Letter)
Hirose K (*see* Komiyama et al). 2004;39:661-7
Hirsch AT, Gloviczki P, Drooz A, Lovell M, Creager MA. Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health. 2004;39:474-81
Ho P (*see* Cheng et al). 2004;39:409-15
Hoballah JJ (*see* Carlson et al). 2004;39:421-6
Hobson LRW II (*see* Lal et al). 2004;39:58-66
Hoch JR (*see* Wolff et al). 2004;39:878-88
Hodgson KJ (*see* Parra et al). 2004;39:676-8 (Case rep.)
Hofer J (*see* Oderich et al). 2004;39:931-6
Hoffman SN (*see* TenBrook et al). 2004;39:583-9
Hofmann WJ, Walter J, Ugurluoglu A, Czerny M, Forstner R, Magometschnigg H. Preoperative high-frequency duplex scanning of potential pedal target vessels. 2004;39:169-75
Hollander EJF, Visser MJT, van Baalen JM. Accessory thyroid gland at carotid bifurcation presenting as a carotid body tumor: case report and review of the literature. 2004;39:260-2 (Case rep.)
Hollenbeck ST (*see* Kent et al). 2004;39:267-9
Hollier LH (*see* Minor et al). 2004;39:893-6 (Case rep.)
Hood DB (*see* Rao et al). 2004;39:1043-7
Hood DB (*see* Weaver et al). 2004;39:749-57
Horn M (*see* Hubmer et al). 2004;39:263-5 (Case rep.)
Horner RD, Oddone EZ, Stechuchak KM, Johnston DCC, Grambow SC. Who doesn't receive carotid endarterectomy when appropriate?. 2004;39:162-8
Hosaka M (*see* Ohta et al). 2004;39:176-80
Hoskin TL (*see* Elkouri et al). 2004;39:497-505
Hoskin TL (*see* Mozes et al). 2004;39:958-66
Hou A (*see* Hingorani et al). 2004;39:717-22
Hovsepian DM (*see* Steinmetz et al). 2004;39:306-13
Hsieh PCH (*see* Englesbe et al). 2004;39:440-6
Hubbard CS (*see* Wilmink et al). 2004;39:513-16
Huber TS (*see* Lee et al). 2004;39:491-6
Hubmer MG, Koch H, Haas FM, Horn M, Sankin O, Scharnagl E. Necrotizing fasciitis after ambulatory phlebectomy performed with the use of tumescent anesthesia. 2004;39:263-5 (Case rep.)
Hughes JD (*see* Goshima et al). 2004;39:330-5
Huk I (*see* Nanobashvili et al). 2004;39:868-77
Hullett DA (*see* Wolff et al). 2004;39:878-88
Hundley JC (*see* English et al). 2004;39:254-9 (Case rep.)
Hunger GC (*see* Anderson et al). 2004;39:686-90 (Case rep.)
Husak VA (*see* Laredo et al). 2004;39:1059-65
Huynh TTT (*see* Hassoun et al). 2004;39:506-12
Hynan LS (*see* Modrall et al). 2004;39:387-94
Hyochi N (*see* Jibiki et al). 2004;39:829-35
Hyon WS (*see* Lee et al). 2004;39:590-600

I

Iafrati MD (*see* Lin et al). 2004;39:1053-8
Iafrati MD (*see* TenBrook et al). 2004;39:583-9
Ikeoka DT (*see* Durazzo et al). 2004;39:967-76
Innocenti AA (*see* Dorigo et al). 2004;39:903-5 (Case rep.)
Inoue Y (*see* Jibiki et al). 2004;39:829-35
Ishii S, Koyama H, Miyata T, Nishikage S, Hamada H, Miyatake SI, Shigematsu H. Appropriate control of ex vivo gene therapy delivering basic fibroblast growth factor promotes successful and safe development of collateral vessels in rabbit model of hind limb ischemia. 2004;39:629-38
Ishioashi H (*see* Ohta et al). 2004;39:176-80
Isobe Y (*see* Kawamura et al). 2004;39:668-71 (Case rep.)
Itagaki T (*see* Yamada et al). 2004;39:246-9 (Case rep.)
Itani M (*see* Li et al). 2004;39:1074-83
Ivanc T (*see* Greenberg et al). 2004;39:95-101
Ivancev K (*see* Dias et al). 2004;39:1229-35
Iwai T (*see* Jibiki et al). 2004;39:829-35
Iwata H (*see* Shimabukuro et al). 2004;39:1361 (Letter)

J

Jackson MR (*see* Kalbaugh et al). 2004;39:1268-76
Jacobowitz GR (*see* Lin et al). 2004;39:682-5 (Case rep.)
Jacobowitz GR (*see* Rockman et al). 2004;39:44-51
Jacot JG, Abdullah I, Belkin M, Gerhard-Herman M, Gaccione P, Polak JF, Donaldson MC, Whittemore AD, Conte MS. Early adaptation of human lower extremity vein grafts: wall stiffness changes accompany geometric remodeling. 2004;39:547-55
Jaff MR (*see* Kent et al). 2004;39:267-9
Jang R (*see* Sidhu et al). 2004;39:1305-11
Javerliat I, Coggia M, Di Centa I, Kitzis M, Mercier O, Goëau-Brissonnière O. Total laparoscopic abdominal aortic aneurysm repair with reimplantation of the inferior mesenteric artery. 2004;39:1115-17 (Case rep.)
Jetty P, Barber GG. Aortitis and bilateral ureteral obstruction after endovascular repair of abdominal aortic aneurysm. 2004;39:1344-7 (Case rep.)
Jiang Z (*see* Berceli et al). 2004;39:1084-90
Jibiki M, Iwai T, Inoue Y, Sugano N, Kihara K, Hyochi N, Sunamori M. Surgical strategy for treating renal cell carcinoma with thrombus extending into the inferior vena cava. 2004;39:829-35
Johansen KL (*see* O'Hare et al). 2004;39:709-16
Johnson W. Regarding "Regarding 'Veterans Affairs (VA) Cooperative Study #362'". 2004;39:698 (Letter)
Johnston DCC (*see* Horner et al). 2004;39:162-8
Johnston KW. Caution in signing nondisclosure contracts. 2004;39:1352-3 (Editorial)
Johnston KW (*see* Corriveau and Johnston). 2004;39:735-41
Johnston KW (*see* Dueck et al). 2004;39:784-7, 1253-60, 1261-7
Johnston KW (*see* Sidhu et al). 2004;39:1305-11
Johnston MV (*see* Padberg et al). 2004;39:79-87
Jones JW, McCullough LB, Crigger NA, Richman BW. Ethics of introducing new operating room technology. 2004;39:482-3
Jones JW, McCullough LB, Richman BW. Clinical disagreements between residents and faculty surgeons. 2004;39:270-2
Jones JW, McCullough LB, Richman BW. Ethics and commercial insurance. 2004;39:692-3
Jones JW, McCullough LB, Richman BW. Ethics of boutique medical practice. 2004;39:1354-5
Jones JW, McCullough LB, Richman BW. Ethics of professional courtesy. 2004;39:1140-1
Jones JW, McCullough LB, Richman BW. Ethics of surgical innovation to treat rare diseases. 2004;39:918-19
Judd D (*see* Sho et al). 2004;39:1312-21
Juhan C (*see* Hartung et al). 2004;39:679-81 (Case rep.), 889-92 (Case rep.)

K

Kabnick LS (*see* Pichot et al). 2004;39:189-95
Kahn SR, M'lan CE, Lamping DL, Kurz X, Bérard A, Abenhaim

LA. Relationship between clinical classification of chronic venous disease and patient-reported quality of life: results from an international cohort study. 2004;39:823-8
Kakkos SK, Rivera MA, Matsagas MI, Robless P, Belcaro G, Geroulakos G, Lazarides MK. Regarding "Performance characteristics of the venous clinical severity score" and "Validation of the new venous severity scoring system in varicose vein surgery." 2004;39:696-7 (Letter reply)
Kalbaugh CA, Taylor SM, Cull DL, Blackhurst DW, Gray BH, Langan EM III, Dellinger MB, McClary GE Jr, Jackson MR, Carsten CG III, Snyder BA, York JW, Youkey JR. Invasive treatment of chronic limb ischemia according to the Lower Extremity Grading System (LEGS) score: a 6-month report. 2004;39:1268-76
Kalish JA, Willis DJ, Li C, Link JJ, Deutsch ER, Contreras MA, Quist WC, LoGerfo FW. Temporal genomics of vein bypass grafting through oligonucleotide microarray analysis. 2004;39:645-54
Kallakuri S (*see* Ascher et al). 2004;39:416-20
Kallakuri S (*see* Hingorani et al). 2004;39:717-22
Kalra M (*see* Oderich et al). 2004;39:931-6
Karamlou T, Landry G, Sexton G, Chan B, Moneta G, Taylor L. Creating a useful vascular center: a statewide survey of what primary care physicians really want. 2004;39:763-70
Karmacharya JJ, Woo EY, Fairman RM. Endovascular repair of a ruptured thoracic aortic aneurysm with the use of aortic extension cuffs. 2004;39:1128
Kasanuki H (*see* Nagashima et al). 2004;39:447-53
Kasirajan K, Schneider PA. Early outcome of "cutting" balloon angioplasty for infrainguinal vein graft stenosis. 2004;39:702-8
Katz D (*see* Baldwin et al). 2004;39:951-7
Katz SG (*see* Rao et al). 2004;39:1043-7
Katzel LI (*see* Gardner et al). 2004;39:531-8
Kawamura K (*see* Sho et al). 2004;39:601-12
Kawamura S, Nishimaki H, Lin ZB, Machii M, Isobe Y, Hayakawa K, Soma K. Emergent endovascular stent-graft placement to treat ruptured Stanford type B acute aortic dissection. 2004;39:668-71 (Case rep.)
Kawamura Y (*see* Shimabukuro et al). 2004;39:1360-1 (Letter)
Kawana M (*see* Nagashima et al). 2004;39:447-53
Kawanishi Y (*see* Murakami et al). 2004;39:207-13
Kelley L (*see* Becquemin et al). 2004;39:298-305
Kelley ME (*see* Raman et al). 2004;39:52-7
Kellouche (*see* Senet et al). 2004;39:1147 (Letter reply)
Kenagy RD (*see* Englesbe et al). 2004;39:440-6
Kent KC, Zwolak RM, Jaff MR, Hollenbeck ST, Thompson RW, Schermerhorn ML, Sicard GA, Riles TS, Cronenwett JL. Screening for abdominal aortic aneurysm: a consensus statement. 2004;39:267-9
Kent KC (*see* Anderson et al). 2004;39:10-19, 1200-8
Kent KC (*see* Bernheim et al). 2004;39:1340-3 (Case rep.)
Khan Z (*see* Aremu et al). 2004;39:88-94
Khuri S (*see* Axelrod et al). 2004;39:67-72
Khuri S (*see* O'Hare et al). 2004;39:709-16
Kibbe MR, Ujiki M, Goodwin AL, Eskandari M, Yao J, Matsumura J. Iliac vein compression in an asymptomatic patient population. 2004;39:937-43
Kibbe MR (*see* Morasch et al). 2004;39:1277-83
Kieffer E, Gomes D, Chiche L, Fléron MH, Koskas F, Bahnini A. Allograft replacement for infrarenal aortic graft infection: early and late results in 179 patients. 2004;39:1009-17
Kihara H (*see* Komiyama et al). 2004;39:661-7
Kihara K (*see* Jibiki et al). 2004;39:829-35
Kilaru S (*see* Bernheim et al). 2004;39:1340-3 (Case rep.)
Killewich LA (*see* Gardner et al). 2004;39:531-8
Kim DI (*see* Lee et al). 2004;39:590-600
Kimura H (*see* Sho et al). 2004;39:1312-21
Kistner RL (*see* Puggioni et al). 2004;39:1048-52
Kitridou RC (*see* Weaver et al). 2004;39:749-57
Kitzis M (*see* Javerliat et al). 2004;39:1115-17 (Case rep.)
Klein LV (*see* Mbachu et al). 2004;39:1104-11
Klingman NV (*see* Berceli et al). 2004;39:1084-90
Kobayashi M, Matsubara J. Regarding "Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review." 2004;39:486 (Letter reply)
Kobayashi M (*see* Sho et al). 2004;39:601-12
Kobeiter H (*see* Becquemin et al). 2004;39:298-305
Koch H (*see* Hubmer et al). 2004;39:263-5 (Case rep.)
Kohl RD (*see* Rao et al). 2004;39:1043-7
Kohl RD (*see* Weaver et al). 2004;39:749-57
Kolvenbach R, Schwierz E, Wasilljew S, Miloud A, Puerschel A, Pinter L. Total laparoscopically and robotically assisted aortic aneurysm surgery: a critical evaluation. 2004;39:771-6
Kolvenbach R (*see* Pinter and Kolvenbach). 2004;39:696 (Letter)
Komatsu M (*see* Sho et al). 2004;39:601-12
Komiyama T, Kihara H, Hirose K, Yoshimoto R, Shigematsu H. AT-1015, a novel serotonin$_{2A}$ receptor antagonist, improves resaturation of exercised ischemic muscle in hypercholesterolemic rabbits. 2004;39:661-7
Koskas F (*see* Kieffer et al). 2004;39:1009-17
Kossodo S (*see* Nigri et al). 2004;39:843-9
Kossodo SC (*see* Heckenkamp et al). 2004;39:1097-103
Koyama H (*see* Ishii et al). 2004;39:629-38
Kreienberg PB (*see* Champagne et al). 2004;39:792-6
Kreienberg PB (*see* Paty et al). 2004;39:148-54
Kresowik RA (*see* Kresowik et al). 2004;39:372-80
Kresowik TF, Bratzler DW, Kresowik RA, Hendel ME, Grund SL, Brown KR, Nilasena DS. Multistate improvement in process and outcomes of carotid endarterectomy. 2004;39:372-80
Kresowik TF (*see* Carlson et al). 2004;39:421-6
Kribs SW (*see* Forbes et al). 2004;39:102-8
Kronenberg F (*see* Greiner et al). 2004;39:1284-7
Krosnick T (*see* Williams et al). 2004;39:314-21
Krupski WC (*see* Rutherford and Krupski). 2004;39:1129-39
Kucey DS (*see* Dueck et al). 2004;39:784-7, 1253-60, 1261-7
Kumar SR (*see* Weaver et al). 2004;39:749-57
Kurosawa H (*see* Nagashima et al). 2004;39:447-53
Kurz X (*see* Kahn et al). 2004;39:823-8
Kutay V, Yakut C, Ekim H. Rupture of the abdominal aorta in a 13-year-old girl secondary to Behçet disease: a case report. 2004;39:901-2 (Case rep.)
Kwolek C (*see* Carpenter et al). 2004;39:34-43
Kwolek CJ (*see* Marone et al). 2004;39:322-9

L

Laganière J (*see* Rémy-Zolghadri et al). 2004;39:613-20
Lal BK, Hobson LRW II, Goldstein J, Chakhtoura EY, Durán WN. Carotid artery stenting: Is there a need to revise ultrasound velocity criteria?. 2004;39:58-66
Lam EY, Landry GJ, Edwards JM, Yeager RA, Taylor LM, Moneta GL. Risk factors for autogenous infrainguinal bypass occlusion in patients with prosthetic inflow grafts. 2004;39:336-42
Lam PM, Lo KWK, Yu MY, Wong WS, Lau JYW, Arifi AA, Cheung TH. Intravenous leiomyomatosis: two cases with different routes of tumor extension. 2004;39:465-9 (Case rep.)
Lamparello PJ (*see* Rockman et al). 2004;39:44-51

Lamparello PJ (*see* Su et al). 2004;39:672-5 (Case rep.)
Lamping DL (*see* Kahn et al). 2004;39:823-8
LaMuraglia GM (*see* Heckenkamp et al). 2004;39:1097-103
LaMuraglia GM (*see* Marone et al). 2004;39:322-9
LaMuraglia GM (*see* Nigri et al). 2004;39:843-9
Landis R (*see* Rockman et al). 2004;39:44-51
Landry G (*see* Karamlou et al). 2004;39:763-70
Landry GJ (*see* Lam et al). 2004;39:336-42
Langan EM III (*see* Cull et al). 2004;39:381-6
Langan EM III (*see* Kalbaugh et al). 2004;39:1268-76
Länne T (*see* Debasso et al). 2004;39:836-42
Lapeyre M (*see* Becquemin et al). 2004;39:298-305
Laredo J, Xue L, Husak VA, Ellinger J, Singh G, Zamora PO, Greisler HP. Silyl-heparin bonding improves the patency and in vivo thromboresistance of carbon-coated polytetrafluoroethylene vascular grafts. 2004;39:1059-65
Lau J (*see* TenBrook et al). 2004;39:583-9
Lau JYW (*see* Lam et al). 2004;39:465-9 (Case rep.)
Laupacis A (*see* Dueck et al). 2004;39:784-7, 1253-60, 1261-7
Layne S (*see* Raman et al). 2004;39:52-7
Lazarides MK (*see* Kakkos et al). 2004;39:696-7 (Letter reply)
Lee AJ (*see* Bradbury et al). 2004;39:1026-32
Lee BB, Yakes W, Kim DI, Mattassi R, Hyon WS. Management of arteriovenous malformations: a multidisciplinary approach. 2004;39:590-600
Lee C (*see* Parra et al). 2004;39:676-8 (Case rep.)
Lee D (*see* Sivamurthy et al). 2004;39:565-74
Lee EC (*see* Champagne et al). 2004;39:792-6
Lee WA, Carter JW, Upchurch G, Seeger JM, Huber TS. Perioperative outcomes after open and endovascular repair of intact abdominal aortic aneurysms in the United States during 2001. 2004;39:491-6
Lee WA (*see* Arko et al). 2004;39:404-8
Legemate DA (*see* Coffi et al). 2004;39:517-22
Lenz J (*see* Powell et al). 2004;39:1193-9
Lepidi S (*see* Grego et al). 2004;39:691
Lesar CJ (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Leschi JP (*see* Coggia et al). 2004;39:471-3 (Tech. note)
Lethean J (*see* Cahill et al). 2004;39:742-8
Li C (*see* Kalish et al). 2004;39:645-54
Li J (*see* Pearce et al). 2004;39:223-8
Li JM, Singh MJ, Itani M, Vasiliu C, Hendricks G, Baker SP, Hale JE, Rohrer MJ, Cutler BS, Nelson PR. Recombinant human thrombomodulin inhibits arterial neointimal hyperplasia after balloon injury. 2004;39:1074-83
Liao JK (*see* Abbruzzese et al). 2004;39:1178-85
Lilly MP (*see* Costanza et al). 2004;39:343-50
Lin JC, Iafrati MD, O'Donnell TF Jr, Estes JM, Mackey WC. Correlation of duplex ultrasound scanning–derived valve closure time and clinical classification in patients with small saphenous vein reflux: is lesser saphenous vein truly lesser?. 2004;39:1053-8
Lin PC, Jacobowitz GR, Rockman CB. Subclavian artery aneurysm in association with congenital absence of ipsilateral internal carotid artery. 2004;39:682-5 (Case rep.)
Lin PH, Bush RL, Lumsden AB. Aortocaval fistula. 2004;39:266
Lin PH, Chen C, Bush RL, Yao Q, Lumsden AB, Hanson SR. Small-caliber heparin-coated ePTFE grafts reduce platelet deposition and neointimal hyperplasia in a baboon model. 2004;39:1322-8
Lin PH (*see* Chai et al). 2004;39:1112-14 (Case rep.)
Lin ZB (*see* Kawamura et al). 2004;39:668-71 (Case rep.)
Lindblad B (*see* Dias et al). 2004;39:1229-35
Lindor NM (*see* Yagubyan et al). 2004;39:897-900 (Case rep.)
Lindsay TF (*see* Harkin et al). 2004;39:196-206
Lindsay TF (*see* Mbachu et al). 2004;39:1104-11
Link JJ (*see* Kalish et al). 2004;39:645-54
Lipsitz EC (*see* Cayne et al). 2004;39:811-15
Lipsitz EC (*see* Mehta et al). 2004;39:118-23
Lipsitz EC (*see* Reed et al). 2004;39:395-9
Lipsitz EC (*see* Timaran et al). 2004;39:1157-62
Littooy FN (*see* Sheehan et al). 2004;39:575-7
Liu K (*see* McDermott et al). 2004;39:523-30
Livingstone A (*see* Eton et al). 2004;39:1066-73
Lloyd GM, Bown MJ, Norwood MGA, Deb R, Fishwick G, Bell PRF, Sayers RD. Feasibility of preoperative computer tomography in patients with ruptured abdominal aortic aneurysm: a time-to-death study in patients without operation. 2004;39:788-91
Lo KWK (*see* Lam et al). 2004;39:465-9 (Case rep.)
LoGerfo FW (*see* Aulivola et al). 2004;39:1171-7
LoGerfo FW (*see* Kalish et al). 2004;39:645-54
Lombardi JV (*see* Woo et al). 2004;39:470
London NJM (*see* Naylor et al). 2004;39:985-93
Long GW (*see* Brown et al). 2004;39:366-71
Long J, Modrall JG, Parker BJ, Swann A, Welborn MB III, Anthony T. Correlation between ankle-brachial index, symptoms, and health-related quality of life in patients with peripheral vascular disease. 2004;39:723-7
Lookstein RA, Goldman J, Pukin L, Marin ML. Time-resolved magnetic resonance angiography as a noninvasive method to characterize endoleaks: initial results compared with conventional angiography. 2004;39:27-33
Lovell M (*see* Hirsch et al). 2004;39:474-81
Lucas P (*see* Criado et al). 2004;39:238-42 (Case rep.)
Lumsden AB (*see* Chai et al). 2004;39:1112-14 (Case rep.)
Lumsden AB (*see* Lin et al). 2004;39:266, 1322-8
Luo F (*see* Palmer-Kazen et al). 2004;39:621-8
Lurie F (*see* Puggioni et al). 2004;39:1048-52
Lyden SP (*see* Greenberg et al). 2004;39:95-101, 279-87

## M

Machado FS (*see* Durazzo et al). 2004;39:967-76
Machii M (*see* Kawamura et al). 2004;39:668-71 (Case rep.)
MacKenzie K (*see* Cahill et al). 2004;39:742-8
Mackey WC (*see* Lin et al). 2004;39:1053-8
Madhavan P (*see* Aremu et al). 2004;39:88-94
Magnell C (*see* Anderson et al). 2004;39:10-19
Magometschnigg H (*see* Hofmann et al). 2004;39:169-75
Mahendran B (*see* Aremu et al). 2004;39:88-94
Makaroun M (*see* Carpenter et al). 2004;39:34-43
Makaroun MS (*see* Cho et al). 2004;39:1236-42
Makaroun MS (*see* Raman et al). 2004;39:52-7
Malas MB (*see* Reed et al). 2004;39:395-9
Malas MB (*see* Timaran et al). 2004;39:1157-62
Malina M (*see* Dias et al). 2004;39:1229-35
Malinski T (*see* Nanobashvili et al). 2004;39:868-77
Mannick JA (*see* Menard et al). 2004;39:1163-70
Mansueto G (*see* Pizzolo et al). 2004;39:140-7
Marcinzyck MJ (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Marin ML (*see* Ellozy et al). 2004;39:1146 (Letter reply)
Marin ML (*see* Lookstein et al). 2004;39:27-33
Marin ML (*see* Minor et al). 2004;39:893-6 (Case rep.)
Markevich N (*see* Ascher et al). 2004;39:416-20

Markevich N (*see* Hingorani et al). 2004;39:717-22
Marone LK, Clouse WD, Dorer DJ, Brewster DC, LaMuraglia GM, Watkins MT, Kwolek CJ, Cambria RP. Preservation of renal function with surgical revascularization in patients with atherosclerotic renovascular disease. 2004;39:322-9
Marrocco-Trischitta MM, Tiezzi A, Svampa MG, Bandiera G, Camilli S, Stillo F, Petasecca P, Sampogna F, Abeni D, Guerrini P. Perioperative stress response to carotid endarterectomy: the impact of anesthetic modality. 2004;39:1295-304
Marston W, Mendes R. Regarding "Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary?". 2004;39:1145 (Letter reply)
Martin J (*see* Carpenter et al). 2004;39:34-43
Martinasevic M (*see* Carlson et al). 2004;39:421-6
Marty M (*see* Ricco et al). 2004;39:1359 (Letter reply)
Massouille D (*see* Ducasse et al). 2004;39:906-11 (Case rep.)
Masuda H (*see* Sho et al). 2004;39:601-12
Matsagas MI (*see* Kakkos et al). 2004;39:696-7 (Letter reply)
Matsubara J (*see* Kobayashi and Matsubara). 2004;39:486 (Letter reply)
Matsuda H (*see* Murakami et al). 2004;39:243-5 (Case rep.)
Matsumoto AH (*see* Zarins et al). 2004;39:109-17
Matsumura J (*see* Kibbe et al). 2004;39:937-43
Matsumura JS (*see* Morasch et al). 2004;39:697-8 (Letter reply)
Matsuno Y (*see* Takagi et al). 2004;39:1125-7 (Case rep.)
Matsutomo M (*see* Takagi et al). 2004;39:1125-7 (Case rep.)
Matsuyama T (*see* Yamada et al). 2004;39:246-9 (Case rep.)
Mattassi R (*see* Lee et al). 2004;39:590-600
Mayo J (*see* Greenberg et al). 2004;39:95-101
Mazzi M (*see* Pizzolo et al). 2004;39:140-7
Mazzucco L (*see* Borzini et al). 2004;39:1146-7 (Letter)
Mbachu EM, Klein LV, Rubin BB, Lindsay TF. A monoclonal antibody against cytokine-induced neutrophil chemoattractant attenuates injury in the small intestine in a model of ruptured abdominal aortic aneurysm. 2004;39:1104-11
McCann R (*see* Carpenter et al). 2004;39:34-43
McClary GE Jr (*see* Kalbaugh et al). 2004;39:1268-76
McCready RA, Fehrenbacher JW, Divelbiss JL, Bryant A, Savader S. Surgical resection of a large recurrent pelvic arteriovenous malformation using deep hypothermic circulatory arrest. 2004;39:1348-50 (Case rep.)
McCullough LB (*see* Jones et al). 2004;39:270-2, 482-3, 692-3, 918-19, 1140-1, 1354-5
McDermott MM, Criqui MH, Greenland P, Guralnik JM, Liu K, Pearce WH, Taylor L, Chan C, Celic L, Woolley C, O'Brien MP. Leg strength in peripheral arterial disease: associations with disease severity and lower-extremity performance. 2004;39:523-30
McEnroe CS (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
McGahan T (*see* Cahill et al). 2004;39:742-8
McGee M (*see* Cassar et al). 2004;39:560-4
McKinsey J (*see* Carpenter et al). 2004;39:34-43
McKinsey JF (*see* Baldwin et al). 2004;39:951-7
McKusick MA (*see* Elkouri et al). 2004;39:497-505
Meadows WS (*see* Morasch et al). 2004;39:697-8 (Letter reply)
Mehta M, Veith FJ, Lipsitz EC, Ohki T, Russwurm G, Cayne NS, Suggs WD, Feustel PJ. Is elevated creatinine level a contraindication to endovascular aneurysm repair?. 2004;39:118-23
Mehta M (*see* Cayne et al). 2004;39:811-15
Mehta M (*see* Champagne et al). 2004;39:792-6
Mehta M (*see* Paty et al). 2004;39:148-54
Meier GH III (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Melissano G, Tshomba Y, Civilini E, Chiesa R. Disappointing results with a new commercially available thoracic endograft. 2004;39:124-30
Menard JR, Smith HE, Riebe D, Braun CM, Blissmer B, Patterson RB. Long-term results of peripheral arterial disease rehabilitation. 2004;39:1186-92
Menard MT, Nguyen LL, Chan RK, Conte MS, Fahy L, Chew DKW, Donaldson MC, Mannick JA, Whittemore AD, Belkin M. Thoracovisceral segment aneurysm repair after previous infrarenal abdominal aortic aneurysm surgery. 2004;39:1163-70
Mendes W (*see* Marston and Mendes). 2004;39:1145 (Letter reply)
Merchant RF (*see* Pichot et al). 2004;39:189-95
Mercier O (*see* Javerliat et al). 2004;39:1115-17 (Case rep.)
Merine KM (*see* O'Hare et al). 2004;39:709-16
Miller CC III (*see* Hassoun et al). 2004;39:506-12
Mills JL (*see* Goshima et al). 2004;39:330-5
Miloud A (*see* Kolvenbach et al). 2004;39:771-6
Minniti S (*see* Pizzolo et al). 2004;39:140-7
Minor ME, Morrissey NJ, Peress R, Carroccio A, Ellozy S, Agarwal G, Teodorescu V, Hollier LH, Marin ML. Endovascular treatment of an iatrogenic thoracic aortic injury after spinal instrumentation: case report. 2004;39:893-6 (Case rep.)
Mittlböck M (*see* Nanobashvili et al). 2004;39:868-77
Miyata T (*see* Ishii et al). 2004;39:629-38
Miyatake SI (*see* Ishii et al). 2004;39:629-38
Mizuno Y (*see* Takagi et al). 2004;39:1125-7 (Case rep.)
M'lan CE (*see* Kahn et al). 2004;39:823-8
Modrall JG, Sadjadi J, Ali AT, Anthony T, Welborn MB III, Valentine RJ, Hynan LS, Clagett GP. Deep vein harvest: predicting need for fasciotomy. 2004;39:387-94
Modrall JG (*see* Long et al). 2004;39:723-7
Moll FL (*see* de Vries et al). 2004;39:427-31
Monachini MC (*see* Durazzo et al). 2004;39:967-76
Mondi MM (*see* English et al). 2004;39:254-9 (Case rep.)
Moneta A (*see* Pocar et al). 2004;39:1360 (Letter)
Moneta G (*see* Karamlou et al). 2004;39:763-70
Moneta GL (*see* Lam et al). 2004;39:336-42
Money SR (*see* Sternbergh et al). 2004;39:20-6
Montgomery PS (*see* Gardner et al). 2004;39:531-8
Moore DJ (*see* Aremu et al). 2004;39:88-94
Morasch MD, Ebaugh JI, Matsumura JS, Eskandari MK, Meadows WS, Pearce WH. Regarding "Fate of excluded popliteal artery aneurysms" and "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms." 2004;39:697-8 (Letter reply)
Morasch MD, Sam AD II, Kibbe MR, Hijjawi J, Dumanian GA. Early results with use of gracilis muscle flap coverage of infected groin wounds after vascular surgery. 2004;39:1277-83
Mori Y (*see* Shimabukuro et al). 2004;39:1361 (Letter)
Mori Y (*see* Takagi et al). 2004;39:1125-7 (Case rep.)
Morrissey NJ (*see* Minor et al). 2004;39:893-6 (Case rep.)
Moskowitz A (*see* Anderson et al). 2004;39:1200-8
Moskowitz AJ (*see* Anderson et al). 2004;39:10-19
Mousa A (*see* Bernheim et al). 2004;39:1340-3 (Case rep.)
Mozes G, Sullivan TM, Torres-Russotto DR, Bower TC, Hoskin TL, Sampaio SM, Gloviczki P, Panneton JM, Noel AA, Cherry KJ Jr. Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting. 2004;39:958-66

Muhammed A (*see* Chue et al). 2004;39:859-67
Mukherjee D (*see* Henke et al). 2004;39:357-65
Muluk SC (*see* Raman et al). 2004;39:52-7
Muluk VS (*see* Raman et al). 2004;39:52-7
Mumme A (*see* Stücker et al). 2004;39:816-22
Murakami H, Tsukube T, Kawanishi Y, Okita Y. Transcranial myogenic motor-evoked potentials after transient spinal cord ischemia predicts neurologic outcome in rabbits. 2004;39:207-13
Murakami H, Yoshida K, Hino Y, Matsuda H, Tsukube T, Okita Y. Complications of cerebrospinal fluid drainage in thoracoabdominal aortic aneurysm repair. 2004;39:243-5 (Case rep.)
Murdoch BE (*see* Cahill et al). 2004;39:742-8
Murie JA (*see* Tambyraja et al). 2004;39:400-3
Murray J (*see* Wijelath et al). 2004;39:655-60

N

Nagashima H, Aoka Y, Sakomura Y, Uto K, Sakuta A, Aomi S, Kurosawa H, Hagiwara N, Kawana M, Kasanuki H. Matrix metalloproteinase 2 is suppressed by trapidil, a CD40–CD40 ligand pathway inhibitor, in human abdominal aortic aneurysm wall. 2004;39:447-53
Nanjo H (*see* Sho et al). 2004;39:601-12
Nanobashvili J, Neumayer C, Fuegl A, Punz A, Blumer R, Mittlböck M, Prager M, Polterauer P, Dobrucki LW, Huk I, Malinski T. Combined L-arginine and antioxidative vitamin treatment mollifies ischemia-reperfusion injury of skeletal muscle. 2004;39:868-77
Naylor R, Hayes PD, Payne DA, Allroggen H, Steel S, Thompson MM, London NJM, Bell PRF. Randomized trial of vein versus Dacron patching during carotid endarterectomy: long term results. 2004;39:985-93
Neglén P, Raju S. In-stent recurrent stenosis in stents placed in the lower extremity venous outflow tract. 2004;39:181-8
Nelson PR (*see* Li et al). 2004;39:1074-83
Neri E (*see* de Donato et al). 2004;39:250-3 (Case rep.)
Netz K (*see* Stücker et al). 2004;39:816-22
Neuhauser B (*see* Greiner et al). 2004;39:1284-7
Neumayer C (*see* Nanobashvili et al). 2004;39:868-77
Newell MA (*see* Vinces et al). 2004;39:462-4 (Case rep.)
Nguyen LL (*see* Menard et al). 2004;39:1163-70
Nigri GR, Kossodo S, Waterman P, Fungaloi P, LaMuraglia GM. Free radical attenuation prevents thrombosis and enables photochemical inhibition of vein graft intimal hyperplasia. 2004;39:843-9
Nigri GR (*see* Heckenkamp et al). 2004;39:1097-103
Nilasena DS (*see* Kresowik et al). 2004;39:372-80
Nishikage S (*see* Ishii et al). 2004;39:629-38
Nishimaki H (*see* Kawamura et al). 2004;39:668-71 (Case rep.)
Nishinari K, Wolosker N. Regarding "Floppy aortic graft reconstruction for germ cell tumor invasion of the infrarenal aorta." 2004;39:922 (Letter)
Nishinari K (*see* Wolosker et al). 2004;39:459-61 (Case rep.)
Noel AA (*see* Elkouri et al). 2004;39:497-505
Noel AA (*see* Mozes et al). 2004;39:958-66
Noel AA (*see* Oderich et al). 2004;39:931-6
Nolan B (*see* Powell et al). 2004;39:1193-9
Norgren L. Can low molecular weight heparin replace unfractionated heparin during peripheral arterial reconstruction? An open label prospective randomized controlled trial. 2004;39:977-84
Norwood MGA (*see* Lloyd et al). 2004;39:788-91
Nowygrod R (*see* Anderson et al). 2004;39:10-19, 1200-8
Nypaver TJ (*see* Cho et al). 2004;39:155-61
Nypaver TJ (*see* Parikshak et al). 2004;39:944-50

O

O'Brien MP (*see* McDermott et al). 2004;39:523-30
Oddone EZ (*see* Horner et al). 2004;39:162-8
Oderich GS, Panneton JM, Hofer J, Bower TC, Cherry KJ Jr, Sullivan T, Noel AA, Kalra M, Gloviczki P. Iatrogenic operative injuries of abdominal and pelvic veins: a potentially lethal complication. 2004;39:931-6
O'Donnell SD (*see* Fox et al). 2004;39:1351
O'Donnell TF Jr (*see* Lin et al). 2004;39:1053-8
O'Donnell TF Jr (*see* TenBrook et al). 2004;39:583-9
O'Hare AM, Sidawy AN, Feinglass J, Merine KM, Daley J, Khuri S, Henderson WG, Johansen KL. Influence of renal insufficiency on limb loss and mortality after initial lower extremity surgical revascularization. 2004;39:709-16
Ohki T (*see* Cayne et al). 2004;39:811-15
Ohki T (*see* Mehta et al). 2004;39:118-23
Ohki T (*see* Reed et al). 2004;39:395-9
Ohki T (*see* Timaran et al). 2004;39:1157-62
Ohno M (*see* Yamada et al). 2004;39:246-9 (Case rep.)
Ohta T, Ishioashi H, Hosaka M, Sugimoto I. Clinical and social consequences of Buerger disease. 2004;39:176-80
Okita Y (*see* Murakami et al). 2004;39:207-13, 243-5 (Case rep.)
Oligny JF (*see* Rémy-Zolghadri et al). 2004;39:613-20
Olivieri O (*see* Pizzolo et al). 2004;39:140-7
Oremus K, Safaric Z. Regarding "Acute arterial complications associated with total hip and knee arthroplasty." 2004;39:1148 (Letter)
Otero A (*see* Alimi et al). 2004;39:777-83
Ouriel K, Yadav J, Green RM. Standards of practice: carotid angioplasty and stenting. 2004;39:916-17 (Editorial)
Ouriel K (*see* Greenberg et al). 2004;39:95-101, 279-87
Ouriel K (*see* Sarac et al). 2004;39:556-9
Overhaus M (*see* Heckenkamp et al). 2004;39:1097-103
Ozaki CK (*see* Berceli et al). 2004;39:1084-90
Ozsvath KJ (*see* Champagne et al). 2004;39:792-6
Ozsvath KJ (*see* Paty et al). 2004;39:148-54

P

Padberg FT Jr, Johnston MV, Sisto SA. Structured exercise improves calf muscle pump function in chronic venous insufficiency: a randomized trial. 2004;39:79-87
Palmer-Kazen U, Wariaro D, Luo F, Wahlberg E. Vascular endothelial cell growth factor and fibroblast growth factor 2 expression in patients with critical limb ischemia. 2004;39:621-8
Pamoukian VN (*see* Surowiec et al). 2004;39:804-10
Pandurangi K (*see* Cho et al). 2004;39:155-61
Panizza R (*see* Borzini et al). 2004;39:1146-7 (Letter)
Panneton JM (*see* Elkouri et al). 2004;39:497-505
Panneton JM (*see* Mozes et al). 2004;39:958-66
Panneton JM (*see* Oderich et al). 2004;39:931-6
Panneton JM (*see* Yagubyan et al). 2004;39:897-900 (Case rep.)
Parent FN (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Parikshak M, Shepard AD, Reddy DJ, Nypaver TJ. Adrenal insufficiency in patients with ruptured abdominal aortic aneurysms. 2004;39:944-50
Parker BJ (*see* Long et al). 2004;39:723-7
Parlani G (*see* Cao et al). 2004;39:487 (Letter reply)
Parra JR, Lee C, Hodgson KJ, Perler B. Endograft infection leading to rupture of aortic aneurysm. 2004;39:676-8 (Case rep.)

Parra JR (*see* Albrecht and Parra). 2004;39:912
Pascarella L (*see* Takase et al). 2004;39:1329-34
Pasenau J (*see* Cinà et al). 2004;39:131-9
Pasterkamp G (*see* Rotmans et al). 2004;39:432-9
Patel Y (*see* Wijelath et al). 2004;39:655-60
Patterson RB (*see* Menard et al). 2004;39:1186-92
Paty PSK, Darling RC III, Feustel PJ, Bernardini GL, Mehta M, Ozsvath KJ, Choi D, Roddy SP, Chang BB, Kreienberg PB, Shah DM. Early carotid endarterectomy after acute stroke. 2004;39:148-54
Paty PSK (*see* Champagne et al). 2004;39:792-6
Pauker SG (*see* TenBrook et al). 2004;39:583-9
Payne DA (*see* Naylor et al). 2004;39:985-93
Pearce BJ (*see* Baldwin et al). 2004;39:951-7
Pearce JD, Li J, Edwards MS, English WP, Geary RL. Differential effects of Rho-kinase inhibition on artery wall mass and remodeling. 2004;39:223-8
Pearce JD (*see* English et al). 2004;39:254-9 (Case rep.)
Pearce WH (*see* McDermott et al). 2004;39:523-30
Pearce WH (*see* Morasch et al). 2004;39:697-8 (Letter reply)
Peppelenbosch N, Buth J, Harris PL, van Marrewijk C, Fransen G. Diameter of abdominal aortic aneurysm and outcome of endovascular aneurysm repair: does size matter? A report from EUROSTAR. 2004;39:288-97
Peress R (*see* Minor et al). 2004;39:893-6 (Case rep.)
Perler B (*see* Parra et al). 2004;39:676-8 (Case rep.)
Perler BA (*see* Williams et al). 2004;39:314-21
Petasecca P (*see* Marrocco-Trischitta et al). 2004;39:1295-304
Petersen FF (*see* Ballard JL et al). 2004;39:797-803
Pfahnl CL (*see* Berceli et al). 2004;39:1084-90
Piccoli A (*see* Ballotta et al). 2004;39:539-46
Pichot O, Kabnick LS, Creton D, Merchant RF, Schuller-Petroviæ S, Chandler JG. Duplex ultrasound scan findings two years after great saphenous vein radiofrequency endovenous obliteration. 2004;39:189-95
Picus D (*see* Steinmetz et al). 2004;39:306-13
Pinter L, Kolvenbach R. Regarding "Salvage of a difficult situation: method for conversion of a failed endograft." 2004;39:696 (Letter)
Pinter L (*see* Kolvenbach et al). 2004;39:771-6
Pizzolo F, Mansueto G, Minniti S, Mazzi M, Trabetti E, Girelli D, Corrocher R, Olivieri O. Renovascular disease: effect of ACE gene deletion polymorphism and endovascular revascularization. 2004;39:140-7
Pizzuti A (*see* Yagubyan et al). 2004;39:897-900 (Case rep.)
Pocar M, Moneta A, Villa E, Donatelli F. Regarding "Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature." 2004;39:1360 (Letter)
Polak JF (*see* Jacot et al). 2004;39:547-55
Polterauer P (*see* Nanobashvili et al). 2004;39:868-77
Pomposelli FB Jr (*see* Aulivola et al). 2004;39:1171-7
Powell JT. Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial. 2004;39:967-76 (Invited commentary)
Powell RJ, Schermerhorn M, Nolan B, Lenz J, Rzuidlo E, Fillinger M, Walsh D, Wyers M, Zwolak R, Cronenwett JL. Early results of carotid stent placement for treatment of extracranial carotid bifurcation occlusive disease. 2004;39:1193-9
Powell RJ (*see* Fillinger et al). 2004;39:1243-52
Powell RJ (*see* Wyers and Powell). 2004;39:1335-9 (Case rep.)
Prager M (*see* Nanobashvili et al). 2004;39:868-77
Pratesi C (*see* Dorigo et al). 2004;39:903-5 (Case rep.)
Pratesi G (*see* Dorigo et al). 2004;39:903-5 (Case rep.)
Prescott R (*see* Bradbury et al). 2004;39:1026-32
Proctor MC (*see* Henke et al). 2004;39:357-65
Proffit T (*see* Criado et al). 2004;39:238-42 (Case rep.)
Puech-Leão P (*see* Durazzo et al). 2004;39:967-76
Puerschel A (*see* Kolvenbach et al). 2004;39:771-6
Puggioni A, Kistner RL, Eklof B, Lurie F. Surgical disobliteration of postthrombotic deep veins—endophlebectomy—is feasible. 2004;39:1048-52
Pukin L (*see* Lookstein et al). 2004;39:27-33
Pulli R (*see* Dorigo et al). 2004;39:903-5 (Case rep.)
Punz A (*see* Nanobashvili et al). 2004;39:868-77
Puppinck P (*see* Ducasse et al). 2004;39:906-11 (Case rep.)

Q

Quax PHA (*see* van der Bas et al). 2004;39:850-8
Queral LA (*see* Costanza et al). 2004;39:343-50
Quick CRG (*see* Wilmink et al). 2004;39:513-16
Quist WC (*see* Kalish et al). 2004;39:645-54

R

Racusin J (*see* Fillinger et al). 2004;39:1243-52
Rahman S (*see* Wijelath et al). 2004;39:655-60
Raines J (*see* Eton et al). 2004;39:1066-73
Rajagopalin S (*see* Henke et al). 2004;39:357-65
Raju S (*see* Neglén and Raju). 2004;39:181-8
Raman KG, Layne S, Makaroun MS, Kelley ME, Rhee RY, Tzeng E, Muluk VS, Muluk SC. Disease progression in contralateral carotid artery is common after endarterectomy. 2004;39:52-7
Rantner B (*see* Greiner et al). 2004;39:1284-7
Rao RK, Azin GD, Hood DB, Rowe VL, Kohl RD, Katz SG, Weaver FA. Basilic vein transposition fistula: a good option for maintaining hemodialysis access site options?. 2004;39:1043-7
Rashid ST, Salman M, Hamilton G. Regarding "Factors that predict prolonged length of stay after aortic surgery." 2004;39:488-9 (Letter)
Rasmussen TE (*see* Fox et al). 2004;39:1351
Reddy DJ (*see* Cho et al). 2004;39:155-61
Reddy DJ (*see* Parikshak et al). 2004;39:944-50
Reed T Jr, Veith FJ, Gargiulo NJ III, Timaran CH, Ohki T, Lipsitz EC, Malas MB, Wain RA, Suggs WD. System to decrease length of stay for vascular surgery. 2004;39:395-9
Rémy-Zolghadri M, Laganière J, Oligny JF, Germain L, Auger FA. Endothelium properties of a tissue-engineered blood vessel for small-diameter vascular reconstruction. 2004;39:613-20
Renon L (*see* Ballotta et al). 2004;39:539-46, 1003-8
Resch T (*see* Dias et al). 2004;39:1229-35
Reznick RK (*see* Sidhu et al). 2004;39:1305-11
Rhee RY (*see* Cho et al). 2004;39:1236-42
Rhee RY (*see* Raman et al). 2004;39:52-7
Rhee SJ (*see* Timaran et al). 2004;39:1157-62
Rhodes JM (*see* Sivamurthy et al). 2004;39:565-74
Ricci Z (*see* Cayne et al). 2004;39:811-15
Ricco JB, Goëau-Brissonnière O, Rodde-Dunet MH, Marty M, Fender P, Allemand H, Corsini A. Regarding "Use of abdominal aortic endovascular prostheses in France from 1999 to 2001." 2004;39:1359 (Letter reply)
Richman BW (*see* Jones et al). 2004;39:270-2, 482-3, 692-3, 918-19, 1140-1, 1354-5
Ricotta J (*see* Criado et al). 2004;39:238-42 (Case rep.)
Riebe D (*see* Menard et al). 2004;39:1186-92
Riles TS. Presidential address: The next quarter. 2004;39:275-8
Riles TS (*see* Kent et al). 2004;39:267-9
Riles TS (*see* Rockman et al). 2004;39:44-51

Rivara G (*see* Borzini et al). 2004;39:1146-7 (Letter)
Rivera MA (*see* Kakkos et al). 2004;39:696-7 (Letter reply)
Robless P (*see* Kakkos et al). 2004;39:696-7 (Letter reply)
Rockman CB, Jacobowitz GR, Gagne PJ, Adelman MA, Lamparello PJ, Landis R, Riles TS. Focused screening for occult carotid artery disease: patients with known heart disease are at high risk. 2004;39:44-51
Rockman CB (*see* Lin et al). 2004;39:682-5 (Case rep.)
Rockman CB (*see* Su et al). 2004;39:672-5 (Case rep.)
Rocotta JJ. Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting. 2004;39:958-66 (Invited commentary)
Rodde-Dunet MH (*see* Ricco et al). 2004;39:1359 (Letter reply)
Roddy SP (*see* Champagne et al). 2004;39:792-6
Roddy SP (*see* Paty et al). 2004;39:148-54
Rohrer MJ (*see* Li et al). 2004;39:1074-83
Romaschin A (*see* Harkin et al). 2004;39:196-206
Roseborough GS (*see* Williams et al). 2004;39:314-21
Rotmans JI, Velema E, Verhagen HJM, Blankensteijn JD, de Kleijn DPV, Stroes ESG, Pasterkamp G. Matrix metalloproteinase inhibition reduces intimal hyperplasia in a porcine arteriovenous-graft model. 2004;39:432-9
Rousseau H (*see* Becquemin et al). 2004;39:1358-9 (Letter)
Rowe VL (*see* Rao et al). 2004;39:1043-7
Rowe VL (*see* Weaver et al). 2004;39:749-57
Roy F (*see* Ducasse et al). 2004;39:906-11 (Case rep.)
Rozenblit A (*see* Cayne et al). 2004;39:811-15
Roztocil E (*see* Tanski et al). 2004;39:214-22, 639-44
Rubin BB (*see* Harkin et al). 2004;39:196-206
Rubin BB (*see* Mbachu et al). 2004;39:1104-11
Rubin BG (*see* Flye et al). 2004;39:454-8 (Case rep.)
Rubin BG (*see* Steinmetz et al). 2004;39:306-13
Ruppert V, Verrel F, Geppert SN, Sadeghi-Azandaryani M, Burklein D, Steckmeier B. Results of perioperative measurements of ankle-brachial index in popliteal artery entrapment syndrome. 2004;39:758-62
Russwurm G (*see* Mehta et al). 2004;39:118-23
Rutherford RB, Krupski WC. Current status of open versus endovascular stent-graft repair of abdominal aortic aneurysm. 2004;39:1129-39
Ryan SV, Calligaro KD, Scharff J, Dougherty MJ. Management of infected prosthetic dialysis arteriovenous grafts. 2004;39:73-8
Rzucidlo EM (*see* Fillinger et al). 2004;39:1243-52
Rzuidlo E (*see* Powell et al). 2004;39:1193-9

## S

Sadeghi-Azandaryani M (*see* Ruppert et al). 2004;39:758-62
Sadjadi J (*see* Modrall et al). 2004;39:387-94
Safaric Z (*see* Oremus and Safaric). 2004;39:1147-8 (Letter)
Safi HJ (*see* Hassoun et al). 2004;39:506-12
Sakomura Y (*see* Nagashima et al). 2004;39:447-53
Sakuta A (*see* Nagashima et al). 2004;39:447-53
Salman M (*see* Rashid et al). 2004;39:488-9 (Letter)
Sam AD II (*see* Morasch et al). 2004;39:1277-83
Sampaio SM (*see* Mozes et al). 2004;39:958-66
Sampogna F (*see* Marrocco-Trischitta et al). 2004;39:1295-304
Sanchez LA (*see* Flye et al). 2004;39:454-8 (Case rep.)
Sanchez LA (*see* Steinmetz et al). 2004;39:306-13
Sandgren T (*see* Debasso et al). 2004;39:836-42
Sankin O (*see* Hubmer et al). 2004;39:263-5 (Case rep.)
Sapoval M (*see* Becquemin et al). 2004;39:1358-9 (Letter)
Sarac TP, Hilleman D, Arko FR, Zarins CK, Ouriel K. Clinical and economic evaluation of the trellis thrombectomy device for arterial occlusions: preliminary analysis. 2004;39:556-9
Sarac TP (*see* Greenberg et al). 2004;39:279-87
Sarkozy A (*see* Yagubyan et al). 2004;39:897-900 (Case rep.)
Savader S (*see* McCready et al). 2004;39:1348-50 (Case rep.)
Savidge G (*see* Wijelath et al). 2004;39:655-60
Sayers RD (*see* Lloyd et al). 2004;39:788-91
Scharff J (*see* Ryan et al). 2004;39:73-8
Scharnagl E (*see* Hubmer et al). 2004;39:263-5 (Case rep.)
Schermerhorn M (*see* Powell et al). 2004;39:1193-9
Schermerhorn ML (*see* Fillinger et al). 2004;39:1243-52
Schermerhorn ML (*see* Kent et al). 2004;39:267-9
Schlager A (*see* Greiner et al). 2004;39:1284-7
Schmid-Schönbein GW (*see* Takase et al). 2004;39:1329-34
Schneider PA (*see* Kasirajan and Schneider). 2004;39:702-8
Schocke M (*see* Greiner et al). 2004;39:1284-7
Schubart PJ (*see* Chang et al). 2004;39:994-1002
Schuller-Petrovič S (*see* Pichot et al). 2004;39:189-95
Schultz GS (*see* Berceli et al). 2004;39:1084-90
Schutzer R (*see* Hingorani et al). 2004;39:717-22
Schutzer RW (*see* Ascher et al). 2004;39:416-20
Schwartz LB (*see* Baldwin et al). 2004;39:951-7
Schwierz E (*see* Kolvenbach et al). 2004;39:771-6
Scoggins E (*see* Valentine et al). 2004;39:351-6
Scovell SD (*see* Aulivola et al). 2004;39:1171-7
Seeger JM (*see* Lee et al). 2004;39:491-6
Seeger MM (*see* Cronenwett and Seeger). 2004;39:701
Senet P, Kellouche S, Benbunan M, Calvo F, Dosquet C. Regarding "Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers." 2004;39:1147 (Letter reply)
Setacci C (*see* de Donato et al). 2004;39:250-3 (Case rep.)
Sexton G (*see* Karamlou et al). 2004;39:763-70
Shah DM (*see* Champagne et al). 2004;39:792-6
Shah DM (*see* Paty et al). 2004;39:148-54
Shah RM (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Shanik DG (*see* Aremu et al). 2004;39:88-94
Shankar VK, Chaudhury SR, Uthappa MC, Handa A, Hands LJ. Changes in blood coagulability as it transverses the ischemic limb. 2004;39:1033-42
Shanley CJ (*see* Brown et al). 2004;39:366-71
Sharp WJ (*see* Carlson et al). 2004;39:421-6
Sheahan MG (*see* Aulivola et al). 2004;39:1171-7
Sheehan MK, Greisler HP, Littooy FN, Baker WH. Same-evening discharge after carotid endarterectomy: our initial experience. 2004;39:575-7
Shepard AD (*see* Parikshak et al). 2004;39:944-50
Shepard AS (*see* Cho et al). 2004;39:155-61
Shigematsu H (*see* Ishii et al). 2004;39:629-38
Shigematsu H (*see* Komiyama et al). 2004;39:661-7
Shimabukuro K, Hirose H, Mori Y, Takagi H, Iwata H, Kawamura Y. Local treatment of Dacron patch graft infected with biofilm-producing *Staphylococcus epidermidis* using antibiotic-releasing porous apatite ceramic: an experimental study in the rabbit. 2004;39:1361 (Letter)
Shimokawa K (*see* Takagi et al). 2004;39:1125-7 (Case rep.)
Sho E, Chu J, Sho M, Fernandes B, Judd D, Ganesan P, Kimura H, Dalman RL. Continuous periaortic infusion improves doxycycline efficacy in experimental aortic aneurysms. 2004;39:1312-21
Sho E, Nanjo H, Sho M, Kobayashi M, Komatsu M, Kawamura K, Xu C, Zarins CK, Masuda H. Arterial enlargement, tortuosity,

and intimal thickening in response to sequential exposure to high and low wall shear stress. 2004;39:601-12
Sho M (*see* Sho et al). 2004;39:601-12, 1312-21
Sicard GA (*see* Flye et al). 2004;39:454-8 (Case rep.)
Sicard GA (*see* Kent et al). 2004;39:267-9
Sicard GA (*see* Steinmetz et al). 2004;39:306-13
Sidawy AN (*see* O'Hare et al). 2004;39:709-16
Sidhu RS, Tompa D, Jang R, Grober ED, Johnston KW, Reznick RK, Hamstra SJ. Interpretation of three-dimensional structure from two-dimensional endovascular images: implications for educators in vascular surgery. 2004;39:1305-11
Sigaudo-Roussel D (*see* Al-Rawi et al). 2004;39:1288-94
Singh G (*see* Laredo et al). 2004;39:1059-65
Singh MJ (*see* Li et al). 2004;39:1074-83
Sisto SA (*see* Padberg et al). 2004;39:79-87
Sivamurthy N, Surowiec SM, Culakova E, Rhodes JM, Lee D, Sternbach Y, Waldman DL, Green RM, Davies MG. Divergent outcomes after percutaneous therapy for symptomatic renal artery stenosis. 2004;39:565-74
Skillman JJ (*see* Aulivola et al). 2004;39:1171-7
Smith HE (*see* Menard et al). 2004;39:1186-92
Smith JJ (*see* Hassoun et al). 2004;39:506-12
Smith M (*see* Ducasse et al). 2004;39:906-11 (Case rep.)
Snyder BA (*see* Cull et al). 2004;39:381-6
Snyder BA (*see* Kalbaugh et al). 2004;39:1268-76
Sobel M (*see* Wijelath et al). 2004;39:655-60
Soma K (*see* Kawamura et al). 2004;39:668-71 (Case rep.)
Sonesson B (*see* Dias et al). 2004;39:1229-35
Spencer TA (*see* Anderson et al). 2004;39:686-90 (Case rep.)
Speziale F (*see* Ducasse et al). 2004;39:906-11 (Case rep.)
Sprouse LR II, Lesar CJ, Meier GH III, Parent FN, Demasi RJ, Gayle RG, Marcinzyck MJ, Glickman MH, Shah RM, McEnroe CS, Fogle MA, Stokes GK, Colonna JO. Percutaneous treatment of symptomatic central venous stenosis angioplasty. 2004;39:578-82. Correction 2004;39:867
Srivastava SD (*see* Greenberg et al). 2004;39:95-101, 279-87
Stambo GW, Guiney MJ, Cannella XF, Germain BF. Coil embolization of multiple hepatic artery aneurysms in a patient with undiagnosed polyarteritis nodosa. 2004;39:1122-4 (Case rep.)
Stanley JC (*see* Axelrod et al). 2004;39:67-72
Stanley JC (*see* Henke et al). 2004;39:357-65
Stansby G (*see* Bradbury et al). 2004;39:1026-32
Stark VE (*see* Wolff et al). 2004;39:878-88
Stechuchak KM (*see* Horner et al). 2004;39:162-8
Steckmeier B (*see* Ruppert et al). 2004;39:758-62
Steel S (*see* Naylor et al). 2004;39:985-93
Stein TA (*see* Chang and Stein). 2004;39:487-8 (Letter)
Steinmetz E, Rubin BG, Sanchez LA, Choi ET, Geraghty PJ, Baty J, Thompson RW, Flye MW, Hovsepian DM, Picus D, Sicard GA. Type II endoleak after endovascular abdominal aortic aneurysm repair: a conservative approach with selective intervention is safe and cost-effective. 2004;39:306-13
Stephan P (*see* Valentine et al). 2004;39:351-6
Sternbach Y (*see* Sivamurthy et al). 2004;39:565-74
Sternbach Y (*see* Surowiec et al). 2004;39:804-10
Sternbergh WC III, Money SR, Greenberg RK, Chuter TAM. Influence of endograft oversizing on device migration, endoleak, aneurysm shrinkage, and aortic neck dilation: results from the Zenith multicenter trial. 2004;39:20-6
Sternbergh WC III (*see* Greenberg et al). 2004;39:1209-18
Sterngergh WC III, Money SR, Greenberg RK, Chuter TAM. Influence of endograft oversizing ond evice migration, endoleak, aneurysm shrinkage, and aortic neck dilation: results fromt he Zenith multicenter trial. 2004;39:20-6
Stevens J (*see* Henke et al). 2004;39:357-65
Stillo F (*see* Marrocco-Trischitta et al). 2004;39:1295-304
Stokes GK (*see* Sprouse et al). 2004;39:578-82. Correction 2004;39:867
Stone DH (*see* Su et al). 2004;39:672-5 (Case rep.)
Stoney RJ. Regarding "Acute arterial complications associated with total hip and knee arthroplasty." 2004;39:1361-2 (Letter)
Stramana R (*see* Grego et al). 2004;39:691
Striker G (*see* Eton et al). 2004;39:1066-73
Stroes ESG (*see* Rotmans et al). 2004;39:432-9
Stücker M, Netz K, Breuckmann F, Altmeyer P, Mumme A. Histomorphologic classification of recurrent saphenofemoral reflux. 2004;39:816-22
Su WT, Stone DH, Lamparello PJ, Rockman CB. Gluteal compartment syndrome following elective unilateral internal iliac artery embolization before endovascular abdominal aortic aneurysm repair. 2004;39:672-5 (Case rep.)
Sugano N (*see* Jibiki et al). 2004;39:829-35
Suggs WD (*see* Cayne et al). 2004;39:811-15
Suggs WD (*see* Mehta et al). 2004;39:118-23
Suggs WD (*see* Reed et al). 2004;39:395-9
Suggs WD (*see* Timaran et al). 2004;39:1157-62
Sugimoto I (*see* Ohta et al). 2004;39:176-80
Sullivan T (*see* Greenberg et al). 2004;39:95-101
Sullivan T (*see* Oderich et al). 2004;39:931-6
Sullivan TM (*see* Mozes et al). 2004;39:958-66
Sunamori M (*see* Jibiki et al). 2004;39:829-35
Surowiec SM, Davies MG, Fegley AJ, Tanski WJ, Pamoukian VN, Sternbach Y, Waldman DL, Green RM. Relationship of proximal fixation to postoperative renal dysfunction in patients with normal serum creatinine concentration. 2004;39:804-10
Surowiec SM (*see* Sivamurthy et al). 2004;39:565-74
Svampa MG (*see* Marrocco-Trischitta et al). 2004;39:1295-304
Swann A (*see* Long et al). 2004;39:723-7

## T

Takaba T (*see* Yamada et al). 2004;39:246-9 (Case rep.)
Takagi H, Mizuno Y, Matsutomo M, Matsuno Y, Umeda Y, Fukumoto Y, Shimokawa K, Mori Y. Aneurysm of the femoral artery occupationally exposed to a vibratory tool for more than 10 years. 2004;39:1125-7 (Case rep.)
Takagi H (*see* Shimabukuro et al). 2004;39:1361 (Letter)
Takase S, Pascarella L, Bergan JJ, Schmid-Schönbein GW. Hypertension-induced venous valve remodeling. 2004;39:1329-34
Tambyraja AL, Murie JA, Chalmers RTA. Ruptured inflammatory abdominal aortic aneurysm: insights in clinical management and outcome. 2004;39:400-3
Tanski WJ, Fegley AJ, Roztocil E, Davies MG. Domain-dependent action of urokinase on smooth muscle cell responses. 2004;39:214-22
Tanski WJ, Roztocil E, Hemady EA, Williams JA, Davies MG. Role of Gαq in smooth muscle cell proliferation. 2004;39:639-44
Tanski WJ (*see* Surowiec et al). 2004;39:804-10
Taylor L (*see* Karamlou et al). 2004;39:763-70
Taylor L (*see* McDermott et al). 2004;39:523-30
Taylor LM (*see* Lam et al). 2004;39:336-42
Taylor SM (*see* Cull et al). 2004;39:381-6
Taylor SM (*see* Harkin et al). 2004;39:196-206
Taylor SM (*see* Kalbaugh et al). 2004;39:1268-76

TenBrook JA Jr, Iafrati MD, O'Donnell TF Jr, Wolf MP, Hoffman SN, Pauker SG, Lau J, Wong JB. Systematic review of outcomes after surgical management of venous disease incorporating subfascial endoscopic perforator surgery. 2004;39:583-9
Teodorescu V (*see* Minor et al). 2004;39:893-6 (Case rep.)
Terranova O (*see* Ballotta et al). 2004;39:1003-8
Teruya TH (*see* Ballard JL et al). 2004;39:797-803
Teutelink A (*see* Fillinger et al). 2004;39:1243-52
Thomas AC (*see* Chue et al). 2004;39:859-67
Thompson MM (*see* Naylor et al). 2004;39:985-93
Thompson RW (*see* Flye et al). 2004;39:454-8 (Case rep.)
Thompson RW (*see* Kent et al). 2004;39:267-9
Thompson RW (*see* Steinmetz et al). 2004;39:306-13
Tiezzi A (*see* Marrocco-Trischitta et al). 2004;39:1295-304
Timaran CH, Ohki T, Rhee SJ, Veith FJ, Gargiulo NJ III, Toriumi H, Malas MB, Suggs WD, Wain RA, Lipsitz EC. Predicting aneurysm enlargement in patients with persistent type II endoleaks. 2004;39:1157-62
Timaran CH (*see* Cayne et al). 2004;39:811-15
Timaran CH (*see* Reed et al). 2004;39:395-9
Ting ACW (*see* Cheng et al). 2004;39:409-15
Toffano M (*see* Ballotta et al). 2004;39:539-46
Tomas JJ (*see* Wolff et al). 2004;39:878-88
Tompa D (*see* Sidhu et al). 2004;39:1305-11
Toriumi H (*see* Timaran et al). 2004;39:1157-62
Torres-Russotto DR (*see* Mozes et al). 2004;39:958-66
Towne JB. Society for Vascular Surgery Distinguished Service Award—2003. 2004;39:9
Trabetti E (*see* Pizzolo et al). 2004;39:140-7
Trost D (*see* Bernheim et al). 2004;39:1340-3 (Case rep.)
Tshomba Y (*see* Melissano et al). 2004;39:124-30
Tsukube T (*see* Murakami et al). 2004;39:207-13, 243-5 (Case rep.)
Turc A (*see* Greenberg et al). 2004;39:279-87
Tzeng E (*see* Raman et al). 2004;39:52-7

U

Ubbink DT (*see* Coffi et al). 2004;39:517-22
Ugurluoglu A (*see* Hofmann et al). 2004;39:169-75
Ujiki M (*see* Kibbe et al). 2004;39:937-43
Umeda Y (*see* Takagi et al). 2004;39:1125-7 (Case rep.)
Upchurch G (*see* Lee et al). 2004;39:491-6
Upchurch GR Jr (*see* Axelrod et al). 2004;39:67-72
Upchurch GR Jr (*see* Henke et al). 2004;39:357-65
Uthappa MC (*see* Shankar et al). 2004;39:1033-42
Uto K (*see* Nagashima et al). 2004;39:447-53

V

Valentine RJ, Guerra R, Stephan P, Scoggins E, Clagett GP, Cohen J. Family history is a major determinant of subclinical peripheral arterial disease in young adults. 2004;39:351-6
Valentine RJ (*see* Modrall et al). 2004;39:387-94
van Aalst JA, Burmeister W, Fox PL, Graham LM. α-Tocopherol preserves endothelial cell migration in the presence of cell-oxidized low-density lipoprotein by inhibiting changes in cell membrane fluidity. 2004;39:229-37
van Baalen JM (*see* Hollander et al). 2004;39:260-2 (Case rep.)
van Bockel JH (*see* van der Bas et al). 2004;39:850-8
van den Berg AC (*see* van der Bas et al). 2004;39:850-8
van Den Berg JC (*see* de Vries et al). 2004;39:427-31
van Den Heuvel DAF (*see* de Vries et al). 2004;39:427-31
van der Bas JMA, Quax PHA, van den Berg AC, Visser MJT, van der Linden E, van Bockel JH. Ingrowth of aorta wall into stent grafts impregnated with basic fibroblast growth factor: a porcine in vivo study of blood vessel prosthesis healing. 2004;39:850-8
van der Linden E (*see* van der Bas et al). 2004;39:850-8
van Gurp JAM (*see* Coffi et al). 2004;39:517-22
van Marrewijk C (*see* Peppelenbosch et al). 2004;39:288-97
van Rooijen N (*see* Wolff et al). 2004;39:878-88
Vasiliu C (*see* Li et al). 2004;39:1074-83
Veith FJ (*see* Cayne et al). 2004;39:811-15
Veith FJ (*see* Chang et al). 2004;39:994-1002
Veith FJ (*see* Mehta et al). 2004;39:118-23
Veith FJ (*see* Reed et al). 2004;39:395-9
Veith FJ (*see* Timaran et al). 2004;39:1157-62
Velema E (*see* Rotmans et al). 2004;39:432-9
Verdant A. Regarding "Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned." 2004;39:1145-6 (Letter)
Verhagen HJM (*see* Rotmans et al). 2004;39:432-9
Verrel F (*see* Ruppert et al). 2004;39:758-62
Verzini F (*see* Cao et al). 2004;39:487 (Letter reply)
Villa E (*see* Pocar et al). 2004;39:1360 (Letter)
Vinces FY, Newell MA, Cherry RA. Isolated contralateral vertebral artery injury in a stab wound to the neck. 2004;39:462-4 (Case rep.)
Visser MJT (*see* Hollander et al). 2004;39:260-2 (Case rep.)
Visser MJT (*see* van der Bas et al). 2004;39:850-8
Vos JA (*see* de Vries et al). 2004;39:427-31

W

Wahlberg E (*see* Palmer-Kazen et al). 2004;39:621-8
Wain RA (*see* Reed et al). 2004;39:395-9
Wain RA (*see* Timaran et al). 2004;39:1157-62
Waldman DL (*see* Sivamurthy et al). 2004;39:565-74
Waldman DL (*see* Surowiec et al). 2004;39:804-10
Walker E (*see* Greenberg et al). 2004;39:95-101
Walker SR, Daniels K. Regarding "Fate of excluded popliteal artery aneurysms" and "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms." 2004;39:697 (Letter)
Wall P (*see* Criado et al). 2004;39:238-42 (Case rep.)
Walsh D (*see* Powell et al). 2004;39:1193-9
Walsh DB (*see* Fillinger et al). 2004;39:1243-52
Walter J (*see* Hofmann et al). 2004;39:169-75
Wang Y (*see* Eton et al). 2004;39:1066-73
Wariaro D (*see* Palmer-Kazen et al). 2004;39:621-8
Wasilljew S (*see* Kolvenbach et al). 2004;39:771-6
Watelet J (*see* Becquemin et al). 2004;39:1358-9 (Letter)
Waterman P (*see* Nigri et al). 2004;39:843-9
Waterman PR (*see* Heckenkamp et al). 2004;39:1097-103
Watkins MT (*see* Marone et al). 2004;39:322-9
Weaver FA, Kumar SR, Yellin AE, Anderson S, Hood DB, Rowe VL, Kitridou RC, Kohl RD, Alexander J. Renal revascularization in Takayasu arteritis–induced renal artery stenosis. 2004;39:749-57
Weaver FA (*see* Rao et al). 2004;39:1043-7
Webb TH (*see* Williams et al). 2004;39:314-21
Weinberg A (*see* Anderson et al). 2004;39:1200-8
Welborn MB III (*see* Long et al). 2004;39:723-7
Welborn MB III (*see* Modrall et al). 2004;39:387-94
Welch AA (*see* Wilmink et al). 2004;39:513-16
White RA (*see* Zarins et al). 2004;39:109-17
Whitman B (*see* Earnshaw et al). 2004;39:1018-25
Whittemore AD (*see* Abbruzzese et al). 2004;39:1178-85

Whittemore AD (*see* Jacot et al). 2004;39:547-55
Whittemore AD (*see* Menard et al). 2004;39:1163-70
Wijelath ES, Rahman S, Murray J, Patel Y, Savidge G, Sobel M. Fibronectin promotes VEGF-induced CD34$^+$ cell differentiation into endothelial cells. 2004;39:655-60
Willfort-Ehringer A, Ahmadi R, Gruber D, Gschwandtner ME, Haumer A, Haumer M, Ehringer H. Arterial remodeling and hemodynamics in carotid stents: a prospective duplex ultrasound study over 2 years. 2004;39:728-34
Williams GM, Roseborough GS, Webb TH, Perler BA, Krosnick T. Preoperative selective intercostal angiography in patients undergoing thoracoabdominal aneurysm repair. 2004;39:314-21
Williams JA (*see* Tanski et al). 2004;39:639-44
Willis DJ (*see* Kalish et al). 2004;39:645-54
Wilmink ABM, Welch AA, Quick CRG, Burns PJ, Hubbard CS, Bradbury AW, Day NE. Dietary folate and vitamin B6 are independent predictors of peripheral arterial occlusive disease. 2004;39:513-16
Wilmink T (*see* Bradbury et al). 2004;39:1026-32
Winchester P (*see* Bernheim et al). 2004;39:1340-3 (Case rep.)
Wolf MP (*see* TenBrook et al). 2004;39:583-9
Wolff RA, Tomas JJ, Hullett DA, Stark VE, van Rooijen N, Hoch JR. Macrophage depletion reduces monocyte chemotactic protein-1 and transforming growth factor-$\beta_1$ in healing rat vein grafts. 2004;39:878-88
Wolosker AMB (*see* Wolosker et al). 2004;39:459-61 (Case rep.)
Wolosker N, Zerati AE, Nishinari K, Filho MDMG, Wolosker AMB. Aneurysm of superior mesenteric vein: case report with 5-year follow-up and review of the literature. 2004;39:459-61 (Case rep.)
Wolosker N (*see* Nishinari and Wolosker). 2004;39:922 (Letter)
Wong JB (*see* TenBrook et al). 2004;39:583-9
Wong WS (*see* Lam et al). 2004;39:465-9 (Case rep.)
Woo EY, Lombardi JV, Carpenter JP. Endovascular external-to-internal iliac bypass as an adjunct to endovascular aneurysm repair for patients with extensive common iliac artery aneurysmal disease. 2004;39:470
Woo EY (*see* Karmacharya et al). 2004;39:1128
Woodside KJ (*see* Anderson et al). 2004;39:686-90 (Case rep.)
Woolley C (*see* McDermott et al). 2004;39:523-30
Wu LLH (*see* Cheng et al). 2004;39:409-15
Wyers M (*see* Powell et al). 2004;39:1193-9
Wyers MC, Powell RJ. Management of carotid injuries in a hostile neck using endovascular grafts. 2004;39:1335-9 (Case rep.)

X

Xu C (*see* Sho et al). 2004;39:601-12
Xue L (*see* Laredo et al). 2004;39:1059-65

Y

Yadav J (*see* Ouriel et al). 2004;39:916-17 (Editorial)
Yagubyan M, Panneton JM, Lindor NM, Conti E, Sarkozy A, Pizzuti A. LEOPARD syndrome: a new polyaneurysm association and an update on the molecular genetics of the disease. 2004;39:897-900 (Case rep.)
Yakes W (*see* Lee et al). 2004;39:590-600
Yakut C (*see* Kutay et al). 2004;39:901-2 (Case rep.)
Yamada M, Ohno M, Itagaki T, Takaba T, Matsuyama T. Coexistence of cystic medial necrosis and segmental arterial mediolysis in a patient with aneurysms of the abdominal aorta and the iliac artery. 2004;39:246-9 (Case rep.)
Yao J (*see* Kibbe et al). 2004;39:937-43
Yao Q (*see* Lin et al). 2004;39:1322-8
Yeager RA (*see* Lam et al). 2004;39:336-42
Yelden KM (*see* Carlson et al). 2004;39:421-6
Yellin AE (*see* Weaver et al). 2004;39:749-57
York JW (*see* Kalbaugh et al). 2004;39:1268-76
Yorkovich W (*see* Hingorani et al). 2004;39:717-22
Yoshida K (*see* Murakami et al). 2004;39:243-5 (Case rep.)
Yoshimoto R (*see* Komiyama et al). 2004;39:661-7
Youkey JR (*see* Cull et al). 2004;39:381-6
Youkey JR (*see* Kalbaugh et al). 2004;39:1268-76
Yu H (*see* Eton et al). 2004;39:1066-73
Yu MY (*see* Lam et al). 2004;39:465-9 (Case rep.)

Z

Zamboni P. Regarding "Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary?". 2004;39:1144-5 (Letter)
Zamora PO (*see* Laredo et al). 2004;39:1059-65
Zaramella M (*see* Grego et al). 2004;39:691
Zarins CK, Bloch DA, Crabtree T, Matsumoto AH, White RA, Fogarty TJ. Aneurysm enlargement following endovascular aneurysm repair: AneuRx clinical trial. 2004;39:109-17
Zarins CK (*see* Arko et al). 2004;39:404-8
Zarins CK (*see* Chang et al). 2004;39:994-1002
Zarins CK (*see* Sarac et al). 2004;39:556-9
Zarins CK (*see* Sho et al). 2004;39:601-12
Zelenock GB (*see* Brown et al). 2004;39:366-71
Zerati AE (*see* Wolosker et al). 2004;39:459-61 (Case rep.)
Zubilewicz T (*see* Becquemin et al). 2004;39:298-305
Zwiers I (*see* Coffi et al). 2004;39:517-22
Zwolak R (*see* Powell et al). 2004;39:1193-9
Zwolak RM (*see* Fillinger et al). 2004;39:1243-52
Zwolak RM (*see* Kent et al). 2004;39:267-9

# *Subject index**

## A


**Abstracts**
Abstracts. 2004;39:273-4, 484-5, 694-5, 920-1, 1142-3, 1356-7

**Accreditation**
Reliability of extracranial carotid artery duplex ultrasound scanning: value of vascular laboratory accreditation (Brown et al). 2004;39:366-71

**Adolescent**
Multiple aneurysms in childhood (English et al). 2004;39:254-9 (Case rep.)

**Adrenal gland hypofunction**
Adrenal insufficiency in patients with ruptured abdominal aortic aneurysms (Parikshak et al). 2004;39:944-50

**Aged, 80 and over**
Octogenarians with contralateral carotid artery occlusion: a cohort at higher risk for carotid endarterectomy? (Ballotta et al). 2004;39:1003-8

**Ambulatory surgical procedures**
Same-evening discharge after carotid endarterectomy: our initial experience (Sheehan et al). 2004;39:575-7

**American Association for Vascular Surgery**
Presidential address: The next quarter (Riles). 2004;39:275-8
Presidential address: SVS and AAVS united (Cronenwett). 2004;39:1-8

**Anastomosis, surgical**
Risk factors for autogenous infrainguinal bypass occlusion in patients with prosthetic inflow grafts (Lam et al). 2004;39:336-42

**Anesthesia, conduction**
Perioperative stress response to carotid endarterectomy: the impact of anesthetic modality (Marrocco-Trischitta et al). 2004;39:1295-304

**Anesthesia, general**
Perioperative stress response to carotid endarterectomy: the impact of anesthetic modality (Marrocco-Trischitta et al). 2004;39:1295-304

**Anesthesia, local**
Necrotizing fasciitis after ambulatory phlebectomy performed with the use of tumescent anesthesia (Hubmer et al). 2004;39:263-5 (Case rep.)

**Aneurysm**
Aneurysm of superior mesenteric vein: case report with 5-year follow-up and review of the literature (Wolosker et al). 2004;39:459-61 (Case rep.)
Aneurysm of the femoral artery occupationally exposed to a vibratory tool for more than 10 years (Takagi et al). 2004;39:1125-7 (Case rep.)
Coil embolization of multiple hepatic artery aneurysms in a patient with undiagnosed polyarteritis nodosa (Stambo et al). 2004;39:1122-4 (Case rep.)
Multiple aneurysms in childhood (English et al). 2004;39:254-9 (Case rep.)
Popliteal artery aneurysms: a comparison of outcomes in elective versus emergent repair (Aulivola et al). 2004;39:1171-7
Predicting aneurysm enlargement in patients with persistent type II endoleaks (Timaran et al). 2004;39:1157-62
Regarding "Fate of excluded popliteal artery aneurysms" and "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms" (Walker and Daniels) (Letter); (Morasch et al) (Reply). 2004;39:697-8
Subclavian artery aneurysm in association with congenital absence of ipsilateral internal carotid artery (Lin et al). 2004;39:682-5 (Case rep.)

**Aneurysm, false**
Management of carotid injuries in a hostile neck using endovascular grafts (Wyers and Powell). 2004;39:1335-9 (Case rep.)
Transluminal thrombin injection and exclusion of a paramesenteric abdominal aortic aneurysm (Criado and Gasparis). 2004;39:1118-21 (Case rep.)
Traumatic peroneal artery pseudoaneurysm: use of preoperative coil embolization (Albrecht and Parra). 2004;39:912

**Aneurysm, infected**
Isolated inflammatory aneurysm of superior mesenteric artery: unexpected pathologic diagnosis (Dorigo et al). 2004;39:903-5 (Case rep.)

**Aneurysm, ruptured**
Adrenal insufficiency in patients with ruptured abdominal aortic aneurysms (Parikshak et al). 2004;39:944-50
Anatomic characteristics of ruptured abdominal aortic aneurysm on conventional CT scans: implications for rupture risk (Fillinger et al). 2004;39:1243-52
Aneurysm of the pancreaticoduodenal arteries with a celiac trunk lesion: current management (Ducasse et al). 2004;39:903-5 (Case rep.)
Feasibility of preoperative computer tomography in patients with ruptured abdominal aortic aneurysm: a time-to-death study in patients without operation (Lloyd et al). 2004;39:788-91
Long-term survival and temporal trends in patient and surgeon factors after elective and ruptured abdominal aortic aneurysm surgery (Dueck et al). 2004;39:1261-7
Outcome of aggressive surveillance colonoscopy in ruptured abdominal aortic aneurysm (Champagne et al). 2004;39:792-6
Predictors of repair and effect of gender on treatment of ruptured abdominal aortic aneurysm (Dueck et al). 2004;39:784-7
Rupture of internal iliac artery aneurysm presenting as rectus sheath hematoma: case report (de Donato et al). 2004;39:250-3 (Case rep.)
Ruptured inflammatory abdominal aortic aneurysm: insights in clinical management and outcome (Tambyraja et al). 2004;39:400-3
Survival after ruptured abdominal aortic aneurysm: effect of patient, surgeon, and hospital factors (Dueck et al). 2004;39:1253-60

**Angiogenesis;** *see* Neovascularization

**Angiography**
Interpretation of three-dimensional structure from two-dimensional endovascular images: implications for educators in vascular surgery (Sidhu et al). 2004;39:1305-11
Preoperative selective intercostal angiography in patients undergoing thoracoabdominal aneurysm repair (Williams et al). 2004;39:314-21
Time-resolved magnetic resonance angiography as a noninvasive method to characterize endoleaks: initial results com-


*January, pp. 1-274; February, pp. 275-490; March, pp. 491-700; April, pp. 701-924; May, pp. 925-1148; June, pp. 1149-1402.

pared with conventional angiography (Lookstein et al). 2004;39:27-33

**Angioplasty**
Bypass versus angioplasty to treat severe limb ischemia: factors that affect treatment preferences of UK surgeons and interventional radiologists (Bradbury et al). 2004;39:1026-32
Current status of open versus endovascular stent-graft repair of abdominal aortic aneurysm (Rutherford and Krupski). 2004;39:1129-39

**Angioplasty, balloon**
Balloon angioplasty as a treatment of failing infrainguinal autologous vein bypass grafts (Carlson et al). 2004;39:421-6
Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Mozes et al). Commentary (Ricotta). 2004;39:958-66
Divergent outcomes after percutaneous therapy for symptomatic renal artery stenosis (Sivamurthy et al). 2004;39:565-74
Early outcome of "cutting" balloon angioplasty for infrainguinal vein graft stenosis (Kasirajan and Schneider). 2004;39:702-8
Early results of carotid stent placement for treatment of extracranial carotid bifurcation occlusive disease (Powell et al). 2004;39:1193-9
Freedom from secondary interventions to treat stenotic disease after percutaneous transluminal angioplasty of infrarenal aorta: long-term results (de Vries et al). 2004;39:427-31
A new approach to carotid angioplasty and stenting with transcervical occlusion and protective shunting: why it may be a better carotid artery intervention (Chang et al). 2004;39:994-1002
Percutaneous treatment of symptomatic central venous stenosis angioplasty (Sprouse et al) 2004;39:578-82. Correction 2004;39:867
A statewide experience with endovascular abdominal aortic aneurysm repair: rapid diffusion with excellent early results (Anderson et al). 2004;39:10-19
Tinnitus resulting from tandem lesions of the internal carotid artery: combined extracranial endarterectomy and intrapetrous primary stenting (Hartung et al). 2004;39:679-81 (Case rep.)

**Angiotensin-converting enzyme inhibitors**
Renovascular disease: effect of ACE gene deletion polymorphism and endovascular revascularization (Puzzle et al). 2004;39:140-7

**Ankle**
Correlation between ankle-brachial index, symptoms, and health-related quality of life in patients with peripheral vascular disease (Long et al). 2004;39:723-7
Results of perioperative measurements of ankle-brachial index in popliteal artery entrapment syndrome (Ruppert et al). 2004;39:758-62

**Antioxidants**
Combined L-arginine and antioxidative vitamin treatment mollifies ischemia-reperfusion injury of skeletal muscle (Nanobashvili et al). 2004;39:868-77

**Aorta, thoracic**
Endovascular treatment of an iatrogenic thoracic aortic injury after spinal instrumentation: case report (Minor et al). 2004;39:893-6 (Case rep.)
Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature (Cinà et al). 2004;39:131-9
Regarding "Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature" (Pocar et al) (Letter); (Cinà) (Reply). 2004;39:1360-1

**Aortic aneurysm, abdominal**
Adrenal insufficiency in patients with ruptured abdominal aortic aneurysms (Parikshak et al). 2004;39:944-50
Analysis of renal function after aneurysm repair with a device using suprarenal fixation (Zenith AAA Endovascular Graft) in contrast to open surgical repair (Greenberg et al). 2004;39:1219-28
Anatomic characteristics of ruptured abdominal aortic aneurysm on conventional CT scans: implications for rupture risk (Fillinger et al). 2004;39:1243-52
Aneurysm enlargement following endovascular aneurysm repair: AneuRx clinical trial (Zarins et al). 2004;39:109-17
Aortitis and bilateral ureteral obstruction after endovascular repair of abdominal aortic aneurysm (Jetty and Barber). 2004;39:1344-7 (Case rep.)
Coexistence of cystic medial necrosis and segmental arterial mediolysis in a patient with aneurysms of the abdominal aorta and the iliac artery (Yamada et al). 2004;39:246-9 (Case rep.)
Continuous periaortic infusion improves doxycycline efficacy in experimental aortic aneurysms (Sho et al). 2004;39:1312-21
Cumulative sum failure analysis of the learning curve with endovascular abdominal aortic aneurysm repair (Forbes et al). 2004;39:102-8
Current status of open versus endovascular stent-graft repair of abdominal aortic aneurysm (Rutherford and Krupski). 2004;39:1129-39
Diameter of abdominal aortic aneurysm and outcome of endovascular aneurysm repair: does size matter? A report from EUROSTAR (Peppelenbosch et al). 2004;39:288-97
Endovascular management of juxtarenal aneurysms with fenestrated endovascular grafting (Greenberg et al). 2004;39:279-87
Feasibility of preoperative computer tomography in patients with ruptured abdominal aortic aneurysm: a time-to-death study in patients without operation (Lloyd et al). 2004;39:788-91
Hypogastric artery bypass to preserve pelvic circulation: improved outcome after endovascular abdominal aortic aneurysm repair (Arko et al). 2004;39:404-8
Influence of endograft oversizing on device migration, endoleak, aneurysm shrinkage, and aortic neck dilation: results from the Zenith multicenter trial (Sternbergh et al). 2004;39:20-6
Intra-aneurysm sac pressure measurements after endovascular aneurysm repair; differences between shrinking, unchanged, and expanding aneurysms with and without endoleaks (Dias et al). 2004;39:1229-35
Is elevated creatinine level a contraindication to endovascular aneurysm repair? (Mehta et al). 2004;39:118-23
Late abdominal aortic aneurysm enlargement after endovascular repair with the Excluder device (Cho et al). 2004;39:1236-42
Long-term survival and temporal trends in patient and surgeon factors after elective and ruptured abdominal aortic aneurysm surgery (Dueck et al). 2004;39:1261-7
Matrix metalloproteinase 2 is suppressed by trapidil, a CD40-

CD40 ligand pathway inhibitor, in human abdominal aortic aneurysm wall (Nagashima et al). 2004;39:447-53
A monoclonal antibody against cytokine-induced neutrophil chemoattractant attenuates injury in the small intestine in a model of ruptured abdominal aortic aneurysm (Mbachu et al). 2004;39:1104-11
Multicenter pivotal trial results of the Lifepath System for endovascular aortic aneurysm repair (Carpenter et al). 2004;39:34-43
Outcome of aggressive surveillance colonoscopy in ruptured abdominal aortic aneurysm (Champagne et al). 2004;39:792-6
Outcomes of secondary interventions after abdominal aortic aneurysm endovascular repair (Becquemin et al). 2004;39:298-305
Perioperative complications and early outcome after endovascular and open surgical repair of abdominal aortic aneurysms (Elkouri et al). 2004;39:497-505
Perioperative outcomes after open and endovascular repair of intact abdominal aortic aneurysms in the United States during 2001 (Lee et al). 2004;39:491-6
Predictors of repair and effect of gender on treatment of ruptured abdominal aortic aneurysm (Dueck et al). 2004;39:784-7
Preoperative selective intercostal angiography in patients undergoing thoracoabdominal aneurysm repair (Williams et al). 2004;39:314-21
Quality of life before and after endovascular retroperitoneal abdominal aortic aneurysm repair (Ballard et al). 2004;39:797-803
Regarding "Predictive factors and clinical consequences of proximal aortic neck dilatation in 230 patients undergoing abdominal aorta aneurysm repair with self-expandable stent-grafts" (Filis and Arko) (Letter); (Cao et al) (Reply). 2004;39:487
Regarding "Use of abdominal aortic endovascular prostheses in France from 1999 to 2001" (Becquemin et al) (Letter); (Ricco et al) (Reply). 2004;39:1358-9
Relationship of proximal fixation to postoperative renal dysfunction in patients with normal serum creatinine concentration (Surowiec et al). 2004;39:804-10
Retrograde visceral vessel revascularization followed by endovascular aneurysm exclusion as an alternative to open surgical repair of thoracoabdominal aortic aneurysm (Flye et al). 2004;39:454-8 (Case rep.)
Rupture of the abdominal aorta in a 13-year-old girl secondary to Behçet disease: a case report (Kutay et al). 2004;39:901-2 (Case rep.)
Ruptured inflammatory abdominal aortic aneurysm: insights in clinical management and outcome (Tambyraja et al). 2004;39:400-3
Screening for abdominal aortic aneurysm: a consensus statement (Kent et al). 2004;39:267-9
A statewide experience with endovascular abdominal aortic aneurysm repair: rapid diffusion with excellent early results (Anderson et al). 2004;39:10-19
Survival after ruptured abdominal aortic aneurysm: effect of patient, surgeon, and hospital factors (Dueck et al). 2004;39:1253-60
Thoracovisceral segment aneurysm repair after previous infrarenal abdominal aortic aneurysm surgery (Menard et al). 2004;39:1163-70
Total laparoscopic abdominal aortic aneurysm repair with reimplantation of the inferior mesenteric artery (Javerliat et al). 2004;39:1115-17 (Case rep.)
Total laparoscopically and robotically assisted aortic aneurysm surgery: a critical evaluation (Kolvenbach et al). 2004;39:771-6
Transluminal thrombin injection and exclusion of a paramesenteric abdominal aortic aneurysm (Criado and Gasparis). 2004;39:1118-21 (Case rep.)
Type II endoleak after endovascular abdominal aortic aneurysm repair: a conservative approach with selective intervention is safe and cost-effective (Steinmetz et al). 2004;39:306-13
Variability of maximal aortic aneurysm diameter measurements on CT scan: significance and methods to minimize (Cayne et al). 2004;39:811-15
Variable sac behavior after endovascular repair of abdominal aortic aneurysm: analysis of core laboratory data (Greenberg et al). 2004;39:95-101
Zenith AAA Endovascular Graft: intermediate-term results of the US multicenter trial (Greenberg et al). 2004;39:1209-18

**Aortic aneurysm, thoracic**

Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair (Hassoun et al). 2004;39:506-12
Complications of cerebrospinal fluid drainage in thoracoabdominal aortic aneurysm repair (Murakami et al). 2004;39:243-5 (Case rep.)
Disappointing results with a new commercially available thoracic endograft (Melissano et al). 2004;39:124-30
Endovascular repair of a ruptured thoracic aortic aneurysm with the use of aortic extension cuffs (Karmacharya et al). 2004;39:1128
Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature (Cinà et al). 2004;39:131-9
Preoperative selective intercostal angiography in patients undergoing thoracoabdominal aneurysm repair (Williams et al). 2004;39:314-21
Regarding "Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned" (Verdant) (Letter); (Ellozy et al) (Reply). 2004;39:1145-6
Retrograde visceral vessel revascularization followed by endovascular aneurysm exclusion as an alternative to open surgical repair of thoracoabdominal aortic aneurysm (Flye et al). 2004;39:454-8 (Case rep.)
Thoracovisceral segment aneurysm repair after previous infrarenal abdominal aortic aneurysm surgery (Menard et al). 2004;39:1163-70
Transcranial myogenic motor-evoked potentials after transient spinal cord ischemia predicts neurologic outcome in rabbits (Murakami et al). 2004;39:207-13

**Aortic diseases**

Aortocaval fistula (Lin et al). 2004;39:266
Transesophageal echo-guided endovascular exclusion of thoracic aortic mobile thrombi (Criado et al). 2004;39:238-42 (Case rep.)

**Aortic rupture**

Complement C5a receptor antagonist attenuates multiple organ injury in a model of ruptured abdominal aortic aneurysm (Harkin et al). 2004;39:196-206
Emergent endovascular stent-graft placement to treat ruptured

Stanford type B acute aortic dissection (Kawamura et al). 2004;39:668-71 (Case rep.)
Endograft infection leading to rupture of aortic aneurysm (Parra et al). 2004;39:676-8 (Case rep.)
Rupture of the abdominal aorta in a 13-year-old girl secondary to Behçet disease: a case report (Kutay et al). 2004;39: 901-2 (Case rep.)

**Aortic stenosis**
Freedom from secondary interventions to treat stenotic disease after percutaneous transluminal angioplasty of infrarenal aorta: long-term results (de Vries et al). 2004;39:427-31

**Aortitis**
Aortitis and bilateral ureteral obstruction after endovascular repair of abdominal aortic aneurysm (Jetty and Barber). 2004;39:1344-7 (Case rep.)

**Arginine**
Combined L-arginine and antioxidative vitamin treatment mollifies ischemia-reperfusion injury of skeletal muscle (Nanobashvili et al). 2004;39:868-77

**Arterial occlusive diseases**
Clinical and economic evaluation of the trellis thrombectomy device for arterial occlusions: preliminary analysis (Sarac et al). 2004;39:556-9
Cystic adventitial disease of the popliteal artery (Fox et al). 2004;39:1351
Dietary folate and vitamin B6 are independent predictors of peripheral arterial occlusive disease (Wilmink et al). 2004; 39:513-16
Hemodynamic outcome of endovascular therapy for TransAtlantic InterSociety Consensus type B femoropopliteal arterial occlusive lesions (Costanza et al). 2004;39:343-50
Laparoscopy-assisted reconstruction to treat severe aortoiliac occlusive disease: early and midterm results (Alimi et al). 2004;39:777-83
Leg strength in peripheral arterial disease: associations with disease severity and lower-extremity performance (McDermott et al). 2004;39:523-30
Long-term results of peripheral arterial disease rehabilitation (Menard et al). 2004;39:1186-92
Patients undergoing infrainguinal bypass to treat atherosclerotic vascular disease are underprescribed cardioprotective medications: effect on graft patency, limb salvage, and mortality (Henke et al). 2004;39:357-65
Results of perioperative measurements of ankle-brachial index in popliteal artery entrapment syndrome (Ruppert et al). 2004;39:758-62
Risk factors for autogenous infrainguinal bypass occlusion in patients with prosthetic inflow grafts (Lam et al). 2004;39: 336-42

**Arteriovenous fistula**
Aortocaval fistula (Lin et al). 2004;39:266
Arterial enlargement, tortuosity, and intimal thickening in response to sequential exposure to high and low wall shear stress (Sho et al). 2004;39:601-12
Basilic vein transposition fistula: a good option for maintaining hemodialysis access site options? (Rao et al). 2004;39: 1043-7
Extensive arterial aneurysm developing after surgical closure of long-standing post-traumatic popliteal arteriovenous fistula (Hartung et al). 2004;39:889-92 (Case rep.)
Management of infected prosthetic dialysis arteriovenous grafts (Ryan et al). 2004;39:73-8
Prosthetic thigh arteriovenous access: outcome with SVS/AAVS reporting standards (Cull et al). 2004;39:381-6

**Arteriovenous malformations**
Management of arteriovenous malformations: a multidisciplinary approach (Lee et al). 2004;39:590-600
Primitive proatlantal intersegmental artery and carotid endarterectomy (Grego et al). 2004;39:691
Subclavian artery aneurysm in association with congenital absence of ipsilateral internal carotid artery (Lin et al). 2004; 39:682-5 (Case rep.)
Surgical resection of a large recurrent pelvic arteriovenous malformation using deep hypothermic circulatory arrest (McCready et al). 2004;39:1348-50 (Case rep.)

**Arthroplasty, replacement**
Regarding "Acute arterial complications associated with total hip and knee arthroplasty" (Oremus and Safaric) (Letter); (Calligaro) (Reply). 2004;39:1148
Regarding "Acute arterial complications associated with total hip and knee arthroplasty" (Stoney). 2004;39:1361-2 (Letter)

**Awards and prizes**
Society for Vascular Surgery Distinguished Service Award-2003 (Towne). 2004;39:9

**B**

**Baroreceptors**; *see* Pressoreceptors

**Behcet's syndrome**
Rupture of the abdominal aorta in a 13-year-old girl secondary to Behçet disease: a case report (Kutay et al). 2004;39: 901-2 (Case rep.)

**Biocompatible materials**
Randomized trial of vein versus Dacron patching during carotid endarterectomy: long term results (Naylor et al). 2004;39:985-93

**Bioreactors**
Dog peritoneal and pleural cavities as bioreactors to grow autologous vascular grafts (Chue et al). 2004;39:859-67

**Blood coagulation**
Changes in blood coagulability as it transverses the ischemic limb (Shankar et al). 2004;39:1033-42

**Blood flow velocity**
Arterial enlargement, tortuosity, and intimal thickening in response to sequential exposure to high and low wall shear stress (Sho et al). 2004;39:601-12
Carotid artery stenting: Is there a need to revise ultrasound velocity criteria? (Lal et al). 2004;39:58-66
Differential expression and activity of matrix metalloproteinases during flow-modulated vein graft remodeling (Berceli et al). 2004;39:1084-90
Interobserver variability of carotid Doppler peak velocity measurements among technologists in an ICAVL-accredited vascular laboratory (Corriveau and Johnston). 2004;39: 735-41

**Blood platelets**
Regarding "Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers" (Borzini et al) (Letter); (Senet et al) (Reply). 2004;39:1146-7

**Blood pressure**
Correlation between ankle-brachial index, symptoms, and health-related quality of life in patients with peripheral vascular disease (Long et al). 2004;39:723-7

**Blood pressure determination**
Results of perioperative measurements of ankle-brachial index in popliteal artery entrapment syndrome (Ruppert et al). 2004;39:758-62

**Blood vessel prosthesis**
Analysis of renal function after aneurysm repair with a device using suprarenal fixation (Zenith AAA Endovascular Graft) in contrast to open surgical repair (Greenberg et al). 2004;39:1219-28
Caution in signing nondisclosure contracts (Johnston). 2004;39:1352-3 (Editorial)
Dog peritoneal and pleural cavities as bioreactors to grow autologous vascular grafts (Chue et al). 2004;39:859-67
Emergent endovascular stent-graft placement to treat ruptured Stanford type B acute aortic dissection (Kawamura et al). 2004;39:668-71 (Case rep.)
Endothelium properties of a tissue-engineered blood vessel for small-diameter vascular reconstruction (Rémy-Zolghadri et al). 2004;39:613-20
Influence of endograft oversizing on device migration, endoleak, aneurysm shrinkage, and aortic neck dilation: results from the Zenith multicenter trial (Sternbergh et al). 2004;39:20-6
Ingrowth of aorta wall into stent grafts impregnated with basic fibroblast growth factor: a porcine in vivo study of blood vessel prosthesis healing (van der Bas et al). 2004;39:850-8
Risk factors for autogenous infrainguinal bypass occlusion in patients with prosthetic inflow grafts (Lam et al). 2004;39:336-42
Small-caliber heparin-coated ePTFE grafts reduce platelet deposition and neointimal hyperplasia in a baboon model (Lin et al). 2004;39:1322-8

**Blood vessel prosthesis implantation**
Current status of open versus endovascular stent-graft repair of abdominal aortic aneurysm (Rutherford and Krupski). 2004;39:1129-39
Endovascular management of juxtarenal aneurysms with fenestrated endovascular grafting (Greenberg et al). 2004;39:279-87
Endovascular repair of a ruptured thoracic aortic aneurysm with the use of aortic extension cuffs (Karmacharya et al). 2004;39:1128
Intra-aneurysm sac pressure measurements after endovascular aneurysm repair; differences between shrinking, unchanged, and expanding aneurysms with and without endoleaks (Dias et al). 2004;39:1229-35
Is elevated creatinine level a contraindication to endovascular aneurysm repair? (Mehta et al). 2004;39:118-23
Late abdominal aortic aneurysm enlargement after endovascular repair with the Excluder device (Cho et al). 2004;39:1236-42
Management of carotid injuries in a hostile neck using endovascular grafts (Wyers and Powell). 2004;39:1335-9 (Case rep.)
Multicenter pivotal trial results of the Lifepath System for endovascular aortic aneurysm repair (Carpenter et al). 2004;39:34-43
Regarding "Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned" (Verdant) (Letter); (Ellozy et al) (Reply). 2004;39:1145-6
Regarding "Use of abdominal aortic endovascular prostheses in France from 1999 to 2001" (Becquemin et al) (Letter); (Ricco et al) (Reply). 2004;39:1358-9
Variable sac behavior after endovascular repair of abdominal aortic aneurysm: analysis of core laboratory data (Greenberg et al). 2004;39:95-101
Zenith AAA Endovascular Graft: intermediate-term results of the US multicenter trial (Greenberg et al). 2004;39:1209-18

**Book reviews**
Book reviews. 2004;39:490. Correction 2004;39:867
Book reviews. 2004;39:699-700, 923-4, 1362-3

**Brachial artery**
Multiple aneurysms in childhood (English et al). 2004;39:254-9 (Case rep.)

**Buerger's disease;** *see* Thromboangiitis obliterans

C

**Cardiotonic agents**
Patients undergoing infrainguinal bypass to treat atherosclerotic vascular disease are underprescribed cardioprotective medications: effect on graft patency, limb salvage, and mortality (Henke et al). 2004;39:357-65

**Carotid arteries**
Accessory thyroid gland at carotid bifurcation presenting as a carotid body tumor: case report and review of the literature (Hollander et al). 2004;39:260-2 (Case rep.)
Arterial enlargement, tortuosity, and intimal thickening in response to sequential exposure to high and low wall shear stress (Sho et al). 2004;39:601-12
Arterial remodeling and hemodynamics in carotid stents: a prospective duplex ultrasound study over 2 years (Willfort-Ehringer et al). 2004;39:728-34
Tinnitus resulting from tandem lesions of the internal carotid artery: combined extracranial endarterectomy and intrapetrous primary stenting (Hartung et al). 2004;39:679-81 (Case rep.)

**Carotid artery injuries**
Management of carotid injuries in a hostile neck using endovascular grafts (Wyers and Powell). 2004;39:1335-9 (Case rep.)

**Carotid body tumor**
Accessory thyroid gland at carotid bifurcation presenting as a carotid body tumor: case report and review of the literature (Hollander et al). 2004;39:260-2 (Case rep.)

**Carotid stenosis**
Accelerated progression of carotid stenosis in patients with previous external neck irradiation (Cheng et al). 2004;39:409-15
Carotid artery stenting: Is there a need to revise ultrasound velocity criteria? (Lal et al). 2004;39:58-66
Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Mozes et al). Commentary (Ricotta). 2004;39:958-66
Disease progression in contralateral carotid artery is common after endarterectomy (Raman et al). 2004;39:52-7
Early results of carotid stent placement for treatment of extracranial carotid bifurcation occlusive disease (Powell et al). 2004;39:1193-9
Focused screening for occult carotid artery disease: patients with known heart disease are at high risk (Rockman et al). 2004;39:44-51
A new approach to carotid angioplasty and stenting with trans-

cervical occlusion and protective shunting: why it may be a better carotid artery intervention (Chang et al). 2004;39: 994-1002
Octogenarians with contralateral carotid artery occlusion: a cohort at higher risk for carotid endarterectomy? (Ballotta et al). 2004;39:1003-8
Reliability of extracranial carotid artery duplex ultrasound scanning: value of vascular laboratory accreditation (Brown et al). 2004;39:366-71
Safety and durability of redo carotid operation: an 11-year experience (Cho et al). 2004;39:155-61

**Case reports**
Case reports. 2004;39:238-65, 454-69, 668-90, 889-911, 1112-27, 1335-50

**Catheter ablation**
Duplex ultrasound scan findings two years after great saphenous vein radiofrequency endovenous obliteration (Pichot et al). 2004;39:189-95

**Celiac artery**
Aneurysm of the pancreaticoduodenal arteries with a celiac trunk lesion: current management (Ducasse et al). 2004; 39:903-5 (Case rep.)

**Cell differentiation**
Fibronectin promotes VEGF-induced $CD34^+$ cell differentiation into endothelial cells (Wijelath et al). 2004;39:655-60

**Cell division**
Recombinant human thrombomodulin inhibits arterial neointimal hyperplasia after balloon injury (Li et al). 2004;39: 1074-83
Role of Gαq in smooth muscle cell proliferation (Tanski et al). 2004;39:639-44

**Cell migration inhibition**
Interleukin-1β inhibits PDGF-BB-induced migration by cooperating with PDGF-BB to induce cyclooxygenase-2 expression in baboon aortic smooth muscle cells (Englesbe et al). 2004;39:1091-6
α-Tocopherol preserves endothelial cell migration in the presence of cell-oxidized low-density lipoprotein by inhibiting changes in cell membrane fluidity (van Aalst et al). 2004; 39:229-37

**Cerebrospinal fluid shunts**
Complications of cerebrospinal fluid drainage in thoracoabdominal aortic aneurysm repair (Murakami et al). 2004;39: 243-5 (Case rep.)

**Cerebrovascular accident**
Early carotid endarterectomy after acute stroke (Paty et al). 2004;39:148-54
Focused screening for occult carotid artery disease: patients with known heart disease are at high risk (Rockman et al). 2004;39:44-51
Risk for stroke after elective noncarotid vascular surgery (Axelrod et al). 2004;39:67-72

**Chemokines, CXC**
A monoclonal antibody against cytokine-induced neutrophil chemoattractant attenuates injury in the small intestine in a model of ruptured abdominal aortic aneurysm (Mbachu et al). 2004;39:1104-11

**Clinical trials**
Aneurysm enlargement following endovascular aneurysm repair: AneuRx clinical trial (Zarins et al). 2004;39:109-17
Can low molecular weight heparin replace unfractionated heparin during peripheral arterial reconstruction? An open label prospective randomized controlled trial (Norgren). 2004;39:977-84
Randomized trial of vein versus Dacron patching during carotid endarterectomy: long term results (Naylor et al). 2004;39:985-93
Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial (Durazzo et al). Commentary (Powell). 2004;39:967-76
Zenith AAA Endovascular Graft: intermediate-term results of the US multicenter trial (Greenberg et al). 2004;39: 1209-18

**Colonoscopy**
Outcome of aggressive surveillance colonoscopy in ruptured abdominal aortic aneurysm (Champagne et al). 2004;39: 792-6

**Compartment syndromes**
Gluteal compartment syndrome following elective unilateral internal iliac artery embolization before endovascular abdominal aortic aneurysm repair (Su et al). 2004;39:672-5 (Case rep.)

**Complement activation**
Complement C5a receptor antagonist attenuates multiple organ injury in a model of ruptured abdominal aortic aneurysm (Harkin et al). 2004;39:196-206

**Contract services**
Caution in signing nondisclosure contracts (Johnston). 2004; 39:1352-3 (Editorial)

**Contrast media**
Contrast-enhanced duplex scanning of crural arteries by means of continuous infusion of Levovist (Coffi et al). 2004;39: 517-22

**Corrections**
Acute arterial complications associated with total hip and knee arthroplasty (Calligaro et al) (2003;38:1170-7). 2004;39: 628
Book Review (2004;39:490). Correction 2004;39:867
Carotid bypass with polytetrafluoroethylene grafts: a study of 110 consecutive patients (Camiade et al) (2003;38:1031-8). 2004;39:188
Early and late outcome after carotid artery bypass grafting with saphenous vein (Lauder et al) (2003;38:1025-30). 2004; 39:188
Medicolegal implications of board certification (Brown OW) (2003;38:407-8). 2004;39:188
P-selectin and leukocyte microparticles are associated with venous thrombogenesis (Myers et al) (2003;38:1075-89). 2004;39:188
Percutaneous treatment of symptomatic central venous stenosis angioplasty (Sprouse et al) (2004;39:578-82). 2004;39: 867

**Creatinine**
Is elevated creatinine level a contraindication to endovascular aneurysm repair? (Mehta et al). 2004;39:118-23
Regarding "Factors that predict prolonged length of stay after aortic surgery" (Rashid et al) (Letter); (Calligaro et al) (Reply). 2004;39:488-9
Relationship of proximal fixation to postoperative renal dysfunction in patients with normal serum creatinine concentration (Surowiec et al). 2004;39:804-10

**Cryosurgery**
Surgical resection of a large recurrent pelvic arteriovenous malformation using deep hypothermic circulatory arrest (McCready et al). 2004;39:1348-50 (Case rep.)

**Cyanosis**
Methemoglobinemia: an unusual cause of postoperative cyanosis (Anderson et al). 2004;39:686-90 (Case rep.)
**Cyclooxygenase**
Interleukin-1β inhibits PDGF-BB-induced migration by cooperating with PDGF-BB to induce cyclooxygenase-2 expression in baboon aortic smooth muscle cells (Englesbe et al). 2004;39:1091-6

D

**Data collection**
Creating a useful vascular center: a statewide survey of what primary care physicians really want (Karamlou et al). 2004;39:763-70
**Diabetic angiopathies**
Preoperative high-frequency duplex scanning of potential pedal target vessels (Hofmann et al). 2004;39:169-75
**Diffusion of innovation**
Ethics of surgical innovation to treat rare diseases (Jones et al). 2004;39:918-19
**Dissent and disputes**
Clinical disagreements between residents and faculty surgeons (Jones et al). 2004;39:270-2
**Diverticulum**
Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature (Cinà et al). 2004;39:131-9
Regarding "Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature" (Pocar et al) (Letter); (Cinà) (Reply). 2004;39:1360
**Doxycycline**
Continuous periaortic infusion improves doxycycline efficacy in experimental aortic aneurysms (Sho et al). 2004;39:1312-21
**Drug delivery systems**
Local treatment of Dacron patch graft infected with biofilm-producing *Staphylococcus epidermidis* using antibiotic-releasing porous apatite ceramic: an experimental study in the rabbit (Shimabukuro et al). 2004;39:1360-1 (Letter)
**Duodenum**
Aneurysm of the pancreaticoduodenal arteries with a celiac trunk lesion: current management (Ducasse et al). 2004;39:903-5 (Case rep.)

E

**Echocardiography, transesophageal**
Transesophageal echo-guided endovascular exclusion of thoracic aortic mobile thrombi (Criado et al). 2004;39:238-42 (Case rep.)
**Editorials**
Caution in signing nondisclosure contracts (Johnston). 2004;39:1352-3
Changes in board certification could improve vascular surgery training (Cronenwett). 2004;39:913-15
Standards of practice: carotid angioplasty and stenting (Ouriel et al). 2004;39:916-17
**Elastase;** *see* Pancreatic elastase
**Elasticity**
Early adaptation of human lower extremity vein grafts: wall stiffness changes accompany geometric remodeling (Jacot et al). 2004;39:547-55
**Embolization, therapeutic**
Coil embolization of multiple hepatic artery aneurysms in a patient with undiagnosed polyarteritis nodosa (Stambo et al). 2004;39:1122-4 (Case rep.)
Gluteal compartment syndrome following elective unilateral internal iliac artery embolization before endovascular abdominal aortic aneurysm repair (Su et al). 2004;39:672-5 (Case rep.)
Management of arteriovenous malformations: a multidisciplinary approach (Lee et al). 2004;39:590-600
Traumatic peroneal artery pseudoaneurysm: use of preoperative coil embolization (Albrecht and Parra). 2004;39:912
**Endarterectomy, carotid**
Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Mozes et al). Commentary (Ricotta). 2004;39:958-66
Disease progression in contralateral carotid artery is common after endarterectomy (Raman et al). 2004;39:52-7
Early carotid endarterectomy after acute stroke (Paty et al). 2004;39:148-54
Effect of lignocaine injection in carotid sinus on baroreceptor sensitivity during carotid endarterectomy (Al-Rawi et al). 2004;39:1288-94
Intraoperative carotid artery duplex scanning in a modern series of 650 consecutive primary endarterectomy procedures (Ascher et al). 2004;39:416-20
Multistate improvement in process and outcomes of carotid endarterectomy (Kresowik et al). 2004;39:372-80
Octogenarians with contralateral carotid artery occlusion: a cohort at higher risk for carotid endarterectomy? (Ballotta et al). 2004;39:1003-8
Perceptual and instrumental evaluation of voice and tongue function after carotid endarterectomy (Cahill et al). 2004;39:742-8
Perioperative stress response to carotid endarterectomy: the impact of anesthetic modality (Marrocco-Trischitta et al). 2004;39:1295-304
Primitive proatlantal intersegmental artery and carotid endarterectomy (Grego et al). 2004;39:691
Randomized trial of vein versus Dacron patching during carotid endarterectomy: long term results (Naylor et al). 2004;39:985-93
Safety and durability of redo carotid operation: an 11-year experience (Cho et al). 2004;39:155-61
Same-evening discharge after carotid endarterectomy: our initial experience (Sheehan et al). 2004;39:575-7
Standards of practice: carotid angioplasty and stenting (Ouriel et al). 2004;39:916-17 (Editorial)
Tinnitus resulting from tandem lesions of the internal carotid artery: combined extracranial endarterectomy and intrapetrous primary stenting (Hartung et al). 2004;39:679-81 (Case rep.)
Who doesn't receive carotid endarterectomy when appropriate? (Horner et al). 2004;39:162-8
**Endoleakage;** *see* Postoperative complications
**Endoscopy**
Systematic review of outcomes after surgical management of venous disease incorporating subfascial endoscopic perforator surgery (TenBrook et al). 2004;39:583-9
**Endothelial growth factors**
Fibronectin promotes VEGF-induced $CD34^+$ cell differentiation into endothelial cells (Wijelath et al). 2004;39:655-60
Vascular endothelial cell growth factor and fibroblast growth

factor 2 expression in patients with critical limb ischemia (Palmer-Kazen et al). 2004;39:621-8

**Endothelium, vascular**
Endothelium properties of a tissue-engineered blood vessel for small-diameter vascular reconstruction (Rémy-Zolghadri et al). 2004;39:613-20
Fibronectin promotes VEGF-induced CD34$^+$ cell differentiation into endothelial cells (Wijelath et al). 2004;39:655-60

**Equipment safety**
Disappointing results with a new commercially available thoracic endograft (Melissano et al). 2004;39:124-30

**Ethics, medical**
Clinical disagreements between residents and faculty surgeons (Jones et al). 2004;39:270-2
Ethics and commercial insurance (Jones et al). 2004;39:692-3
Ethics of boutique medical practice (Jones et al). 2004;39:1354-5
Ethics of introducing new operating room technology (Jones et al). 2004;39:482-3
Ethics of professional courtesy (Jones JW et al). 2004;39:1140-1
Ethics of surgical innovation to treat rare diseases (Jones et al). 2004;39:918-19

**Evaluation studies**
Clinical and economic evaluation of the trellis thrombectomy device for arterial occlusions: preliminary analysis (Sarac et al). 2004;39:556-9

**Evoked potentials, motor**
Transcranial myogenic motor-evoked potentials after transient spinal cord ischemia predicts neurologic outcome in rabbits (Murakami et al). 2004;39:207-13

**Exercise**
Long-term results of peripheral arterial disease rehabilitation (Menard et al). 2004;39:1186-92
Response to exercise rehabilitation in smoking and nonsmoking patients with intermittent claudication (Gardner et al). 2004;39:531-8
Structured exercise improves calf muscle pump function in chronic venous insufficiency: a randomized trial (Padberg et al). 2004;39:79-87

**Extracellular matrix**
γ-Irradiation modulates vascular smooth muscle cell and extracellular matrix function: implications for neointimal development (Heckenkamp et al). 2004;39:1097-103

F

**Fasciitis, necrotizing**
Necrotizing fasciitis after ambulatory phlebectomy performed with the use of tumescent anesthesia (Hubmer et al). 2004;39:263-5 (Case rep.)

**Fees, medical**
Ethics of professional courtesy (Jones JW et al). 2004;39:1140-1

**Femoral artery**
Aneurysm of the femoral artery occupationally exposed to a vibratory tool for more than 10 years (Takagi et al). 2004;39:1125-7 (Case rep.)
Deep vein harvest: predicting need for fasciotomy (Modrall et al). 2004;39:387-94
Extensive arterial aneurysm developing after surgical closure of long-standing post-traumatic popliteal arteriovenous fistula (Hartung et al). 2004;39:889-92 (Case rep.)
Hemodynamic outcome of endovascular therapy for TransAtlantic InterSociety Consensus type B femoropopliteal arterial occlusive lesions (Costanza et al). 2004;39:343-50
Neuropathic pain after femoropopliteal bypass surgery (Greiner et al). 2004;39:1284-7
Videoscopic approach to femoral bifurcation (Coggia et al). 2004;39:471-3 (Tech. note)

**Fibroblast growth factor, basic**
Appropriate control of ex vivo gene therapy delivering basic fibroblast growth factor promotes successful and safe development of collateral vessels in rabbit model of hind limb ischemia (Ishii et al). 2004;39:629-38
Ingrowth of aorta wall into stent grafts impregnated with basic fibroblast growth factor: a porcine in vivo study of blood vessel prosthesis healing (van der Bas et al). 2004;39:850-8

**Fibroblast growth factors**
Vascular endothelial cell growth factor and fibroblast growth factor 2 expression in patients with critical limb ischemia (Palmer-Kazen et al). 2004;39:621-8

**Fibromuscular dysplasia**
Coexistence of cystic medial necrosis and segmental arterial mediolysis in a patient with aneurysms of the abdominal aorta and the iliac artery (Yamada et al). 2004;39:246-9 (Case rep.)

**Fibronectins**
Fibronectin promotes VEGF-induced CD34$^+$ cell differentiation into endothelial cells (Wijelath et al). 2004;39:655-60

**Folic acid**
Dietary folate and vitamin B6 are independent predictors of peripheral arterial occlusive disease (Wilmink et al). 2004;39:513-16

**Free radicals**
Free radical attenuation prevents thrombosis and enables photochemical inhibition of vein graft intimal hyperplasia (Nigri et al). 2004;39:843-9

G

**Gamma rays**
γ-Irradiation modulates vascular smooth muscle cell and extracellular matrix function: implications for neointimal development (Heckenkamp et al). 2004;39:1097-103

**Gene expression regulation**
Temporal genomics of vein bypass grafting through oligonucleotide microarray analysis (Kalish et al). 2004;39:645-54

**Gene therapy**
Appropriate control of ex vivo gene therapy delivering basic fibroblast growth factor promotes successful and safe development of collateral vessels in rabbit model of hind limb ischemia (Ishii et al). 2004;39:629-38
Endograft technology: a delivery vehicle for intravascular gene therapy (Eton et al). 2004;39:1066-73

**Genetics**
Family history is a major determinant of subclinical peripheral arterial disease in young adults (Valentine et al). 2004;39:351-6

**Graft occlusion, vascular**
Aortic endograft thrombosis after colorectal surgery in lithotomy position (Chai et al). 2004;39:1112-14 (Case rep.)
Early adaptation of human lower extremity vein grafts: wall stiffness changes accompany geometric remodeling (Jacot et al). 2004;39:547-55
Early outcome of "cutting" balloon angioplasty for infrainguinal vein graft stenosis (Kasirajan and Schneider). 2004;39:702-8

Free radical attenuation prevents thrombosis and enables photochemical inhibition of vein graft intimal hyperplasia (Nigri et al). 2004;39:843-9
In-stent recurrent stenosis in stents placed in the lower extremity venous outflow tract (Neglén and Raju). 2004;39:181-8
Limb salvage after infrainguinal bypass graft failure (Baldwin et al). 2004;39:951-7
Matrix metalloproteinase inhibition reduces intimal hyperplasia in a porcine arteriovenous-graft model (Rotmans et al). 2004;39:432-9
Regarding "Regarding 'Veterans Affairs (VA) Cooperative Study #362'" (Johnson). 2004;39:698
Small-caliber heparin-coated ePTFE grafts reduce platelet deposition and neointimal hyperplasia in a baboon model (Lin et al). 2004;39:1322-8
Temporal genomics of vein bypass grafting through oligonucleotide microarray analysis (Kalish et al). 2004;39:645-54

**Graft survival**
Basilic vein transposition fistula: a good option for maintaining hemodialysis access site options? (Rao et al). 2004;39:1043-7
Can low molecular weight heparin replace unfractionated heparin during peripheral arterial reconstruction? An open label prospective randomized controlled trial (Norgren). 2004;39:977-84
Ingrowth of aorta wall into stent grafts impregnated with basic fibroblast growth factor: a porcine in vivo study of blood vessel prosthesis healing (van der Bas et al). 2004;39:850-8
Late abdominal aortic aneurysm enlargement after endovascular repair with the Excluder device (Cho et al). 2004;39:1236-42
Patency and limb salvage rates after distal revascularization to unclampable calcified outflow arteries (Ballotta et al). 2004;39:539-46
Silyl-heparin bonding improves the patency and in vivo thromboresistance of carbon-coated polytetrafluoroethylene vascular grafts (Laredo et al). 2004;39:1059-65
Statin therapy is associated with improved patency of autogenous infrainguinal bypass grafts (Abbruzzese et al). 2004;39:1178-85

**GTP-binding proteins**
Role of Gαq in smooth muscle cell proliferation (Tanski et al). 2004;39:639-44

H

**Health education**
Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health (Hirsch et al). 2004;39:474-81

**Heart atrium**
Intravenous leiomyomatosis: two cases with different routes of tumor extension (Lam et al). 2004;39:465-9 (Case rep.)

*Helicobacter pylori*
*Helicobacter pylori* seropositivity is associated with enhanced platelet activation in patients with intermittent claudication (Cassar et al). 2004;39:560-4

**Hematoma**
Rupture of internal iliac artery aneurysm presenting as rectus sheath hematoma: case report (de Donato et al). 2004;39:250-3 (Case rep.)

**Hemodialysis**
Basilic vein transposition fistula: a good option for maintaining hemodialysis access site options? (Rao et al). 2004;39:1043-7
Management of infected prosthetic dialysis arteriovenous grafts (Ryan et al). 2004;39:73-8

**Heparin**
Silyl-heparin bonding improves the patency and in vivo thromboresistance of carbon-coated polytetrafluoroethylene vascular grafts (Laredo et al). 2004;39:1059-65
Small-caliber heparin-coated ePTFE grafts reduce platelet deposition and neointimal hyperplasia in a baboon model (Lin et al). 2004;39:1322-8

**Heparin, low-molecular-weight**
Can low molecular weight heparin replace unfractionated heparin during peripheral arterial reconstruction? An open label prospective randomized controlled trial (Norgren). 2004;39:977-84

**Hepatic artery**
Coil embolization of multiple hepatic artery aneurysms in a patient with undiagnosed polyarteritis nodosa (Stambo et al). 2004;39:1122-4 (Case rep.)

**Heptanoic acids**
Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial (Durazzo et al). Commentary (Powell). 2004;39:967-76

**History of medicine**
Presidential address: The next quarter (Riles). 2004;39:275-8

**Human experimentation**
Ethics of surgical innovation to treat rare diseases (Jones et al). 2004;39:918-19

**Hydroxymethylglutaryl-CoA reductase inhibitors**
Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial (Durazzo et al). Commentary (Powell). 2004;39:967-76
Statin therapy is associated with improved patency of autogenous infrainguinal bypass grafts (Abbruzzese et al). 2004;39:1178-85

**Hypercholesterolemia**
AT-1015, a novel serotonin$_{2A}$ receptor antagonist, improves resaturation of exercised ischemic muscle in hypercholesterolemic rabbits (Komiyama et al). 2004;39:661-7

**Hyperplasia**
Differential effects of Rho-kinase inhibition on artery wall mass and remodeling (Pearce et al). 2004;39:223-8
Free radical attenuation prevents thrombosis and enables photochemical inhibition of vein graft intimal hyperplasia (Nigri et al). 2004;39:843-9
Matrix metalloproteinase inhibition reduces intimal hyperplasia in a porcine arteriovenous-graft model (Rotmans et al). 2004;39:432-9

**Hypertension**
Hypertension-induced venous valve remodeling (Takase et al). 2004;39:1329-34

I

**Iliac aneurysm**
Coexistence of cystic medial necrosis and segmental arterial mediolysis in a patient with aneurysms of the abdominal aorta and the iliac artery (Yamada et al). 2004;39:246-9 (Case rep.)
Endovascular external-to-internal iliac bypass as an adjunct to endovascular aneurysm repair for patients with extensive common iliac artery aneurysmal disease (Woo et al). 2004;39:470

Extensive arterial aneurysm developing after surgical closure of long-standing post-traumatic popliteal arteriovenous fistula (Hartung et al). 2004;39:889-92 (Case rep.)
Hypogastric artery bypass to preserve pelvic circulation: improved outcome after endovascular abdominal aortic aneurysm repair (Arko et al). 2004;39:404-8
Rupture of internal iliac artery aneurysm presenting as rectus sheath hematoma: case report (de Donato et al). 2004;39:250-3 (Case rep.)

**Iliac artery**
Gluteal compartment syndrome following elective unilateral internal iliac artery embolization before endovascular abdominal aortic aneurysm repair (Su et al). 2004;39:672-5 (Case rep.)

**Iliac vein**
Iliac vein compression in an asymptomatic patient population (Kibbe et la). 2004;39:937-43

**Image interpretation, computer-assisted**
Interpretation of three-dimensional structure from two-dimensional endovascular images: implications for educators in vascular surgery (Sidhu et al). 2004;39:1305-11

**Imprato, Anthony M.**
Society for Vascular Surgery Distinguished Service Award-2003 (Towne). 2004;39:9

**Inflammation**
Isolated inflammatory aneurysm of superior mesenteric artery: unexpected pathologic diagnosis (Dorigo et al). 2004;39:903-5 (Case rep.)

**Infusions, intra-arterial**
Continuous periaortic infusion improves doxycycline efficacy in experimental aortic aneurysms (Sho et al). 2004;39:1312-21

**Insurance, health**
Ethics and commercial insurance (Jones et al). 2004;39:692-3

**Interleukin-1**
Interleukin-1β inhibits PDGF-BB-induced migration by cooperating with PDGF-BB to induce cyclooxygenase-2 expression in baboon aortic smooth muscle cells (Englesbe et al). 2004;39:1091-6

**Intermittent claudication**
*Helicobacter pylori* seropositivity is associated with enhanced platelet activation in patients with intermittent claudication (Cassar et al). 2004;39:560-4
Response to exercise rehabilitation in smoking and nonsmoking patients with intermittent claudication (Gardner et al). 2004;39:531-8

**Internship and residency**
Changes in board certification could improve vascular surgery training (Cronenwett). 2004;39:913-15 (Editorial)
Clinical disagreements between residents and faculty surgeons (Jones et al). 2004;39:270-2

**Ischemia**
Acute lower extremity ischemia in a 7-year-old boy: an unusual case of popliteal entrapment syndrome (Bernheim et al). 2004;39:1340-3 (Case rep.)
Appropriate control of ex vivo gene therapy delivering basic fibroblast growth factor promotes successful and safe development of collateral vessels in rabbit model of hind limb ischemia (Ishii et al). 2004;39:629-38
AT-1015, a novel serotonin$_{2A}$ receptor antagonist, improves resaturation of exercised ischemic muscle in hypercholesterolemic rabbits (Komiyama et al). 2004;39:661-7
Bypass versus angioplasty to treat severe limb ischemia: factors that affect treatment preferences of UK surgeons and interventional radiologists (Bradbury et al). 2004;39:1026-32
Changes in blood coagulability as it transverses the ischemic limb (Shankar et al). 2004;39:1033-42
Invasive treatment of chronic limb ischemia according to the Lower Extremity Grading System (LEGS) score: a 6-month report (Kalbaugh et al). 2004;39:1268-76
National Audit of Thrombolysis for Acute Leg Ischemia (NATALI): clinical factors associated with early outcome (Earnshaw et al). 2004;39:1018-25
Vascular endothelial cell growth factor and fibroblast growth factor 2 expression in patients with critical limb ischemia (Palmer-Kazen et al). 2004;39:621-8

J

**Journal of Vascular Surgery**
New policy for publication of Sponsoring Society manuscripts (Cronenwett and Seeger). 2004;39:701

K

**Kidney failure**
Relationship of proximal fixation to postoperative renal dysfunction in patients with normal serum creatinine concentration (Surowiec et al). 2004;39:804-10

**Kidney failure, acute**
Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair (Hassoun et al). 2004;39:506-12

**Kidney failure, chronic**
Influence of renal insufficiency on limb loss and mortality after initial lower extremity surgical revascularization (O'Hare et al). 2004;39:709-16
Preservation of renal function with surgical revascularization in patients with atherosclerotic renovascular disease (Marone et al). 2004;39:322-9

**Kidney function tests**
Analysis of renal function after aneurysm repair with a device using suprarenal fixation (Zenith AAA Endovascular Graft) in contrast to open surgical repair (Greenberg et al). 2004;39:1219-28

**Kidney neoplasms**
Surgical strategy for treating renal cell carcinoma with thrombus extending into the inferior vena cava (Jibiki et al). 2004;39:829-35

L

**Laboratories**
Reliability of extracranial carotid artery duplex ultrasound scanning: value of vascular laboratory accreditation (Brown et al). 2004;39:366-71

**Laparoscopy**
Laparoscopy-assisted reconstruction to treat severe aortoiliac occlusive disease: early and midterm results (Alimi et al). 2004;39:777-83
Total laparoscopic abdominal aortic aneurysm repair with reimplantation of the inferior mesenteric artery (Javerliat et al). 2004;39:1115-17 (Case rep.)
Total laparoscopically and robotically assisted aortic aneurysm surgery: a critical evaluation (Kolvenbach et al). 2004;39:771-6

**Leg**
Acute lower extremity ischemia in a 7-year-old boy: an unusual

case of popliteal entrapment syndrome (Bernheim et al). 2004;39:1340-3 (Case rep.)
Bypass versus angioplasty to treat severe limb ischemia: factors that affect treatment preferences of UK surgeons and interventional radiologists (Bradbury et al). 2004;39:1026-32
Contrast-enhanced duplex scanning of crural arteries by means of continuous infusion of Levovist (Coffi et al). 2004;39:517-22
Early adaptation of human lower extremity vein grafts: wall stiffness changes accompany geometric remodeling (Jacot et al). 2004;39:547-55
Invasive treatment of chronic limb ischemia according to the Lower Extremity Grading System (LEGS) score: a 6-month report (Kalbaugh et al). 2004;39:1268-76
Leg strength in peripheral arterial disease: associations with disease severity and lower-extremity performance (McDermott et al). 2004;39:523-30
National Audit of Thrombolysis for Acute Leg Ischemia (NATALI): clinical factors associated with early outcome (Earnshaw et al). 2004;39:1018-25
Regarding "Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus" (Georgiev) (Letter); (Caggiati) (Reply). 2004;39:1144
Traumatic peroneal artery pseudoaneurysm: use of preoperative coil embolization (Albrecht and Parra). 2004;39:912
Vascular endothelial cell growth factor and fibroblast growth factor 2 expression in patients with critical limb ischemia (Palmer-Kazen et al). 2004;39:621-8

**Leg ulcer**
Regarding "Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers" (Borzini et al) (Letter); (Senet et al) (Reply). 2004;39:1146-7

**Leiomyomatosis**
Intravenous leiomyomatosis: two cases with different routes of tumor extension (Lam et al). 2004;39:465-9 (Case rep.)

**Length of stay**
Regarding "Factors that predict prolonged length of stay after aortic surgery" (Rashid et al) (Letter); (Calligaro et al) (Reply). 2004;39:488-9
System to decrease length of stay for vascular surgery (Reed et al). 2004;39:395-9
Understanding trends in inpatient surgical volume: vascular interventions, 1980-2000 (Anderson et al). 2004;39:1200-8

**LEOPARD syndrome**
LEOPARD syndrome: a new polyaneurysm association and an update on the molecular genetics of the disease (Yagubyan et al). 2004;39:897-900 (Case rep.)

**Letters to the Editor**
Local treatment of Dacron patch graft infected with biofilm-producing *Staphylococcus epidermidis* using antibiotic-releasing porous apatite ceramic: an experimental study in the rabbit (Shimabukuro et al). 2004;39:1360-1
Regarding "Acute arterial complications associated with total hip and knee arthroplasty" (Oremus and Safaric) (Letter); (Calligaro) (Reply). 2004;39:1148
Regarding "Acute arterial complications associated with total hip and knee arthroplasty" (Stoney). 2004;39:1361
Regarding "Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned" (Verdant) (Letter); (Ellozy et al) (Reply). 2004;39:1145-6
Regarding "Factors that predict prolonged length of stay after aortic surgery" (Rashid et al) (Letter); (Calligaro et al) (Reply). 2004;39:488-9
Regarding "Fate of excluded popliteal artery aneurysms" and "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms" (Walker and Daniels) (Letter); (Morasch et al) (Reply). 2004;39:697-8
Regarding "Floppy aortic graft reconstruction for germ cell tumor invasion of the infrarenal aorta" (Nishinari and Wolosker) (Letter); (Chiou) (Reply). 2004;39:922
Regarding "Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review" (Filis and Bastounis) (Letter); (Kobayashi and Matsubara) (Reply). 2004;39:486
Regarding "Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature" (Pocar et al) (Letter); (Cinà) (Reply). 2004;39:1360-1
Regarding "Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning" (Chang and Stein) (Letter); (Back) (Reply). 2004;39:487-8
Regarding "Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus" (Georgiev) (Letter); (Caggiati) (Reply). 2004;39:1144
Regarding "Performance characteristics of the venous clinical severity score" and "Validation of the new venous severity scoring system in varicose vein surgery" (Beresford) (Letter); (Kakkos et al) (Reply). 2004;39:696-7
Regarding "Predictive factors and clinical consequences of proximal aortic neck dilatation in 230 patients undergoing abdominal aorta aneurysm repair with self-expandable stent-grafts" (Filis and Arko) (Letter); (Cao et al) (Reply). 2004;39:487
Regarding "Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers" (Borzini et al) (Letter); (Senet et al) (Reply). 2004;39:1146-7
Regarding "Regarding 'Veterans Affairs (VA) Cooperative Study #362'" (Johnson). 2004;39:698
Regarding "Salvage of a difficult situation: method for conversion of a failed endograft" (Pinter and Kolvenbach). 2004;39:696 (Letter)
Regarding "Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary?" (Zamboni ) (Letter); (Marston and Mendes) (Reply). 2004;39:1144-5
Regarding "Use of abdominal aortic endovascular prostheses in France from 1999 to 2001" (Becquemin et al) (Letter); (Ricco et al) (Reply). 2004;39:1358-9

**Lidocaine**
Effect of lignocaine injection in carotid sinus on baroreceptor sensitivity during carotid endarterectomy (Al-Rawi et al). 2004;39:1288-94

**Limb salvage**
Limb salvage after infrainguinal bypass graft failure (Baldwin et al). 2004;39:951-7
A new look at outcomes after infrainguinal bypass surgery: traditional reporting standards systematically underestimate the expenditure of effort required to attain limb salvage (Goshima et al). 2004;39:330-5
Patency and limb salvage rates after distal revascularization to

unclampable calcified outflow arteries (Ballotta et al). 2004; 39:539-46

Patients undergoing infrainguinal bypass to treat atherosclerotic vascular disease are underprescribed cardioprotective medications: effect on graft patency, limb salvage, and mortality (Henke et al). 2004;39:357-65

**Lipoproteins, LDL**

α-Tocopherol preserves endothelial cell migration in the presence of cell-oxidized low-density lipoprotein by inhibiting changes in cell membrane fluidity (van Aalst et al). 2004; 39:229-37

**Lower extremity;** *see* Leg

**M**

**Macrophage migration-inhibitory factors**

Macrophage depletion reduces monocyte chemotactic protein-1 and transforming growth factor-$\beta_1$ in healing rat vein grafts (Wolff et al). 2004;39:878-88

**Magnetic resonance angiography**

Cystic adventitial disease of the popliteal artery (Fox et al). 2004;39:1351

Magnetic resonance angiography versus duplex arteriography in patients undergoing lower extremity revascularization: which is the best replacement for contrast arteriography? (Hingorani et al). 2004;39:717-22

Regarding "Magnetic resonance angiography minimizes need for arteriography after inadequate carotid duplex ultrasound scanning" (Chang and Stein) (Letter); (Back) (Reply). 2004;39:487-8

Time-resolved magnetic resonance angiography as a noninvasive method to characterize endoleaks: initial results compared with conventional angiography (Lookstein et al). 2004;39:27-33

**Mass screening**

Focused screening for occult carotid artery disease: patients with known heart disease are at high risk (Rockman et al). 2004;39:44-51

Screening for abdominal aortic aneurysm: a consensus statement (Kent et al). 2004;39:267-9

**Matrix metalloproteinases**

Differential expression and activity of matrix metalloproteinases during flow-modulated vein graft remodeling (Berceli et al). 2004;39:1084-90

Matrix metalloproteinase 2 is suppressed by trapidil, a CD40-CD40 ligand pathway inhibitor, in human abdominal aortic aneurysm wall (Nagashima et al). 2004;39:447-53

Matrix metalloproteinase inhibition reduces intimal hyperplasia in a porcine arteriovenous-graft model (Rotmans et al). 2004;39:432-9

**Medical errors**

Endovascular treatment of an iatrogenic thoracic aortic injury after spinal instrumentation: case report (Minor et al). 2004;39:893-6 (Case rep.)

Iatrogenic operative injuries of abdominal and pelvic veins: a potentially lethal complication (Oderich et al). 2004;39: 931-6

**Mesenteric arteries**

Isolated inflammatory aneurysm of superior mesenteric artery: unexpected pathologic diagnosis (Dorigo et al). 2004;39: 903-5 (Case rep.)

Total laparoscopic abdominal aortic aneurysm repair with reimplantation of the inferior mesenteric artery (Javerliat et al). 2004;39:1115-17 (Case rep.)

Transluminal thrombin injection and exclusion of a paramesenteric abdominal aortic aneurysm (Criado and Gasparis). 2004;39:1118-21 (Case rep.)

**Mesenteric veins**

Aneurysm of superior mesenteric vein: case report with 5-year follow-up and review of the literature (Wolosker et al). 2004;39:459-61 (Case rep.)

**Methemoglobinemia**

Methemoglobinemia: an unusual cause of postoperative cyanosis (Anderson et al). 2004;39:686-90 (Case rep.)

**Midwestern Vascular Surgical Society**

Presidential address: Commitment—looking for someone willing to go to the trouble (Baxter). 2004;39:925-30

**Monitoring, intraoperative**

Intraoperative carotid artery duplex scanning in a modern series of 650 consecutive primary endarterectomy procedures (Ascher et al). 2004;39:416-20

**Monoclonal antibodies**

A monoclonal antibody against cytokine-induced neutrophil chemoattractant attenuates injury in the small intestine in a model of ruptured abdominal aortic aneurysm (Mbachu et al). 2004;39:1104-11

**Monocyte chemoattractant protein-1**

Macrophage depletion reduces monocyte chemotactic protein-1 and transforming growth factor-$\beta_1$ in healing rat vein grafts (Wolff et al). 2004;39:878-88

**Multiple organ failure**

Complement C5a receptor antagonist attenuates multiple organ injury in a model of ruptured abdominal aortic aneurysm (Harkin et al). 2004;39:196-206

**Muscle, skeletal**

Structured exercise improves calf muscle pump function in chronic venous insufficiency: a randomized trial (Padberg et al). 2004;39:79-87

**Muscle, smooth, vascular**

Domain-dependent action of urokinase on smooth muscle cell responses (Tanski et al). 2004;39:214-22

Endograft technology: a delivery vehicle for intravascular gene therapy (Eton et al). 2004;39:1066-73

Interleukin-1β inhibits PDGF-BB-induced migration by cooperating with PDGF-BB to induce cyclooxygenase-2 expression in baboon aortic smooth muscle cells (Englesbe et al). 2004;39:1091-6

γ-Irradiation modulates vascular smooth muscle cell and extracellular matrix function: implications for neointimal development (Heckenkamp et al). 2004;39:1097-103

The popliteal artery, an unusual muscular artery with wall properties similar to the aorta: implications for susceptibility to aneurysm formation? (Debasso et al). 2004;39: 836-42

Recombinant human thrombomodulin inhibits arterial neointimal hyperplasia after balloon injury (Li et al). 2004;39: 1074-83

Role of Gαq in smooth muscle cell proliferation (Tanski et al). 2004;39:639-44

**N**

**Neck**

Accelerated progression of carotid stenosis in patients with previous external neck irradiation (Cheng et al). 2004;39: 409-15

**Neck injuries**
Isolated contralateral vertebral artery injury in a stab wound to the neck (Vinces et al). 2004;39:462-4 (Case rep.)
**Neoplasms, germ cell and embryonal**
Regarding "Floppy aortic graft reconstruction for germ cell tumor invasion of the infrarenal aorta" (Nishinari and Wolosker) (Letter); (Chiou) (Reply). 2004;39:922
**Neovascularization**
Appropriate control of ex vivo gene therapy delivering basic fibroblast growth factor promotes successful and safe development of collateral vessels in rabbit model of hind limb ischemia (Ishii et al). 2004;39:629-38
Differential expression and activity of matrix metalloproteinases during flow-modulated vein graft remodeling (Berceli et al). 2004;39:1084-90
Ingrowth of aorta wall into stent grafts impregnated with basic fibroblast growth factor: a porcine in vivo study of blood vessel prosthesis healing (van der Bas et al). 2004;39:850-8
γ-Irradiation modulates vascular smooth muscle cell and extracellular matrix function: implications for neointimal development (Heckenkamp et al). 2004;39:1097-103
Recombinant human thrombomodulin inhibits arterial neointimal hyperplasia after balloon injury (Li et al). 2004;39:1074-83
Small-caliber heparin-coated ePTFE grafts reduce platelet deposition and neointimal hyperplasia in a baboon model (Lin et al). 2004;39:1322-8
**New England Society for Vascular Surgery**
Presidential address: Time, our vanishing commodity, and a prescription for rescue (Abbott). 2004;39:1149-156

O

**Observer variation**
Interobserver variability of carotid Doppler peak velocity measurements among technologists in an ICAVL-accredited vascular laboratory (Corriveau and Johnston). 2004;39:735-41
Interpretation of three-dimensional structure from two-dimensional endovascular images: implications for educators in vascular surgery (Sidhu et al). 2004;39:1305-11
Variability of maximal aortic aneurysm diameter measurements on CT scan: significance and methods to minimize (Cayne et al). 2004;39:811-15
**Occupational exposure**
Aneurysm of the femoral artery occupationally exposed to a vibratory tool for more than 10 years (Takagi et al). 2004;39:1125-7 (Case rep.)
**Oligonucleotide array sequence analysis**
Temporal genomics of vein bypass grafting through oligonucleotide microarray analysis (Kalish et al). 2004;39:645-54
**Outcome assessment (health care).** *See also* Treatment outcome
Clinical and social consequences of Buerger disease (Ohta et al). 2004;39:176-80
Current status of open versus endovascular stent-graft repair of abdominal aortic aneurysm (Rutherford and Krupski). 2004;39:1129-39
Limb salvage after infrainguinal bypass graft failure (Baldwin et al). 2004;39:951-7
Long-term survival and temporal trends in patient and surgeon factors after elective and ruptured abdominal aortic aneurysm surgery (Dueck et al). 2004;39:1261-7
Multistate improvement in process and outcomes of carotid endarterectomy (Kresowik et al). 2004;39:372-80
National Audit of Thrombolysis for Acute Leg Ischemia (NATALI): clinical factors associated with early outcome (Earnshaw et al). 2004;39:1018-25
Perioperative complications and early outcome after endovascular and open surgical repair of abdominal aortic aneurysms (Elkouri et al). 2004;39:497-505
Perioperative outcomes after open and endovascular repair of intact abdominal aortic aneurysms in the United States during 2001 (Lee et al). 2004;39:491-6
Prosthetic thigh arteriovenous access: outcome with SVS/AAVS reporting standards (Cull et al). 2004;39:381-6
A statewide experience with endovascular abdominal aortic aneurysm repair: rapid diffusion with excellent early results (Anderson et al). 2004;39:10-19
Survival after ruptured abdominal aortic aneurysm: effect of patient, surgeon, and hospital factors (Dueck et al). 2004;39:1253-60
Zenith AAA Endovascular Graft: intermediate-term results of the US multicenter trial (Greenberg et al). 2004;39:1209-18

P

**Pain**
Neuropathic pain after femoropopliteal bypass surgery (Greiner et al). 2004;39:1284-7
**Pancreas**
Aneurysm of the pancreaticoduodenal arteries with a celiac trunk lesion: current management (Ducasse et al). 2004;39:903-5 (Case rep.)
**Patient discharge**
Same-evening discharge after carotid endarterectomy: our initial experience (Sheehan et al). 2004;39:575-7
**Patient noncompliance;** *see* Treatment refusal
**Patient selection**
Who doesn't receive carotid endarterectomy when appropriate? (Horner et al). 2004;39:162-8
**Peptide fragments**
Domain-dependent action of urokinase on smooth muscle cell responses (Tanski et al). 2004;39:214-22
**Peptides, cyclic**
Complement C5a receptor antagonist attenuates multiple organ injury in a model of ruptured abdominal aortic aneurysm (Harkin et al). 2004;39:196-206
**Perfusion, regional**
Cold visceral perfusion improves early survival in patients with acute renal failure after thoracoabdominal aortic aneurysm repair (Hassoun et al). 2004;39:506-12
**Peripheral vascular disease**
Changes in blood coagulability as it transverses the ischemic limb (Shankar et al). 2004;39:1033-42
Correlation between ankle-brachial index, symptoms, and health-related quality of life in patients with peripheral vascular disease (Long et al). 2004;39:723-7
Dietary folate and vitamin B6 are independent predictors of peripheral arterial occlusive disease (Wilmink et al). 2004;39:513-16
Family history is a major determinant of subclinical peripheral arterial disease in young adults (Valentine et al). 2004;39:351-6
Invasive treatment of chronic limb ischemia according to the Lower Extremity Grading System (LEGS) score: a 6-month report (Kalbaugh et al). 2004;39:1268-76
Leg strength in peripheral arterial disease: associations with

disease severity and lower-extremity performance (McDermott et al). 2004;39:523-30
Long-term results of peripheral arterial disease rehabilitation (Menard et al). 2004;39:1186-92
Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health (Hirsch et al). 2004;39:474-81
A new look at outcomes after infrainguinal bypass surgery: traditional reporting standards systematically underestimate the expenditure of effort required to attain limb salvage (Goshima et al). 2004;39:330-5
Preoperative high-frequency duplex scanning of potential pedal target vessels (Hofmann et al). 2004;39:169-75
Response to exercise rehabilitation in smoking and nonsmoking patients with intermittent claudication (Gardner et al). 2004;39:531-8

**Phlebectomy**
Surgical disobliteration of postthrombotic deep veins—endophlebectomy—is feasible (Puggioni et al). Commentary (Dalsing). 2004;39:1048-52

**Photochemotherapy**
Free radical attenuation prevents thrombosis and enables photochemical inhibition of vein graft intimal hyperplasia (Nigri et al). 2004;39:843-9

**Platelet activation**
*Helicobacter pylori* seropositivity is associated with enhanced platelet activation in patients with intermittent claudication (Cassar et al). 2004;39:560-4

**Platelet aggregation inhibitors**
Small-caliber heparin-coated ePTFE grafts reduce platelet deposition and neointimal hyperplasia in a baboon model (Lin et al). 2004;39:1322-8

**Platelet-derived growth factor**
Concomitant blockade of platelet-derived growth factor receptors α and β induces intimal atrophy in baboon PTFE grafts (Englesbe et al). 2004;39:440-6
Interleukin-1β inhibits PDGF-BB-induced migration by cooperating with PDGF-BB to induce cyclooxygenase-2 expression in baboon aortic smooth muscle cells (Englesbe et al). 2004;39:1091-6

**Plethysmography**
Intra-aneurysm sac pressure measurements after endovascular aneurysm repair; differences between shrinking, unchanged, and expanding aneurysms with and without endoleaks (Dias et al). 2004;39:1229-35

**Pneumatic compression devices;** *see* Pressure

**Polyarteritis nodosa**
Coil embolization of multiple hepatic artery aneurysms in a patient with undiagnosed polyarteritis nodosa (Stambo et al). 2004;39:1122-4 (Case rep.)

**Polymorphism (genetics)**
Renovascular disease: effect of ACE gene deletion polymorphism and endovascular revascularization (Pizzolo et al). 2004;39:140-7

**Polytetrafluoroethylene**
Silyl-heparin bonding improves the patency and in vivo thromboresistance of carbon-coated polytetrafluoroethylene vascular grafts (Laredo et al). 2004;39:1059-65

**Popliteal artery**
Acute lower extremity ischemia in a 7-year-old boy: an unusual case of popliteal entrapment syndrome (Bernheim et al). 2004;39:1340-3 (Case rep.)
Cystic adventitial disease of the popliteal artery (Fox et al). 2004;39:1351
Deep vein harvest: predicting need for fasciotomy (Modrall et al). 2004;39:387-94
Hemodynamic outcome of endovascular therapy for TransAtlantic InterSociety Consensus type B femoropopliteal arterial occlusive lesions (Costanza et al). 2004;39:343-50
Neuropathic pain after femoropopliteal bypass surgery (Greiner et al). 2004;39:1284-7
The popliteal artery, an unusual muscular artery with wall properties similar to the aorta: implications for susceptibility to aneurysm formation? (Debasso et al). 2004;39:836-42
Popliteal artery aneurysms: a comparison of outcomes in elective versus emergent repair (Aulivola et al). 2004;39:1171-7
Regarding "Fate of excluded popliteal artery aneurysms" and "Graft patency is not the only clinical predictor of success after exclusion and bypass of popliteal artery aneurysms" (Walker and Daniels) (Letter); (Morasch et al) (Reply). 2004;39:697-8
Results of perioperative measurements of ankle-brachial index in popliteal artery entrapment syndrome (Ruppert et al). 2004;39:758-62

**Postoperative complications**
Allograft replacement for infrarenal aortic graft infection: early and late results in 179 patients (Kieffer et al). 2004;39:1009-17
Aneurysm enlargement following endovascular aneurysm repair: AneuRx clinical trial (Zarins et al). 2004;39:109-17
Aortic endograft thrombosis after colorectal surgery in lithotomy position (Chai et al). 2004;39:1112-14 (Case rep.)
Aortitis and bilateral ureteral obstruction after endovascular repair of abdominal aortic aneurysm (Jetty and Barber). 2004;39:1344-7 (Case rep.)
Complications of cerebrospinal fluid drainage in thoracoabdominal aortic aneurysm repair (Murakami et al). 2004;39:243-5 (Case rep.)
Diameter of abdominal aortic aneurysm and outcome of endovascular aneurysm repair: does size matter? A report from EUROSTAR (Peppelenbosch et al). 2004;39:288-97
Disappointing results with a new commercially available thoracic endograft (Melissano et al). 2004;39:124-30
Endovascular treatment of an iatrogenic thoracic aortic injury after spinal instrumentation: case report (Minor et al). 2004;39:893-6 (Case rep.)
Extensive arterial aneurysm developing after surgical closure of long-standing post-traumatic popliteal arteriovenous fistula (Hartung et al). 2004;39:889-92 (Case rep.)
Gluteal compartment syndrome following elective unilateral internal iliac artery embolization before endovascular abdominal aortic aneurysm repair (Su et al). 2004;39:672-5 (Case rep.)
Iatrogenic operative injuries of abdominal and pelvic veins: a potentially lethal complication (Oderich et al). 2004;39:931-6
In-stent recurrent stenosis in stents placed in the lower extremity venous outflow tract (Neglén and Raju). 2004;39:181-8
Influence of endograft oversizing on device migration, endoleak, aneurysm shrinkage, and aortic neck dilation: results from the Zenith multicenter trial (Sternbergh et al). 2004;39:20-6
Influence of renal insufficiency on limb loss and mortality after

initial lower extremity surgical revascularization (O'Hare et al). 2004;39:709-16
Is elevated creatinine level a contraindication to endovascular aneurysm repair? (Mehta et al). 2004;39:118-23
Management of infected prosthetic dialysis arteriovenous grafts (Ryan et al). 2004;39:73-8
Methemoglobinemia: an unusual cause of postoperative cyanosis (Anderson et al). 2004;39:686-90 (Case rep.)
Neuropathic pain after femoropopliteal bypass surgery (Greiner et al). 2004;39:1284-7
Outcomes of secondary interventions after abdominal aortic aneurysm endovascular repair (Becquemin et al). 2004;39:298-305
Perceptual and instrumental evaluation of voice and tongue function after carotid endarterectomy (Cahill et al). 2004;39:742-8
Perioperative complications and early outcome after endovascular and open surgical repair of abdominal aortic aneurysms (Elkouri et al). 2004;39:497-505
Predicting aneurysm enlargement in patients with persistent type II endoleaks (Timaran et al). 2004;39:1157-62
Reduction in cardiovascular events after vascular surgery with atorvastatin: a randomized trial (Durazzo et al). Commentary (Powell). 2004;39:967-76
Regarding "Acute arterial complications associated with total hip and knee arthroplasty" (Oremus and Safaric) (Letter); (Calligaro) (Reply). 2004;39:1148
Risk for stroke after elective noncarotid vascular surgery (Axelrod et al). 2004;39:67-72
A statewide experience with endovascular abdominal aortic aneurysm repair: rapid diffusion with excellent early results (Anderson et al). 2004;39:10-19
Thoracovisceral segment aneurysm repair after previous infrarenal abdominal aortic aneurysm surgery (Menard et al). 2004;39:1163-70
Time-resolved magnetic resonance angiography as a noninvasive method to characterize endoleaks: initial results compared with conventional angiography (Lookstein et al). 2004;39:27-33
Type II endoleak after endovascular abdominal aortic aneurysm repair: a conservative approach with selective intervention is safe and cost-effective (Steinmetz et al). 2004;39:306-13
Variable sac behavior after endovascular repair of abdominal aortic aneurysm: analysis of core laboratory data (Greenberg et al). 2004;39:95-101

**Practice guidelines**
Standards of practice: carotid angioplasty and stenting (Ouriel et al). 2004;39:916-17 (Editorial)

**Pressoreceptors**
Effect of lignocaine injection in carotid sinus on baroreceptor sensitivity during carotid endarterectomy (Al-Rawi et al). 2004;39:1288-94

**Professional practice**
Ethics of boutique medical practice (Jones et al). 2004;39:1354-5
Presidential address: Commitment—looking for someone willing to go to the trouble (Baxter). 2004;39:925-30
Presidential address: Time, our vanishing commodity, and a prescription for rescue (Abbott). 2004;39:1149-56

**Prosthesis-related infections**
Allograft replacement for infrarenal aortic graft infection: early and late results in 179 patients (Kieffer et al). 2004;39:1009-17
Endograft infection leading to rupture of aortic aneurysm (Parra et al). 2004;39:676-8 (Case rep.)
Local treatment of Dacron patch graft infected with biofilm-producing *Staphylococcus epidermidis* using antibiotic-releasing porous apatite ceramic: an experimental study in the rabbit (Shimabukuro et al). 2004;39:1360-1 (Letter)
Management of infected prosthetic dialysis arteriovenous grafts (Ryan et al). 2004;39:73-8

**Protein-serine-threonine kinases**
Differential effects of Rho-kinase inhibition on artery wall mass and remodeling (Pearce et al). 2004;39:223-8

**Protein-tyrosine-phosphatase**
LEOPARD syndrome: a new polyaneurysm association and an update on the molecular genetics of the disease (Yagubyan et al). 2004;39:897-900 (Case rep.)

**Pseudoaneurysm;** *see* Aneurysm, false

**Pyridoxine**
Dietary folate and vitamin B6 are independent predictors of peripheral arterial occlusive disease (Wilmink et al). 2004;39:513-16

## Q

**Quality of life**
Correlation between ankle-brachial index, symptoms, and health-related quality of life in patients with peripheral vascular disease (Long et al). 2004;39:723-7
Quality of life before and after endovascular retroperitoneal abdominal aortic aneurysm repair (Ballard et al). 2004;39:797-803
Relationship between clinical classification of chronic venous disease and patient-reported quality of life: results from an international cohort study (Kahn et al). 2004;39:823-8

## R

**Radiation injuries**
Accelerated progression of carotid stenosis in patients with previous external neck irradiation (Cheng et al). 2004;39:409-15

**Receptors, platelet-derived growth factor**
Concomitant blockade of platelet-derived growth factor receptors α and β induces intimal atrophy in baboon PTFE grafts (Englesbe et al). 2004;39:440-6

**Reconstructive surgical procedures**
Early results with use of gracilis muscle flap coverage of infected groin wounds after vascular surgery (Morasch et al). 2004;39:1277-83

**Rectus abdominis**
Rupture of internal iliac artery aneurysm presenting as rectus sheath hematoma: case report (de Donato et al). 2004;39:250-3 (Case rep.)

**Referral and consultation**
Creating a useful vascular center: a statewide survey of what primary care physicians really want (Karamlou et al). 2004;39:763-70

**Renal artery**
Multiple aneurysms in childhood (English et al). 2004;39:254-9 (Case rep.)

**Renal artery obstruction**
Divergent outcomes after percutaneous therapy for symptomatic renal artery stenosis (Sivamurthy et al). 2004;39:565-74

Preservation of renal function with surgical revascularization in patients with atherosclerotic renovascular disease (Marone et al). 2004;39:322-9
Renal revascularization in Takayasu arteritis-induced renal artery stenosis (Weaver et al). 2004;39:749-57
Renovascular disease: effect of ACE gene deletion polymorphism and endovascular revascularization (Pizzolo et al). 2004;39:140-7

**Reoperation**
Allograft replacement for infrarenal aortic graft infection: early and late results in 179 patients (Kieffer et al). 2004;39:1009-17
Balloon angioplasty as a treatment of failing infrainguinal autologous vein bypass grafts (Carlson et al). 2004;39:421-6
A new look at outcomes after infrainguinal bypass surgery: traditional reporting standards systematically underestimate the expenditure of effort required to attain limb salvage (Goshima et al). 2004;39:330-5
Outcomes of secondary interventions after abdominal aortic aneurysm endovascular repair (Becquemin et al). 2004;39:298-305
Regarding "Salvage of a difficult situation: method for conversion of a failed endograft" (Pinter and Kolvenbach). 2004;39:696 (Letter)
Safety and durability of redo carotid operation: an 11-year experience (Cho et al). 2004;39:155-61
Thoracovisceral segment aneurysm repair after previous infrarenal abdominal aortic aneurysm surgery (Menard et al). 2004;39:1163-70

**Reperfusion injury**
Combined L-arginine and antioxidative vitamin treatment mollifies ischemia-reperfusion injury of skeletal muscle (Nanobashvili et al). 2004;39:868-77
Transcranial myogenic motor-evoked potentials after transient spinal cord ischemia predicts neurologic outcome in rabbits (Murakami et al). 2004;39:207-13

**Retrospective studies**
Freedom from secondary interventions to treat stenotic disease after percutaneous transluminal angioplasty of infrarenal aorta: long-term results (de Vries et al). 2004;39:427-31

**Revascularization**
Bypass versus angioplasty to treat severe limb ischemia: factors that affect treatment preferences of UK surgeons and interventional radiologists (Bradbury et al). 2004;39:1026-32
Early adaptation of human lower extremity vein grafts: wall stiffness changes accompany geometric remodeling (Jacot et al). 2004;39:547-55
Endovascular external-to-internal iliac bypass as an adjunct to endovascular aneurysm repair for patients with extensive common iliac artery aneurysmal disease (Woo et al). 2004;39:470
Hypogastric artery bypass to preserve pelvic circulation: improved outcome after endovascular abdominal aortic aneurysm repair (Arko et al). 2004;39:404-8
Influence of renal insufficiency on limb loss and mortality after initial lower extremity surgical revascularization (O'Hare et al). 2004;39:709-16
Limb salvage after infrainguinal bypass graft failure (Baldwin et al). 2004;39:951-7
Magnetic resonance angiography versus duplex arteriography in patients undergoing lower extremity revascularization: which is the best replacement for contrast arteriography? (Hingorani et al). 2004;39:717-22
Neuropathic pain after femoropopliteal bypass surgery (Greiner et al). 2004;39:1284-7
A new look at outcomes after infrainguinal bypass surgery: traditional reporting standards systematically underestimate the expenditure of effort required to attain limb salvage (Goshima et al). 2004;39:330-5
Patency and limb salvage rates after distal revascularization to unclampable calcified outflow arteries (Ballotta et al). 2004;39:539-46
Patients undergoing infrainguinal bypass to treat atherosclerotic vascular disease are underprescribed cardioprotective medications: effect on graft patency, limb salvage, and mortality (Henke et al). 2004;39:357-65
Preoperative high-frequency duplex scanning of potential pedal target vessels (Hofmann et al). 2004;39:169-75
Preservation of renal function with surgical revascularization in patients with atherosclerotic renovascular disease (Marone et al). 2004;39:322-9
Renal revascularization in Takayasu arteritis-induced renal artery stenosis (Weaver et al). 2004;39:749-57
Renovascular disease: effect of ACE gene deletion polymorphism and endovascular revascularization (Pizzolo et al). 2004;39:140-7
Retrograde visceral vessel revascularization followed by endovascular aneurysm exclusion as an alternative to open surgical repair of thoracoabdominal aortic aneurysm (Flye et al). 2004;39:454-8 (Case rep.)

**Revision, surgical;** *see* Reoperation

**Risk assessment**
Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Mozes et al). Commentary (Ricotta). 2004;39:958-66
Deep vein harvest: predicting need for fasciotomy (Modrall et al). 2004;39:387-94
Feasibility of preoperative computer tomography in patients with ruptured abdominal aortic aneurysm: a time-to-death study in patients without operation (Lloyd et al). 2004;39:788-91
Focused screening for occult carotid artery disease: patients with known heart disease are at high risk (Rockman et al). 2004;39:44-51
Is elevated creatinine level a contraindication to endovascular aneurysm repair? (Mehta et al). 2004;39:118-23
Octogenarians with contralateral carotid artery occlusion: a cohort at higher risk for carotid endarterectomy? (Ballotta et al). 2004;39:1003-8
Predicting aneurysm enlargement in patients with persistent type II endoleaks (Timaran et al). 2004;39:1157-62
Predictors of repair and effect of gender on treatment of ruptured abdominal aortic aneurysm (Dueck et al). 2004;39:784-7
Regarding "Factors that predict prolonged length of stay after aortic surgery" (Rashid et al) (Letter); (Calligaro et al) (Reply). 2004;39:488-9
Risk factors for autogenous infrainguinal bypass occlusion in patients with prosthetic inflow grafts (Lam et al). 2004;39:336-42
Risk for stroke after elective noncarotid vascular surgery (Axelrod et al). 2004;39:67-72
Who doesn't receive carotid endarterectomy when appropriate? (Horner et al). 2004;39:162-8

**Robotics**
Total laparoscopically and robotically assisted aortic aneurysm surgery: a critical evaluation (Kolvenbach et al). 2004;39: 771-6

S

**Saphenous vein**
Correlation of duplex ultrasound scanning-derived valve closure time and clinical classification in patients with small saphenous vein reflux: is lesser saphenous vein truly lesser? (Lin et al). 2004;39:1053-8
Duplex ultrasound scan findings two years after great saphenous vein radiofrequency endovenous obliteration (Pichot et al). 2004;39:189-95
Histomorphologic classification of recurrent saphenofemoral reflux (Stücker et al). Invited commentary (Chandler). 2004;39:816-22
Statin therapy is associated with improved patency of autogenous infrainguinal bypass grafts (Abbruzzese et al). 2004; 39:1178-85
**Sclerotherapy**
Management of arteriovenous malformations: a multidisciplinary approach (Lee et al). 2004;39:590-600
**Serotonin antagonists**
AT-1015, a novel serotonin$_{2A}$ receptor antagonist, improves resaturation of exercised ischemic muscle in hypercholesterolemic rabbits (Komiyama et al). 2004;39:661-7
**Severity of illness index**
Invasive treatment of chronic limb ischemia according to the Lower Extremity Grading System (LEGS) score: a 6-month report (Kalbaugh et al). 2004;39:1268-76
Regarding "Performance characteristics of the venous clinical severity score" and "Validation of the new venous severity scoring system in varicose vein surgery" (Beresford) (Letter); (Kakkos et al) (Reply). 2004;39:696-7
**Sex factors**
Predictors of repair and effect of gender on treatment of ruptured abdominal aortic aneurysm (Dueck et al). 2004; 39:784-7
**Smoking**
Clinical and social consequences of Buerger disease (Ohta et al). 2004;39:176-80
Family history is a major determinant of subclinical peripheral arterial disease in young adults (Valentine et al). 2004;39: 351-6
Response to exercise rehabilitation in smoking and nonsmoking patients with intermittent claudication (Gardner et al). 2004;39:531-8
**Societies, medical**
Presidential address: SVS and AAVS united (Cronenwett). 2004;39:1-8
**Society for Vascular Surgery**
Presidential address: SVS and AAVS united (Cronenwett). 2004;39:1-8
Society for Vascular Surgery Distinguished Service Award-2003 (Towne). 2004;39:9
**Specialty boards**
Changes in board certification could improve vascular surgery training (Cronenwett). 2004;39:913-15 (Editorial)
**Spinal cord**
Preoperative selective intercostal angiography in patients undergoing thoracoabdominal aneurysm repair (Williams et al). 2004;39:314-21
**Spinal cord ischemia**
Transcranial myogenic motor-evoked potentials after transient spinal cord ischemia predicts neurologic outcome in rabbits (Murakami et al). 2004;39:207-13
**Staphylococcal infections**
Local treatment of Dacron patch graft infected with biofilm-producing *Staphylococcus epidermidis* using antibiotic-releasing porous apatite ceramic: an experimental study in the rabbit (Shimabukuro et al). 2004;39:1360-1 (Letter)
**Statins;** *see* Hydroxymethylglutaryl-CoA reductase inhibitors
**Stents**
Aneurysm enlargement following endovascular aneurysm repair: AneuRx clinical trial (Zarins et al). 2004;39:109-17
Arterial remodeling and hemodynamics in carotid stents: a prospective duplex ultrasound study over 2 years (Willfort-Ehringer et al). 2004;39:728-34
Carotid artery stenting: Is there a need to revise ultrasound velocity criteria? (Lal et al). 2004;39:58-66
Carotid endarterectomy in SAPPHIRE-eligible high-risk patients: implications for selecting patients for carotid angioplasty and stenting (Mozes et al). Commentary (Ricotta). 2004;39:958-66
Current status of open versus endovascular stent-graft repair of abdominal aortic aneurysm (Rutherford and Krupski). 2004;39:1129-39
Disappointing results with a new commercially available thoracic endograft (Melissano et al). 2004;39:124-30
Early results of carotid stent placement for treatment of extracranial carotid bifurcation occlusive disease (Powell et al). 2004;39:1193-9
Emergent endovascular stent-graft placement to treat ruptured Stanford type B acute aortic dissection (Kawamura et al). 2004;39:668-71 (Case rep.)
Endograft technology: a delivery vehicle for intravascular gene therapy (Eton et al). 2004;39:1066-73
Hemodynamic outcome of endovascular therapy for TransAtlantic InterSociety Consensus type B femoropopliteal arterial occlusive lesions (Costanza et al). 2004;39:343-50
In-stent recurrent stenosis in stents placed in the lower extremity venous outflow tract (Neglén and Raju). 2004;39:181-8
Multicenter pivotal trial results of the Lifepath System for endovascular aortic aneurysm repair (Carpenter et al). 2004;39:34-43
A new approach to carotid angioplasty and stenting with transcervical occlusion and protective shunting: why it may be a better carotid artery intervention (Chang et al). 2004;39: 994-1002
Percutaneous treatment of symptomatic central venous stenosis angioplasty (Sprouse et al) 2004;39:578-82. Correction 2004;39:867
Regarding "Predictive factors and clinical consequences of proximal aortic neck dilatation in 230 patients undergoing abdominal aorta aneurysm repair with self-expandable stent-grafts" (Filis and Arko) (Letter); (Cao et al) (Reply). 2004;39:487
Relationship of proximal fixation to postoperative renal dysfunction in patients with normal serum creatinine concentration (Surowiec et al). 2004;39:804-10
Standards of practice: carotid angioplasty and stenting (Ouriel et al). 2004;39:916-17 (Editorial)
**Stress**
Perioperative stress response to carotid endarterectomy: the

impact of anesthetic modality (Marrocco-Trischitta et al). 2004;39:1295-304

**Stroke;** *see* Cerebrovascular accident

**Subclavian artery**
Kommerell's diverticulum and right-sided aortic arch: a cohort study and review of the literature (Cinà et al). 2004;39:131-9
Subclavian artery aneurysm in association with congenital absence of ipsilateral internal carotid artery (Lin et al). 2004;39:682-5 (Case rep.)

**Surgical equipment**
Clinical and economic evaluation of the trellis thrombectomy device for arterial occlusions: preliminary analysis (Sarac et al). 2004;39:556-9
Ethics of introducing new operating room technology (Jones et al). 2004;39:482-3

**Surgical errors;** *see* Medical errors

**Surgical Ethics Challenges**
Clinical disagreements between residents and faculty surgeons (Jones et al). 2004;39:270-2
Ethics and commercial insurance (Jones et al). 2004;39:692-3
Ethics of boutique medical practice (Jones et al). 2004;39:1354-5
Ethics of introducing new operating room technology (Jones et al). 2004;39:482-3
Ethics of professional courtesy (Jones JW et al). 2004;39:1140-1
Ethics of surgical innovation to treat rare diseases (Jones et al). 2004;39:918-19

**Surgical flaps**
Early results with use of gracilis muscle flap coverage of infected groin wounds after vascular surgery (Morasch et al). 2004;39:1277-83

**Surgical wound infection**
Early results with use of gracilis muscle flap coverage of infected groin wounds after vascular surgery (Morasch et al). 2004;39:1277-83

**Surveys;** *see* Data collection

**Survival analysis**
Long-term survival and temporal trends in patient and surgeon factors after elective and ruptured abdominal aortic aneurysm surgery (Dueck et al). 2004;39:1261-7
Survival after ruptured abdominal aortic aneurysm: effect of patient, surgeon, and hospital factors (Dueck et al). 2004;39:1253-60

T

**Takayasu's arteritis**
Renal revascularization in Takayasu arteritis-induced renal artery stenosis (Weaver et al). 2004;39:749-57

**Technical notes**
Technical notes. 2004;39:471-3

**Terminology**
Regarding "Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus" (Georgiev) (Letter); (Caggiati) (Reply). 2004;39:1144

**Thigh**
Prosthetic thigh arteriovenous access: outcome with SVS/AAVS reporting standards (Cull et al). 2004;39:381-6

**Thrombectomy**
Clinical and economic evaluation of the trellis thrombectomy device for arterial occlusions: preliminary analysis (Sarac et al). 2004;39:556-9

**Thrombin**
Transluminal thrombin injection and exclusion of a paramesenteric abdominal aortic aneurysm (Criado and Gasparis). 2004;39:1118-21 (Case rep.)

**Thromboangiitis obliterans**
Clinical and social consequences of Buerger disease (Ohta et al). 2004;39:176-80
Regarding "Ischemic intestinal involvement in a patient with Buerger disease: case report and literature review" (Filis and Bastounis) (Letter); (Kobayashi and Matsubara) (Reply). 2004;39:486

**Thromboelastography**
Changes in blood coagulability as it transverses the ischemic limb (Shankar et al). 2004;39:1033-42

**Thromboembolism**
Aortic endograft thrombosis after colorectal surgery in lithotomy position (Chai et al). 2004;39:1112-14 (Case rep.)

**Thrombolytic therapy**
National Audit of Thrombolysis for Acute Leg Ischemia (NATALI): clinical factors associated with early outcome (Earnshaw et al). 2004;39:1018-25
Regarding "Acute arterial complications associated with total hip and knee arthroplasty" (Oremus and Safaric) (Letter); (Calligaro) (Reply). 2004;39:1148
Regarding "Regarding 'Veterans Affairs (VA) Cooperative Study #362'" (Johnson). 2004;39:698

**Thrombomodulin**
Recombinant human thrombomodulin inhibits arterial neointimal hyperplasia after balloon injury (Li et al). 2004;39:1074-83

**Thyroid gland**
Accessory thyroid gland at carotid bifurcation presenting as a carotid body tumor: case report and review of the literature (Hollander et al). 2004;39:260-2 (Case rep.)

**Time management**
Presidential address: Time, our vanishing commodity, and a prescription for rescue (Abbott). 2004;39:1149-56

**Tinnitus**
Tinnitus resulting from tandem lesions of the internal carotid artery: combined extracranial endarterectomy and intrapetrous primary stenting (Hartung et al). 2004;39:679-81 (Case rep.)

**Tissue culture**
Dog peritoneal and pleural cavities as bioreactors to grow autologous vascular grafts (Chue et al). 2004;39:859-67
Endothelium properties of a tissue-engineered blood vessel for small-diameter vascular reconstruction (Rémy-Zolghadri et al). 2004;39:613-20

**Tissue harvesting**
Deep vein harvest: predicting need for fasciotomy (Modrall et al). 2004;39:387-94

**Tocopherol;** *see* Vitamin E

**Tomography, X-ray computed**
Anatomic characteristics of ruptured abdominal aortic aneurysm on conventional CT scans: implications for rupture risk (Fillinger et al). 2004;39:1243-52
Feasibility of preoperative computer tomography in patients with ruptured abdominal aortic aneurysm: a time-to-death study in patients without operation (Lloyd et al). 2004;39:788-91
Variability of maximal aortic aneurysm diameter measurements on CT scan: significance and methods to minimize (Cayne et al). 2004;39:811-15

**Tongue**
Perceptual and instrumental evaluation of voice and tongue function after carotid endarterectomy (Cahill et al). 2004; 39:742-8

**Transforming growth factor beta**
Macrophage depletion reduces monocyte chemotactic protein-1 and transforming growth factor-$\beta_1$ in healing rat vein grafts (Wolff et al). 2004;39:878-88

**Trapidil**
Matrix metalloproteinase 2 is suppressed by trapidil, a CD40-CD40 ligand pathway inhibitor, in human abdominal aortic aneurysm wall (Nagashima et al). 2004;39:447-53

**Trauma;** *see* Wounds and injuries

**Treatment outcome.** *See also* Outcome assessment (health care)
Allograft replacement for infrarenal aortic graft infection: early and late results in 179 patients (Kieffer et al). 2004;39: 1009-17
Analysis of renal function after aneurysm repair with a device using suprarenal fixation (Zenith AAA Endovascular Graft) in contrast to open surgical repair (Greenberg et al). 2004; 39:1219-28
Balloon angioplasty as a treatment of failing infrainguinal autologous vein bypass grafts (Carlson et al). 2004;39:421-6
Cumulative sum failure analysis of the learning curve with endovascular abdominal aortic aneurysm repair (Forbes et al). 2004;39:102-8
Diameter of abdominal aortic aneurysm and outcome of endovascular aneurysm repair: does size matter? A report from EUROSTAR (Peppelenbosch et al). 2004;39:288-97
Divergent outcomes after percutaneous therapy for symptomatic renal artery stenosis (Sivamurthy et al). 2004;39: 565-74
Early carotid endarterectomy after acute stroke (Paty et al). 2004;39:148-54
Early outcome of "cutting" balloon angioplasty for infrainguinal vein graft stenosis (Kasirajan and Schneider). 2004;39: 702-8
Early results of carotid stent placement for treatment of extracranial carotid bifurcation occlusive disease (Powell et al). 2004;39:1193-9
Hypogastric artery bypass to preserve pelvic circulation: improved outcome after endovascular abdominal aortic aneurysm repair (Arko et al). 2004;39:404-8
Late abdominal aortic aneurysm enlargement after endovascular repair with the Excluder device (Cho et al). 2004;39: 1236-42
Multicenter pivotal trial results of the Lifepath System for endovascular aortic aneurysm repair (Carpenter et al). 2004;39:34-43
A new look at outcomes after infrainguinal bypass surgery: traditional reporting standards systematically underestimate the expenditure of effort required to attain limb salvage (Goshima et al). 2004;39:330-5
Outcome of aggressive surveillance colonoscopy in ruptured abdominal aortic aneurysm (Champagne et al). 2004;39: 792-6
Outcomes of secondary interventions after abdominal aortic aneurysm endovascular repair (Becquemin et al). 2004;39: 298-305
Patency and limb salvage rates after distal revascularization to unclampable calcified outflow arteries (Ballotta et al). 2004; 39:539-46
Patients undergoing infrainguinal bypass to treat atherosclerotic vascular disease are underprescribed cardioprotective medications: effect on graft patency, limb salvage, and mortality (Henke et al). 2004;39:357-65
Popliteal artery aneurysms: a comparison of outcomes in elective versus emergent repair (Aulivola et al). 2004;39: 1171-7
Prospective randomized controlled trial: conventional versus powered phlebectomy (Aremu et al). 2004;39:88-94
Quality of life before and after endovascular retroperitoneal abdominal aortic aneurysm repair (Ballard et al). 2004;39: 797-803
Randomized trial of vein versus Dacron patching during carotid endarterectomy: long term results (Naylor et al). 2004;39:985-93
Ruptured inflammatory abdominal aortic aneurysm: insights in clinical management and outcome (Tambyraja et al). 2004; 39:400-3
Systematic review of outcomes after surgical management of venous disease incorporating subfascial endoscopic perforator surgery (TenBrook et al). 2004;39:583-9
Type II endoleak after endovascular abdominal aortic aneurysm repair: a conservative approach with selective intervention is safe and cost-effective (Steinmetz et al). 2004;39: 306-13

**Treatment refusal**
Who doesn't receive carotid endarterectomy when appropriate? (Horner et al). 2004;39:162-8

**Tunica intima**
Arterial enlargement, tortuosity, and intimal thickening in response to sequential exposure to high and low wall shear stress (Sho et al). 2004;39:601-12
Concomitant blockade of platelet-derived growth factor receptors $\alpha$ and $\beta$ induces intimal atrophy in baboon PTFE grafts (Englesbe et al). 2004;39:440-6
Differential effects of Rho-kinase inhibition on artery wall mass and remodeling (Pearce et al). 2004;39:223-8
Differential expression and activity of matrix metalloproteinases during flow-modulated vein graft remodeling (Berceli et al). 2004;39:1084-90
Matrix metalloproteinase inhibition reduces intimal hyperplasia in a porcine arteriovenous-graft model (Rotmans et al). 2004;39:432-9
The popliteal artery, an unusual muscular artery with wall properties similar to the aorta: implications for susceptibility to aneurysm formation? (Debasso et al). 2004;39: 836-42

**Tunica media**
Coexistence of cystic medial necrosis and segmental arterial mediolysis in a patient with aneurysms of the abdominal aorta and the iliac artery (Yamada et al). 2004;39:246-9 (Case rep.)

## U

**Ultrasonography, Doppler, duplex**
Arterial remodeling and hemodynamics in carotid stents: a prospective duplex ultrasound study over 2 years (Willfort-Ehringer et al). 2004;39:728-34
Carotid artery stenting: Is there a need to revise ultrasound velocity criteria? (Lal et al). 2004;39:58-66
Contrast-enhanced duplex scanning of crural arteries by means of continuous infusion of Levovist (Coffi et al). 2004;39: 517-22
Correlation of duplex ultrasound scanning-derived valve clo-

sure time and clinical classification in patients with small saphenous vein reflux: is lesser saphenous vein truly lesser? (Lin et al). 2004;39:1053-8
Disease progression in contralateral carotid artery is common after endarterectomy (Raman et al). 2004;39:52-7
Duplex ultrasound scan findings two years after great saphenous vein radiofrequency endovenous obliteration (Pichot et al). 2004;39:189-95
Interobserver variability of carotid Doppler peak velocity measurements among technologists in an ICAVL-accredited vascular laboratory (Corriveau and Johnston). 2004;39:735-41
Intraoperative carotid artery duplex scanning in a modern series of 650 consecutive primary endarterectomy procedures (Ascher et al). 2004;39:416-20
Magnetic resonance angiography versus duplex arteriography in patients undergoing lower extremity revascularization: which is the best replacement for contrast arteriography? (Hingorani et al). 2004;39:717-22
Preoperative high-frequency duplex scanning of potential pedal target vessels (Hofmann et al). 2004;39:169-75
Reliability of extracranial carotid artery duplex ultrasound scanning: value of vascular laboratory accreditation (Brown et al). 2004;39:366-71

**Ultrasonography, interventional**
Transesophageal echo-guided endovascular exclusion of thoracic aortic mobile thrombi (Criado et al). 2004;39:238-42 (Case rep.)

**Ureteral obstruction**
Aortitis and bilateral ureteral obstruction after endovascular repair of abdominal aortic aneurysm (Jetty and Barber). 2004;39:1344-7 (Case rep.)

**Urinary plasminogen activator**
Domain-dependent action of urokinase on smooth muscle cell responses (Tanski et al). 2004;39:214-22

**Utilization review**
Understanding trends in inpatient surgical volume: vascular interventions, 1980-2000 (Anderson et al). 2004;39:1200-8

V

**Varicose ulcer**
Regarding "Randomized trial and local biological effect of autologous platelets used as adjuvant therapy for chronic venous leg ulcers" (Borzini et al) (Letter); (Senet et al) (Reply). 2004;39:1146-7

**Varicose veins**
Duplex ultrasound scan findings two years after great saphenous vein radiofrequency endovenous obliteration (Pichot et al). 2004;39:189-95
Histomorphologic classification of recurrent saphenofemoral reflux (Stücker et al). Invited commentary (Chandler). 2004;39:816-22
Necrotizing fasciitis after ambulatory phlebectomy performed with the use of tumescent anesthesia (Hubmer et al). 2004;39:263-5 (Case rep.)
Prospective randomized controlled trial: conventional versus powered phlebectomy (Aremu et al). 2004;39:88-94
Regarding "Performance characteristics of the venous clinical severity score" and "Validation of the new venous severity scoring system in varicose vein surgery" (Beresford) (Letter); (Kakkos et al) (Reply). 2004;39:696-7
Regarding "Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary?" (Zamboni ) (Letter); (Marston and Mendes) (Reply). 2004;39:1144-5

**Vascular Disease Foundation**
Mandate for creation of a national peripheral arterial disease public awareness program: an opportunity to improve cardiovascular health (Hirsch et al). 2004;39:474-81

**Vascular diseases**
Percutaneous treatment of symptomatic central venous stenosis angioplasty (Sprouse et al) 2004;39:578-82. Correction 2004;39:867

**Vascular Images**
Aortocaval fistula (Lin et al). 2004;39:266
Cystic adventitial disease of the popliteal artery (Fox et al). 2004;39:1351
Endovascular external-to-internal iliac bypass as an adjunct to endovascular aneurysm repair for patients with extensive common iliac artery aneurysmal disease (Woo et al). 2004;39:470
Endovascular repair of a ruptured thoracic aortic aneurysm with the use of aortic extension cuffs (Karmacharya et al). 2004;39:1128
Primitive proatlantal intersegmental artery and carotid endarterectomy (Grego et al). 2004;39:691
Traumatic peroneal artery pseudoaneurysm: use of preoperative coil embolization (Albrecht and Parra). 2004;39:912

**Vascular patency**
Patency and limb salvage rates after distal revascularization to unclampable calcified outflow arteries (Ballotta et al). 2004;39:539-46
Patients undergoing infrainguinal bypass to treat atherosclerotic vascular disease are underprescribed cardioprotective medications: effect on graft patency, limb salvage, and mortality (Henke et al). 2004;39:357-65
Prosthetic thigh arteriovenous access: outcome with SVS/AAVS reporting standards (Cull et al). 2004;39:381-6
Statin therapy is associated with improved patency of autogenous infrainguinal bypass grafts (Abbruzzese et al). 2004;39:1178-85

**Vascular surgery**
Changes in board certification could improve vascular surgery training (Cronenwett). 2004;39:913-15 (Editorial)
Creating a useful vascular center: a statewide survey of what primary care physicians really want (Karamlou et al). 2004;39:763-70
Presidential address: Commitment—looking for someone willing to go to the trouble (Baxter). 2004;39:925-30
Presidential address: The next quarter (Riles). 2004;39:275-8
System to decrease length of stay for vascular surgery (Reed et al). 2004;39:395-9
Understanding trends in inpatient surgical volume: vascular interventions, 1980-2000 (Anderson et al). 2004;39:1200-8

**Vascular surgical procedures**
Bypass versus angioplasty to treat severe limb ischemia: factors that affect treatment preferences of UK surgeons and interventional radiologists (Bradbury et al). 2004;39:1026-32
Cumulative sum failure analysis of the learning curve with endovascular abdominal aortic aneurysm repair (Forbes et al). 2004;39:102-8
Endovascular external-to-internal iliac bypass as an adjunct to endovascular aneurysm repair for patients with extensive

common iliac artery aneurysmal disease (Woo et al). 2004; 39:470
Endovascular management of juxtarenal aneurysms with fenestrated endovascular grafting (Greenberg et al). 2004;39: 279-87
Endovascular repair of a ruptured thoracic aortic aneurysm with the use of aortic extension cuffs (Karmacharya et al). 2004;39:1128
Iatrogenic operative injuries of abdominal and pelvic veins: a potentially lethal complication (Oderich et al). 2004;39: 931-6
Laparoscopy-assisted reconstruction to treat severe aortoiliac occlusive disease: early and midterm results (Alimi et al). 2004;39:777-83
Management of arteriovenous malformations: a multidisciplinary approach (Lee et al). 2004;39:590-600
Necrotizing fasciitis after ambulatory phlebectomy performed with the use of tumescent anesthesia (Hubmer et al). 2004; 39:263-5 (Case rep.)
A new approach to carotid angioplasty and stenting with transcervical occlusion and protective shunting: why it may be a better carotid artery intervention (Chang et al). 2004;39: 994-1002
Perioperative outcomes after open and endovascular repair of intact abdominal aortic aneurysms in the United States during 2001 (Lee et al). 2004;39:491-6
Prospective randomized controlled trial: conventional versus powered phlebectomy (Aremu et al). 2004;39:88-94
Regarding "Challenges of endovascular tube graft repair of thoracic aortic aneurysm: midterm follow-up and lessons learned" (Verdant) (Letter); (Ellozy et al) (Reply). 2004; 39:1145-6
Regarding "Floppy aortic graft reconstruction for germ cell tumor invasion of the infrarenal aorta" (Nishinari and Wolosker) (Letter); (Chiou) (Reply). 2004;39:922
Regarding "Salvage of a difficult situation: method for conversion of a failed endograft" (Pinter and Kolvenbach). 2004; 39:696 (Letter)
Retrograde visceral vessel revascularization followed by endovascular aneurysm exclusion as an alternative to open surgical repair of thoracoabdominal aortic aneurysm (Flye et al). 2004;39:454-8 (Case rep.)
Surgical strategy for treating renal cell carcinoma with thrombus extending into the inferior vena cava (Jibiki et al). 2004;39:829-35
Systematic review of outcomes after surgical management of venous disease incorporating subfascial endoscopic perforator surgery (TenBrook et al). 2004;39:583-9
Total laparoscopically and robotically assisted aortic aneurysm surgery: a critical evaluation (Kolvenbach et al). 2004;39: 771-6
Type II endoleak after endovascular abdominal aortic aneurysm repair: a conservative approach with selective intervention is safe and cost-effective (Steinmetz et al). 2004;39: 306-13
Videoscopic approach to femoral bifurcation (Coggia et al). 2004;39:471-3 (Tech. note)

**Veins**
Regarding "Nomenclature of the veins of the lower limbs: an international interdisciplinary consensus" (Georgiev) (Letter); (Caggiati) (Reply). 2004;39:1144

**Vena cava, inferior**
Aortocaval fistula (Lin et al). 2004;39:266
Intravenous leiomyomatosis: two cases with different routes of tumor extension (Lam et al). 2004;39:465-9 (Case rep.)

**Venous insufficiency**
Acute lower extremity ischemia in a 7-year-old boy: an unusual case of popliteal entrapment syndrome (Bernheim et al). 2004;39:1340-3 (Case rep.)
Correlation of duplex ultrasound scanning-derived valve closure time and clinical classification in patients with small saphenous vein reflux: is lesser saphenous vein truly lesser? (Lin et al). 2004;39:1053-8
Histomorphologic classification of recurrent saphenofemoral reflux (Stücker et al). Invited commentary (Chandler). 2004;39:816-22
Hypertension-induced venous valve remodeling (Takase et al). 2004;39:1329-34
Iliac vein compression in an asymptomatic patient population (Kibbe et la). 2004;39:937-43
Regarding "Treatment of superficial and perforator venous incompetence without deep venous insufficiency: is routine perforator ligation necessary?" (Zamboni ) (Letter); (Marston and Mendes) (Reply). 2004;39:1144-5
Relationship between clinical classification of chronic venous disease and patient-reported quality of life: results from an international cohort study (Kahn et al). 2004;39:823-8
Structured exercise improves calf muscle pump function in chronic venous insufficiency: a randomized trial (Padberg et al). 2004;39:79-87
Surgical disobliteration of postthrombotic deep veins—endophlebectomy—is feasible (Puggioni et al). Commentary (Dalsing). 2004;39:1048-52
Systematic review of outcomes after surgical management of venous disease incorporating subfascial endoscopic perforator surgery (TenBrook et al). 2004;39:583-9

**Venous pressure**
Hypertension-induced venous valve remodeling (Takase et al). 2004;39:1329-34

**Venous thrombosis**
Iliac vein compression in an asymptomatic patient population (Kibbe et la). 2004;39:937-43
Surgical disobliteration of postthrombotic deep veins—endophlebectomy—is feasible (Puggioni et al). Commentary (Dalsing). 2004;39:1048-52

**Vertebral artery**
Isolated contralateral vertebral artery injury in a stab wound to the neck (Vinces et al). 2004;39:462-4 (Case rep.)

**Video-assisted surgery**
Videoscopic approach to femoral bifurcation (Coggia et al). 2004;39:471-3 (Tech. note)

**Vitamin B6;** *see* Pyridoxine

**Vitamin E**
α-Tocopherol preserves endothelial cell migration in the presence of cell-oxidized low-density lipoprotein by inhibiting changes in cell membrane fluidity (van Aalst et al). 2004; 39:229-37

**Voice disorders**
Perceptual and instrumental evaluation of voice and tongue function after carotid endarterectomy (Cahill et al). 2004; 39:742-8

**W**

**Wounds, stab**
Isolated contralateral vertebral artery injury in a stab wound to the neck (Vinces et al). 2004;39:462-4 (Case rep.)